

COMPLIANCE RECEIVING JUNE-2025

EV714550072IN IVR:6986714550072  
SP KALADHUNGI ROAD SO <263139>  
Counter No:1,03/07/2025,13:06  
To:THE DIRECTOR IMPACT,ASSE  
PIN:110092, Laxmi Nagar SO East Delhi  
From:ASMI ENVIRO SOL,/  
Wt:165gms  
Amt:47.20,Tax:7.20,Amt.Paid:47.00(Cash)  
<Track on [www.indiapost.gov.in](http://www.indiapost.gov.in)>  
<Dial 18002666868><Wear mask -Stay safe>




MOEF&CC DELHI

EV714550090IN IVR:6986714550090  
SP KALADHUNGI ROAD SO <263139>  
Counter No:1,03/07/2025,13:06  
To:THE ENVIROMANT ENGINEER,DPCC  
PIN:110006, Delhi GPO  
From:ASMI ENVIRO SOL,/  
Wt:280gms  
Amt:70.80,Tax:10.80,Amt.Paid:71.00(Cash)  
<Track on [www.indiapost.gov.in](http://www.indiapost.gov.in)>  
<Dial 18002666868><Wear mask -Stay safe>



DPCC

## COMPLIANCE RECEIVING JUNE-2025



**Mailed to LUCKNOW MOEF&CC DELHI**

# HYACINTH HOTELS PRIVATE LIMITED

Regd. Office: B 6/17 Safdarjung Enclave, New Delhi - 110 029  
T +91-11-46050101. F +91-11-46050110  
(CIN U55204DL2007PTC166050)

Dated: 16.06.2025

To,  
The Member Secretary  
Delhi Pollution Control Committee  
4<sup>th</sup> Floor, ISBT Building,  
Kashmere Gate, Delhi-110006

Sub: Submission of Six monthly June-2025 compliance report of Environmental Clearance letter and also Six monthly CTO compliance for "lemon Tree & Red Fox Hotel" located at Asset no. 06, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

Ref. No.: File No. DPCC/SEIAA-SEAC/153/12/227

EC letter No, DPCC/SEAC/153/SEIAA/20/2013 dated 30<sup>th</sup> July, 2013

Dear Sir,

With reference to the above mentioned subject, we are herewith submitting the six monthly compliance report of EC & CTO for the month of June- 2025 along with related Annexures for your kind perusal.

We fully assure you that, we will comply with all conditions as specified Environmental Clearance and Consent to Operate.

Thanking you,  
Yours sincerely,  
For M/s Hyacinth Hotels Pvt. Ltd.

Name  
(Designation)  
GM

Copy To:-



- 1) Director, Impact Assessment III-Division, Ministry of Environment, Forest & climate change  
Paryavaran Bhawan, CGO Complex, Jor Bagh Road, Aliganj, New Delhi-110092
- 2) Ministry of Environment, Forest & climate change ,regional office kendriya bhawan,5th floor  
Sector -H Aliganj Lucknow.



**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**



**JUNE Report-2025**

**SPECIFIC AND GENERAL CONDITIONS AS PER THE ENVIRONMENTAL  
CLEARANCE LETTER NO:DPCC/SEAC/153/SEIAA/20/2013; dated 30/07/2013,  
(ANNEXURE I) FOR CONSTRUCTION AND OPERATION PHASES OF THE  
PROJECT PERIOD OCT 2024 to March 2025.**

**PART A. – SPECIFIC CONDITIONS**

**I. Construction Phase**

I.	Construction should be started after obtaining prior Consent to Establish from Delhi Pollution Control Committee (DPCC) under Air and Water Acts and a copy shall be submitted to the SEAC-Delhi, failing which project shall be discontinued.	Construction was started after obtaining Consent to Establish from DPCC, Consent to Establish letter is enclosed as <b>Annexure- 1</b> .
II.	Provision shall be made for the housing of labours within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care along with first aid room, crèche etc. The housing may be in the form of temporary structures to be removed after completion of the project.	The construction of the project has been completed and it is in operational phase. All necessary provisions was followed during construction phase.
III.	Health and safety norms of CPWD should be followed during construction	Complied.
IV.	Top soil excavated during construction activities should be stored within the site for use in horticulture/landscape development.	Complied.
V.	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed of taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority	Project is in operational phase, same was followed during construction phase.





**"Lemon Tree Premier & Red Fox Hotel"**

**Asset no- 6, Hospitality District,  
DIAL, IGI Airport, New Delhi**

**JUNE Report-2025**

VI.	Proper measures should be adopted to control dust emissions during construction phase by providing adequate numbers of water sprinklers.	For controlling dust emissions during construction phase all necessary precautions were taken.
VII.	Soil and water samples of the site should be tested by the project proponent through any laboratory recognized by DPCC to ascertain that there is no threat to ground water quality by leaching of contaminants, on quarterly basis for inclusion in the six monthly reports.	It was done at the time of construction.
VIII.	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into groundwater. Bulk of the demolition waste should be recycled and minimum possible demolition waste should be dumped at designated dumping site.	The construction of the project has been completed while project in its operational phase, hence this condition is not applicable.
IX.	Bio-medical waste, if any, shall be disposed of as per the Bio-medical waste (Management & Handling) Rules, 1998 and authorization shall be obtained from DPCC as per applicability.	There is no Bio-medical waste generated, hence this condition is not applicable.
X.	Any hazardous waste generated during construction and operation phase should be disposed off as per applicable rules and norms with necessary authorization from Delhi Pollution Control Committee.	Hazardous waste generated during construction was well managed & disposed off as per applicable rules and norms. There is some hazardous waste generation during operation phase and proper channelization is used to handle the waste which is handle by Authorized vendor of PCB, return has been filled enclosed form
XI.	The diesel generator sets to be used during construction phase should be operated on low sulphur diesel and should conform to the Environment Protection Rules prescribed for air and noise emission standards.	Complied.





XII.	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from 'Chief Controller of Explosives shall be taken.	Diesel for DG sets was stored in daily storage drums in very low quantity as per threshold limit applicable for temporarily storage of diesel for which no clearance from Chief Controller of Explosives is required.as no D.G set operational
XIII.	Vehicles hired for bringing construction material to the site should be in good condition, have pollution check certificate, conform to applicable air and noise emission standards. These vehicles should be operated only during non-peak hours. The material loaded or unloaded should be covered (Especially excavated soil) before transportation to avoid fugitive emissions etc.	Complied.
XIV.	Ambient noise levels should conform to prescribed residential standards both during day and night hours. Adequate measures should be made to reduce ambient air and noise level during construction and operation phase, so as to conform to the norms stipulated by CPCB/DPCC. Ambient air and noise monitoring should be done by an accredited lab and data should be submitted along with compliance report in every six month.	Environment monitoring report is enclosed ,Monitoring has been carried out by NABL accredited lab.
XV.	Thick green belt of the adequate width and density, along with adequate tree plantation to create a buffer zone as per plan submitted, shall be raised along the periphery of the plot so as to provide protection against particulates and noise.	Thick Green belt has been developed in the project. Planted thick green belt acts as noise barrier attenuation factor which will reduce the noise level from outside source Indigenous variety of plant species is planted around the project periphery to absorb maximum dust and to reduce noise level. Photographs showing greenbelt developed in the project premise
XVI.	Natural drainage should be preserved as far as possible.	Within 7 KM of the project site there is no Natural drainage
XVII.	Rain water harvesting, as per plan submitted, for roof top run-off and surface run-off should be implemented. Before recharging the surface run-off,	The implementation of rain water harvesting for roof top, run-off and surface run-off has been done as per submitted plan. Bore for rainwater





**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**



**JUNE Report-2025**

	pre-treatment must be done to remove suspended matter, oil and grease. The depth of the bore for rainwater recharging should be kept in consultation with DJB. No wastewater (such as sewage, trade effluent, backwash of treatment unit, floor washing wastewater etc) should be discharged into the rainwater harvesting structure in order to avoid groundwater contamination. The collected rainwater, if any should be properly treated before use.	recharging has been kept in consultation with DJB. No waste water is being discharged into the rainwater harvesting structure in order to avoid groundwater contamination. To Remove suspended matter, oil and grease before recharging surface run off, pre-treatment is being done time to time.
XVIII.	The ground water drawl during construction and operation phases should be done only with the prior permission of DJB. Until then, no ground water shall be used in construction activities. The ground water level and its quality should also be monitored regularly in consultation with DJB.	<b>Not Applicable.</b> There was no ground water extraction done at time of construction. In its operational phase also the source of water supply is Delhi International Airport Private Limited. Recent water bill of water is enclosed .
XIX.	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification dated September 14 <sup>th</sup> , 1999 and amended as on August 27 <sup>th</sup> , 2003.	It was used during construction of project.
XX	Ready Mix Concrete must be used in building construction to minimize the use of water.	During construction, it was practiced.
XXI	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices preferred.	It was done at the time of construction.
XXII	Fixtures for toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Required fixtures have been installed for toilet flushing and drinking
XXIII	Energy Conservation Building Code to be strictly adopted in all aspects of building design and construction. Requirements of GRIHA rating, if proposed, should be followed.	Energy Conservation Building Code has been adapted to maximum possible extent in all aspects of building design and construction.
XXIV	Approval of Chief Fire Officer and Delhi Urban Arts Commission for	All necessary approvals have already been obtained. <b>NOC</b> from chief Fire





	Building Plans, approval of Airport Authority of India for Building Height and approval of other authorities viz Land owning Agency, DJB, MCD, NDMC, DISCOM, etc should be obtained.	Officer is enclosed.
XXV	NOC for cutting of trees, if any, should be obtained from Department of forest & Wildlife.	Not Applicable.
XXVI	Approval of competent authority shall be obtained for structural safety of the building due to earthquake. Adequacy be ensured for firefighting equipments etc as per National Building Code including protection measures from lightening etc.	All safety measures were taken as per National Building Code. Approval of competent authority was obtained for structural safety of the building due to earthquake. Structural Safety certificate is enclosed.
XXVII	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to neighbors.	It was done at the time of construction.

## II. Operation Phase

I	Consent to operate under Air and Water Acts shall be obtained from DPCC before operation, failing which the Environmental Clearance herein shall be deemed to be withdrawn.	Consent to operate under Air and Water Acts is granted by DPCC.
II.	The zero wastewater discharge condition shall be achieved with installation of a well designed on-site Sewage Treatment Plant (STP) for the generation of sewage and Effluent Treatment Plant (ETP) for any type of effluent and the treated waste water shall be reused in HVAC cooling, flushing through dual plumbing and in Horticulture. The STP/ETP should be certified by an independent expert and adequacy report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. Water meters at all appropriate places shall be installed to know the quantum of water	STP of 220 KLD based on FAB technology is installed for the treatment of waste water generated within project. STP is installed in the basement mitigate odor problem STP was certified and report was submitted. Total waste water generation in the project is 181 KLD. 169 KLD water is recoverable after treatment by STP which is used through dual plumbing in Flushing (54 KLD), Horticulture (13 KLD), Cooling Towers (90 KLD), Boiler (2 KLD) and back wash. STP was certified and report was submitted, water meters are installed at appropriate places. STP analysis report is enclosed as and





**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**



**JUNE Report-2025**

	used, wastewater, treated water recycled/reused in HVAC, flushing and horticulture/ gardening, necessary measures should be made to mitigate the odor problem from STP/ETP.	also online monitoring system is installed <b>annexure-II.</b>
III.	The Solid waste (dry as well as wet garbage) generated should be properly collected and segregated. Biodegradable (wet) garbage generated should be converted to compost or biogas by suitable technology. Non- Biodegradable waste should be outsourced properly after recovery of recyclable material. Paper recycling unit should be installed for recycle and reuse of waste paper. Adequate measures should be taken to prevent odor problem.	In the hotel, total municipal solid waste generation is 629 kg/day. OWC has been provided in the hotel for treatment of organic waste. Recyclable and non recyclable solid waste is disposed off through government approved vendors. Necessary precaution is being taken to minimize nuisance of odor, flies and rodent.
IV.	Bio- medical waste, if generated any, shall be disposed of as per the Bio-medical Waste (Management & Handling) Rules, 1998 and authorization shall be obtained from DPCC as per applicability.	Lemon Tree & Red Fox is hotel, hence there is no Bio- medical waste generation in the project site. Therefore no permission from DPCC is required.
V.	Utilization of Diesel power generating sets is subject to power failure condition only, The DG sets proposed as a source of power back up during operation phase should be of enclosed type. The DG sets of capacity more than 1000 KVA should be provided the stipulated stack height of 30 meter from the ground. If not possible due to any reason, permission from MoEF must be obtained specifically for stack height of such DG sets. All the DG sets should be subjected to periodic noise and stack monitoring in consultation with DPCC. Waste/used diesel should be stored and managed as per Hazardous Waste (Management and Handling) Rules, 2000 as amended to date and be sold to CPCB approved recyclers, Clearance from AAI should be obtained for stack height of D.G set.	In the project site, 3 no. (1x 1010 kVA and 2 x 750 kVA) of D.G sets have been installed as power backup during power failure condition. D. G sets are enclosed in acoustic enclosure to reduce noise level. Stack height of D.G Set is 6 m above the height of building as per norms NOC from AAI is already obtained and submitted with earlier compliance. Used diesel is stored and managed as per Hazardous And Other Wastes (Management and Tran boundary Movement) Rules 2016 and used diesel is sold to PCB approved recyclers.





VI	Traffic congestion near the entry and exit points from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized. Separate parking provision should be provided for handicapped persons.	Adequate parking facility of 324 ECS has been provided in hotel which is shown in traffic circulation plan submitted in earlier compliance. Parking is fully internalized and no public space is utilized and separate parking is provided for handicapped persons.
VII	Energy Conservation measures such as solar lighting for common areas, solar water heating system, LED lights, solar inverters etc should be adopted.	Energy Conservation measures such as solar lighting for project boundary areas, LED lights in common areas have been provided.
VIII	A report on energy conservation measures conforming to energy conservation norms finalized by Bureau of energy Efficiency should be prepared incorporating details about building materials and technology, R&U factors etc and submit a copy to ministry of Environment & Forests, Regional Offices, Chandigarh and DPCC in three months time with Intimation to SEIAA	The guidelines of Bureau of energy have been incorporated in the design and building construction for conservation of energy.

**PART B. - GENERAL CONDITIONS**

I	The environmental safeguards and monitoring schedule as contained in the EMP should be implemented in letter and spirit & there will be no departure from the final project proposal.	The environmental safeguards and monitoring schedule as contained in the EMP has been implemented.
II	The project proponent shall follow the revised Guidelines/criteria for Evaluation of proposals/Request for Ground water abstraction issued by Central Ground Water Authority (CGWA) vide letter no.21-4/Guidelines/CGWA/2012-4793 dated: 30.10.2012 which are in effect from 15.11.2012.	During construction phase water requirement was met by CSTP treated water and in operational phase demand of water is meeting by Delhi International Airport Private Limited, hence there is no extraction of ground water . Water bill is enclosed.





III	Corporate Social Responsibility should be carried out as per action plan and budgetary provisions submitted to SEAC subject to a minimum of 0.4% of total project cost as one time expenditure and 0.08% of the project cost as recurring expenditure.	CSR plan is enclosed.
IV	Officials from Ministry of environment & Forests, Regional Office, Chandigarh and Delhi Pollution Control Committee, who would be monitoring the implementation of environmental safeguards, should be given full co-operation to inspect the facilities and documents/data on site by the project proponents during their site inspection. A complete set of all the documents submitted to SEAC should be forwarded to Ministry of Environment & Forests, Regional Office, Chandigarh & DPCC. Six monthly monitoring reports should also be submitted to Ministry of Environment & Forests, Regional Office Chandigarh & to DPCC.	We are abiding with rules and regulations. Six monthly Compliance report is also submitted to regional office of MoEF & CC. Receiving of submitted compliance in June 2024 enclosed.
V	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEAC and the Consent to Establish/Operation from DPCC as well.	Noted.
VI	In Compliance to Hon'ble High Court's order dated 7 <sup>th</sup> August, 2008, use sale and storage of all kinds of plastic bags shall be forbidden.	In hotel use and storage of all kinds of plastic bags are forbidden.
VII	E-waste generated in the complex should be managed as per E-waste (Management and Handling) Rules, 2011 and disposed through approved e-waste recyclers.	E- Waste generated in the complex is managed as per E-waste (Management and Handling) Rules, 2016 and disposed through approved e-waste recyclers
VIII	State Environmental Impact Assessment Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including the revoking of the Environmental Clearance under the provisions of the Environmental	We are abiding with rules and regulations of State Environmental Impact Assessment Authority.





**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**

**JUNE Report-2025**

	(Protection) Act, 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	
IX	All other statutory clearances such as approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department etc shall be obtained, as applicable by project proponents from the respective competent authorities	All required approval such as fire safety certificate, NOC from AAI regarding height clearance have already been obtained.
X	These stipulations would be enforced among others under the provisions of Water (Prevention and Control) Pollution Act, 1974, the Air (Prevention and Control) Act 1981, The Environment (Protection) Act, 1986, The Public Liability (Insurance) Act, 1991 and EIA Notification, 2006, as amended to date.	We are following the condition.
XI	The Project Proponent should prominently advertise in at least two local Newspapers widely circulated in the region indicating that the project has been accorded Environmental Clearance and copy of clearance is available with the DPCC and may also be seen on the site of DPCC at <a href="http://www.dpcc.delhigovt.nic.in">http://www.dpcc.delhigovt.nic.in</a> . The advertisement should be made within 10 days from the date of receipt of the Clearance letter.	It was done per directions.
XII	The Project Proponent should submit copy of environmental Clearance to the Heads of local bodies, Panchayats and municipal bodies in addition to relevant offices of government who in turn has to display the same for 30 days from the date of receipt	It was done as per the direction
XIII	The project proponent shall apply for amendment in EC, if there is change in building plan(s) & layout plan(s) by DUAC or any other authority after the grant of EC.	Noted.



"Lemon Tree Premier & Red Fox Hotel"  
Asset no- 6, Hospitality District,  
DIAL, IGI Airport, New Delhi



JUNE Report-2025

XIV	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the Project Proponent on its website.	It is uploaded on website.
-----	--	----------------------------





“Lemon Tree Premier & Red Fox Hotel”  
Asset no- 6, Hospitality District,  
DIAL, IGI Airport, New Delhi



JUNE Report-2025

ANNEXURE LIST EC

<u>ANNEXURE-1</u>	CONSENT TO ESTABLISH
<u>ANNEXURE-2</u>	MONITORING REPORTS
<u>ANNEXURE-3</u>	GREEN BELT PHOTOGRAPHS
<u>ANNEXURE-4</u>	WATER BILL
<u>ANNEXURE-5</u>	FIRE NOC
<u>ANNEXURE-6</u>	STRUCTURAL SAFETY
<u>ANNEXURE-7</u>	CTO LETTER
<u>ANNEXURE-8</u>	SAME AS ANNEXURE 2
<u>ANNEXURE-9</u>	CSR POLICY
<u>ANNEXURE-10</u>	RECEIVING OF LAST COMPLIANCE DEC 2024



**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**



**JUNE Report-2025**

**TERMS & CONDITIONS AS PER THE CTO**

1.	The Consentee shall meet the effluent standards i.e. pH= 5.5-9, Total Suspended Solids ( TSS) <=50, Biochemical Oxygen Demand (3days at 27degree Cent.)<= 30, Oil and Grease<=10, Phosphate(as P)<=5#All effluent parameters are in mg/l expect pH value	Noted lab report is attached as <b>Annexure-1</b> where inlet and outlet reports has shown
2.	The Consent is activity specific and based on the information provided in the consent application along with the documents/ subsequent documents/information submitted to Delhi Pollution control Committee ( DPCC). The consentee shall apply for fresh consent in case of any change in the activity /manufacturing process.	Noted surely the consentee shall apply for fresh consent in case of any change in the activity /manufacturing process.
3.	The consentee shall display the Name of the unit along with its Address, name of the proprietor/Directors/partners etc, Contact Phone No(s) and its Activities Processes/ Product etc, on a Display Board to be placed/fixed at the main gate of the unit	Noted and will do accordingly
4.	The consentee/unit shall have/take separate Electricity/Power connection in its name and shall have/ install separate meter in this regard	Noted for reference attached electricity bill <b>Annexure-2</b>
5.	The consentee shall provide and maintain separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system and shall be connected to the conveyance system/ sewerage system of the area leading to common Effluent Treatment Plant of the Industrial Area/sewage Treatment Plant of the catchment area	Noted STP properly maintain by Lemon Tree officials, photographs attached as <b>Annexure-3</b>
6.	The Consentee shall obtain permission from Delhi Jal Board for ground water extraction, if any, as per the various orders/Notification of Govt. of NCT of Delhi.	Noted no ground water extraction is done yet, supply of water done by GMR group bill is attached as <b>Annexure-4</b>
7.	In case the unit is located in the industrial area	Noted and no Common





	where Common Effluent Treatment Plant (CETP) has been provided, the Consentee shall make regular payment of its share for the operation and maintenance of CETP to the concerned CETP Society as per the Delhi Common Effluent Treatment Plants Act, 2000, as amended to date.	Effluent Treatment Plant (CETP) is operational in this area.
8.	The Consentee shall ensure proper channelization/control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good house keeping practices so as to maintain clean & safe environment in and around the premises of the unit	Noted consentee always willing to maintain good house keeping practices so as to maintain clean & safe environment in and around the premises of the unit, Attached as <b>Annexure-5</b>
9.	The Consentee shall comply with the noise standards laid down vide Gazette notification of Ministry of Environment and Forest (MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date. Stack Height for sets (Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following (i) Minimum 6 meter above the building where generator set is installed (ii) 30 meter (iii) $14Q^{0.3}$ (Q Total so <sub>2</sub> emission from the plant in kg/hr) and for other DG Set(s) (upto 0.8 MW) stack height shall be as per the following formula, $H = h + 0.2 \sqrt{KVA}$ (H-Total Height of stack in meter, h = Height of the building in meters where the Generator Set is installed, KVA -Total Generator capacity of the set in KVA)	Noted all noise standards is done by notification provided by Ministry of Environment and Forest (MOEF & CC), Government of India Dated 17.05.2002 & 12.07.2004.
10.	The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling) Rules, 2001 as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage	Noted consentee strictly follow the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 Solid Waste Management Rules, 2016 and E-Waste (Management)





	<p>and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler/Reprocessor /Authorized</p> <p>Agencies for such wastes, authorized by MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites.</p>	<p>Rules, 2016. Waste Generated from the unit is strictly operate by Authorized vendor from MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites, managed by Authorize vendor .</p>
11.	<p>The Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016, as amended to date, if applicable.</p>	<p>Noted, maintain by collecting wet and dry garbage in the plastic, and handover to the authorized vendor- <b>Annexure-7</b></p>
12.	<p>The Consentee shall comply the other prescribed standards of Effluent/Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000 as amended to date</p>	<p>Noted</p>
13.	<p>The Consentee shall promote the use of CFL and recovery of mercury from CFL Lamps and should create a system of replacing of old bulbs for new to enable recovery of mercury after the bulbs are fused.</p>	<p>Noted, This is a green building, which follows all requirement under IGBC rule , attached certificate <b>Annexure-8</b></p>
14.	<p>The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi</p>	<p>Noted</p>



**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**

15.	Consentee shall reuse/recycle treated water up-to maximum extent to achieve the objective of zero discharge	<b>JUNE Report-2025</b> Noted, treated water is used in the work of maintaining the greenery around, Rain water harvesting system is also followed by Lemon tree
-----	---	---





		officials
16.	The Consentee having installed Sewage Treatment Plant (STP) of 235 KLD shall properly operate and maintain the STP to meet the prescribed standards as given in the Consent Order. Flow Meters/ suitable flow measuring devices shall be provided and maintained to measure the quantity of waste water generation and treatment by the unit and to quantify the reused of treated water. No bypass (Pipe / Drain) shall be provided. The treated effluent shall be used/ recycled by the unit. Records /Logbook shall be maintained for the operation of the STP, waste water generated, treated and used/recycled and shall be produced during the inspection of DPCC official(s)	Noted, properly operational and maintain STP 24/7 by Engineering team, lab report is also attached and photographs Annexure-9
17.	The Consentee having installed Emission Control System (ECS) shall properly operate and maintain the ECS to meet the prescribed standards as given in the Consent Order. No bypass stack/ arrangement shall be provided. Records /Logbook shall be maintained for the operation of the ECS and shall be produced during the inspection of DPCC official(s). The Consentee shall provide and maintain ports in the Stack(s) /Chimney(s) and facilities such as ladder, platform etc. in good condition for monitoring of the emissions.	Noted, Emission Control System (ECS) shall properly operate and maintain the ECS to meet the prescribed standards as given in the Consent Order. Annexure-10
18.	Capacity of the Diesel Generator Set (s) installed in the unit 1X1010 KVA 2X750 KVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets	Noted Noted all noise standards is done by notification provided by Ministry of Environment and Forest(MOEF&CC), Government of India Dated 17.05.2002 & 12.07.2004
19.	Project proponent will ensure use of ozone depletion substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created	Noted- all safety measures are concerned and strictly followed
20.	Zero garbage concept shall be implemented with appropriate technology of composting	Noted- Organic waste Converter technology of composting is used at site Annexure-11





**JUNE Report-2025**

21.	The Consentee shall not extract the ground water without obtaining prior permission in this regard from DJB/CGWA	No ground water is extract
22.	Unit shall implement the environmental safeguards as per stipulations in Environmental Clearance issued by MoEF/SEIAA and shall submit half yearly compliance report in respect of the terms and conditions of Environmental Clearance to Regional Office of MoEF and simultaneously to DPCC on the prescribed date.	Noted and half yearly EC compliance report submitted to Regional Office of MoEF and simultaneously to DPCC on the prescribed date.
23.	The Consentee shall comply with the applicable provisions / Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23-10-2012 including the directions that No person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of Poly Propylene, Non woven fabric type carry bags) in the whole of National Capital Territory of Delhi	Noted
24.	The Consentee shall submit application for renewal of the Consent, one month in advance of the expiry date of this Consent Order.	Noted, will apply renewal of the Consent, one month in advance of the expiry date of this Consent Order.
25.	In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration	Noted
26.	Notwithstanding anything contained in this consent order. Delhi Pollution Control Committee, reserves its right to review any / or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution) Act, 1981, as amended to date and the Water (Prevention and Control of Pollution) Act, 1974, as amended to date.	Noted
27.	The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to	Noted all precautions and safety measures are followed by the Staff officials also mentioned in





**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**

**lemon tree**  
HOTELS

**redfox**  
BY LEMON TREE HOTELS

**JUNE Report-2025**

	exist in violation of other laws and statutory provisions including the Master Plan of Delhi.	EC half yearly compliance reports
28.	The consentee shall submit the stack monitoring report of DG set (1010KVA) within 30 days of issuance of this consent order.	Attached
29.	This issues in view of the Office Order No. F.No. DPCC/Consent/2017/569-580 dated 31.05.2017 and Office Order No. F.No.DPCC/Consent/2017/1185-1198 dated 08.09.2017 as per decision taken by Consent Management Committee for II(a) category in its meeting held on 07.08.2019.	Noted



**ANNEXURE LIST CTO**

<b><u>ANNEXURE-1</u></b>	STP INLET /OUTLET LAB REPORT
<b><u>ANNEXURE-2</u></b>	ELECTRICITY BILL
<b><u>ANNEXURE-3</u></b>	STP PHOTOGRAPHS
<b><u>ANNEXURE-4</u></b>	WATER BILL
<b><u>ANNEXURE-5</u></b>	SIGN BOARD AT DIFFRENT PLACES
<b><u>ANNEXURE-6</u></b>	E -WASTE CERTIFICATE/ Hazardous Waste
<b><u>ANNEXURE-7</u></b>	WASTE RECYCLER AUTHORIZATION LETTER
<b><u>ANNEXURE-8</u></b>	IGBC CERTIFICATE
<b><u>ANNEXURE-9</u></b>	STP PHOTOGRAPHS/LAB REPORT
<b><u>ANNEXURE-10</u></b>	EMISSION CONTROL SYSTEM
<b><u>ANNEXURE-11</u></b>	ORGANIC WASTE CONVERTER







# UNIVERSAL ANALYTICAL LAB

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana)  
 E-mail : info@universallab.in, universalanalyticallab@gmail.com  
 www.universallab.in, Mob.: +91 9992929181, +91 9729948882, +91 8569966516



CERTIFICATE NO. Q-1516-0450

AN ISO 9001 CERTIFIED & GOVERNMENT APPROVED LABORATORY

Report No:UAL/DH/-1037/03/2025

Date: 28/03/2025

Issued to:

**Lemon Tree Premier (A Unit of Hyacinth Hotels Pvt. Ltd.) Asset no 6, Hospitality District, Dial Aerocity, Delhi-110037**

Party's Ref No: Verbal

Dated: 22/03/2025

Lab Job Order No: 1205-1206/03/2025

Period of Testing: 24/03/2025 to 28/03/2025

## TEST REPORT

### A. SAMPLE PARTICULARS:

- |                                  |   |   |
|----------------------------------|---|---|
| 1. Name of the Unit              | : | <b>Lemon Tree Premier (A Unit of Hyacinth Hotels Pvt. Ltd.)</b> |
| 2. Type of the Sample            | : | Sewage Water Samples  |
| 3. Date of Sampling              | : | 24/03/2025  |
| 4. Point of Sample Collection    | : | STP Inlet & STP Outlet  |
| 5. Purpose of Analysis           | : | Monitoring  |
| 6. Sample Collected/ Supplied by | : | Lab Representative  |
| 7. Sampling Procedure            | : | As Per IS 17614 (P-1)   |
| 8. Sampling Plan                 | : | 5.7 F-01 (B)  |

### B. TEST RESULTS:

Sr. No.	Parameters	Results		General Std. Limits for Discharge (Inland Surface Water)	Test Method
		STP Inlet	STP Outlet		
1	Colour	Grayish	Lt. Whitish	-	IS-3025 (P-4)
2	Odour	Foul	Mild	-	IS-3025(P-5)
3	PH	7.12	7.28	5.5-9.0	IS-3025 (P-11)
4	COD, mg/l	624.0	116	250	APHA 24 <sup>th</sup> ED.5220B
5	Bod (at 27°C for 3days), mg/l	229.5	24.5	30	IS-3025(P-44)
6	Total Suspended Solid, mg/l	348	18	100	IS-3025(P-17)
7	Oil & Grease, mg/l	16.7	3.6	10	IS-3025(P-39)

*Akshay*  
 Mgr./ Sr Analyst  
 Akshay



*Ajeet Singh*  
 Authorized Signatory  
 Ajeet Singh  
 Technical Manager

Note :

1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.
2. This report should not be used in any advertising media without our special permission in writing.
3. Sample will be destroyed after retention time unless otherwise specified.
4. The results are related to the test items only.

Page 1 of 1



# UNIVERSAL ANALYTICAL LAB

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana)  
 E-mail : info@universallab.in, universalanalyticallab@gmail.com  
 www.universallab.in, Mob.: +91 9992929181, +91 9729948882, +91 8569966516



CERTIFICATE NO. Q-1516-0450

AN ISO 9001 CERTIFIED & GOVERNMENT APPROVED LABORATORY

Report No: UAL/DH/-1038/03/25

Date: 28/03/2025

Issued to:

Lemon Tree Premier(A Unit of hyacinth  
 Hotel Pvt. Ltd.)Asset no 6,Hospitlity District  
 Dial Aerocity , Delhi -110037

Party's Ref No: Verbal

Dated: 22/03/2025

Lab Job Order No:1207/03/25

Period of Testing: 24/03/2025to 28/03/2025

## TEST REPORT

### A. SAMPLE PARTICULARS:

- |                                  |   |  |
|----------------------------------|---|--|
| 1. Name of the Unit              | : | Lemon Tree Premier (A Unit of Hyacinth Hotel Pvt.Ltd.) |
| 2. Type of the Sample            | : | Drinking Water Sample                                  |
| 3. Date of Sampling              | : | 24/03/2025   |
| 4. Point of Sample Collection    | : | From Water Cooler Bottling Plant (I)                   |
| 5. Purpose of Analysis           | : | Monitoring   |
| 6. Sample Collected/ Supplied by | : | Lab Representative                                     |
| 7. Sampling Procedure            | : | As Per IS 17614 (P-1)                                  |
| 8. Sampling Plan                 | : | 5.7 F-01 (B)   |
| 9. Sample Description            | : | Clear Water  |

### B. TEST RESULTS:

Sr. No.	Parameters	Results	Test Method
1	Colour, Hazen	<1	IS-3025(P-4)
2	Odour	Agreeable	IS-3025(P-5)
3	Taste	Agreeable	IS-3025(P-7)
4	Turbidity, NTU	<1	IS-3025(P-10)
5	pH	6.90	IS-3025(P-11)
6	Total Hardness (as CaCO <sub>3</sub> ), mg/l	10.0	IS-3025(P-21)
7	Iron (as Fe),mg/l	<0.01	APHA 24 <sup>th</sup> Ed.3111 B.
8	Chloride (as Cl),mg/l	16.2	IS-3025(P-32)
9	Residual Free Chlorine, mg/l	<0.1	IS-3025(P-26)
10	Total Dissolved Solids, mg/l	66	IS-3025(P-16)
11	Fluoride (as F), mg/l	<0.1	APHA 24 <sup>th</sup> Ed.4500 F
12	Nitrate, (as NO <sub>3</sub> ), mg/l	1.70	IS-3025(P-34)
<b>Bacteriological Examinations</b>			
1	Total Coliform , Per 100 ml	Absent	IS-15185
2	E.Coli, per 100 ml	Absent	IS-15185

Mgs/Sr. Analyst  
 Akshay  
 Microbiologist



Authorized Signatory  
 Ajeet Singh  
 Technical Manager

Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.  
 2. This report should not be used in any advertising media without our special permission in writing.  
 3. Sample will be destroyed after retention time unless otherwise specified.  
 4. The results are related to the test items only.

Page 1 of 1

Testing Facilities : Drinking Water, Borewell Water, ETP/STP, water, Construction Water, DM Water, Ambient Air, Stack Emission, Work Zone Air Quality, Noise Level, Lux Level and food Testing etc.





# UNIVERSAL ANALYTICAL LAB

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana)

E-mail : info@universallab.in, universalanalyticallab@gmail.com

www.universallab.in, Mob.: +91 9992929181, +91 9729948882, +91 8569966516



CERTIFICATE NO. Q-1516-0450

AN ISO 9001 CERTIFIED & GOVERNMENT APPROVED LABORATORY

Report No: UAL/DH/-1041/03/2025

Date: 28/03/2025

Issued to:

Lemon Tree Premier(A Unit of hyacinth Hotel Pvt. Ltd.)Asset no 6,Hospitlity District Dial Aerocity , Delhi -110037

Party's Ref No: Verbal

Dated: 22/03/2025

Lab Job Order No: 1210/03/25

Period of Testing: 24/03/2025 to 28/03/2025

## TEST REPORT

### A. SAMPLE PARTICULARS:

- |                                  |  |
|----------------------------------|--|
| 1. Name of the Unit              | : Lemon Tree Premier (A Unit of Hyacinth Hotel Pvt.Ltd.) |
| 2. Type of the Sample            | : Drinking Water Sample                                  |
| 3. Date of Sampling              | : 24/03/2025   |
| 4. Point of Sample Collection    | : From Bottling Plant                                    |
| 5. Purpose of Analysis           | : Monitoring   |
| 6. Sample Collected/ Supplied by | : By Lab Representative                                  |
| 7. Sampling Procedure            | : As Per IS 17614 (P-1)                                  |
| 8. Sampling Plan                 | : 5.7 F-01 (B)   |
| 9. Sample Description            | : Clear Water  |

### B. TEST RESULTS:

Sr. No.	Parameters	Results	Test Method
1	Colour, Hazen	<1	IS-3025(P-4)
2	Odour	Agreeable	IS-3025(P-5)
3	Taste	Agreeable	IS-3025(P-7)
4	Turbidity, NTU	<1	IS-3025(P-10)
5	pH	7.16	IS-3025(P-11)
6	Total Hardness (as CaCO <sub>3</sub> ), mg/l	6.0	IS-3025(P-21)
7	Iron (as Fe),mg/l	<0.01	APHA 24 <sup>th</sup> Ed.3111 B.
8	Chloride (as Cl),mg/l	20.1	IS-3025(P-32)
9	Residual Free Chlorine, mg/l	<0.1	IS-3025(P-26)
10	Total Dissolved Solids, mg/l	90	IS-3025(P-16)
11	Fluoride (as F), mg/l	<0.1	APHA 24 <sup>th</sup> Ed.4500 F
12	Nitrate, (as NO <sub>3</sub> ), mg/l	1.95	IS-3025(P-34)
<b>Bacteriological Examinations</b>			
1	Total Coliform , Per 100 ml	Absent	IS-15185
2	E.Coli, per 100 ml	Absent	IS-15185

Mgr./Sr Analyst  
Akshay  
Microbiologist



Authorized Signatory  
Ajeet Singh  
Technical Manager

- Note :1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.  
 2. This report should not be used in any advertising media without our special permission in writing.  
 3. Sample will be destroyed after retention time unless otherwise specified.  
 4. The results are related to the test items only.



# UNIVERSAL ANALYTICAL LAB

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana)

E-mail : info@universallab.in, universalanalyticallab@gmail.com

www.universallab.in, Mob.: +91 9992929181, +91 9729948882, +91 8569966516

AN ISO 9001 CERTIFIED & GOVERNMENT APPROVED LABORATORY



CERTIFICATE NO. Q-1516-0450

Report No: UAL/DH/-1044/03/25

Date: 26/03/2025

Issued to:

Lemon Tree Premier (A Unit of Hyacinth Hotel Pvt. Ltd.) Asset no.6, Hospitality, District, Dial Aerocity, Delhi 110037

Party's Ref No: Verbal

Dated: 22/03/2025

Lab Job Order No: 1213/03/25

Period of Testing: 24/03/2025 to 26/03/2025

## TEST REPORT

### A. SAMPLE PARTICULARS:

1. Name of the Unit	:	Lemon Tree Premier (A Unit of Hyacinth Hotel Pvt. Ltd.)
2. Name of Plant/Section	:	D.G. Section
3. Capacity of D.G.	:	750 KVA – I (With RECD)
4. Type of the Sample	:	DG Stack Emission
5. Date & Time of Sampling	:	24/03/2025 11:34 AM to 12:15 PM
6. Type of Fuel Used	:	Diesel
7. Stack height (From the Ground level)	:	90 Meter
8. Stack diameter	:	10 Inch
9. Point of Sample Collection	:	From Port of Hole
10. Purpose of Analysis	:	Monitoring
11. Sample Collected/ Supplied by	:	Lab Representative
12. Sampling procedure	:	As per IS 11255(P-3)
13. Sampling Plan	:	5.7 F-01 (C)
14. Weather Condition	:	Clear

### B. OBSERVATIONS:

1. Stack Temperature, °C	:	220
2. Ambient Temperature, °C	:	24
3. Flue gas velocity, m/sec	:	9.34
4. Sampling flow rate, lt./min.	:	24
5. Period of sampling, minutes	:	42
6. Volumetric flow rate, Nm <sup>3</sup> /Hr.	:	1022.8

### C. TEST RESULTS:

S. No.	Parameters	Results	Standard Limits	Test Method
1.	PM(Particulate Matter),gm/kwh	0.020	0.03	IS 11255(P-1)
2.	Oxide of Nitrogen (NO <sub>x</sub> ) gm/kwh	0.43	0.67	IS 11255(P-7),
3.	IIC (as NMHC),gm/kwh	0.016	0.19	UAL/SP/SE/01
4.	Carbon Monoxide(CO), gm/kwh	0.10	3.5	IS-13270

Mgr. / Sr. Analyst  
Akshay



Authorized Signatory  
Ajay Singh  
Technical Manager

Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.  
2. This report should not be used in any advertising media without our special permission in writing.  
3. Sample will be destroyed after retention time unless otherwise specified.  
4. The results are related to the test items only.

Page 1 of 1





# UNIVERSAL ANALYTICAL LAB

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana)  
E-mail : info@universallab.in, universalanalyticallab@gmail.com  
www.universallab.in, Mob.: +91 9992929181, +91 9729948882, +91 8569966516



CERTIFICATE NO. Q-1516-0450

AN ISO 9001 CERTIFIED & GOVERNMENT APPROVED LABORATORY

Report No: UAL/DH/- 1045/03/25

Date: 26/03/2025

Issued to:

Lemon Tree Premier (A Unit of Hyacinth Hotels Pvt. Ltd.) Asset no. 6, Hospitality District, Dial Aerocity, Delhi 110037

Party's Ref No: Verbal

Dated: 22/03/2025

Lab Job Order No: 1214/03/25

Period of Testing: 24/03/2025 to 26/03/2025

## TEST REPORT

### A. SAMPLE PARTICULARS:

1. Name of the Unit	:	Lemon Tree Premier (A Unit of Hyacinth Hotels Pvt. Ltd.)
2. Name of Plant/Section	:	D.G. Section
3. Capacity of D.G.	:	750 KVA-II (With RECD)
4. Type of the Sample	:	DG Stack Emission
5. Date & Time of Sampling	:	24/03/2025 12:26 PM to 01: 07 PM
6. Type of Fuel Used	:	Diesel
7. Stack height (From the Ground level)	:	90 Feet
8. Stack diameter	:	10 Inch
9. Point of Sample Collection	:	From port hole of stack
10. Purpose of Analysis	:	Monitoring
11. Sample Collected/ Supplied by	:	By Lab Rep.
12. Sampling procedure	:	As per IS 11255 (P-3)
13. Sampling Plan	:	5.7 F-01(C)
14. Weather Condition	:	Clear Sky

### B. OBSERVATIONS:

1. Stack Temperature, °C	:	218
2. Ambient Temperature, °C	:	24
3. Flue gas velocity, m/sec	:	9.31
4. Sampling flow rate, lt./min.	:	24
5. Period of sampling, minutes	:	42
6. Volumetric flow rate, Nm <sup>3</sup> /Hr.	:	1025.7

### C. TEST RESULTS:

S. No.	Parameter	Results	Standard Limits	Test Method
1.	PM(Particulate Matter), gm/kwh	0.023	0.03	IS 11255(P-1)
2.	Oxides of Nitrogen (NO <sub>x</sub> ), gm/kwh	0.47	0.67	IS 11255(P-7)
3.	HC(as NMHC), gm/kwh	0.019	0.19	UAL/SP/SE/01
4.	Carbon Monoxide(CO), gm/kwh	0.11	3.5	IS 13270

Mgr./ Sr. Analyst  
Akshay



Authorized-Signatory  
Ajeet Singh  
Technical Manager

Note : 1 This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.  
2 This report should not be used in any advertising media without our special permission in writing  
3 Sample will be destroyed after retention time unless otherwise specified.  
4 The results are related to the test items only.

Page 1 of 1



# UNIVERSAL ANALYTICAL LAB

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana)

E-mail : info@universallab.in, universalanalyticallab@gmail.com

www.universallab.in, Mob.: +91 9992929181, +91 9729948882, +91 8569966516



CERTIFICATE NO. Q-1516-0450

AN ISO 9001 CERTIFIED & GOVERNMENT APPROVED LABORATORY

Report No: UAL/DH/- 1043/03/25

Date: 26/03/2025

Issued to:

Lemon Tree Premier(A Unit of Hyacinth Hotels Pvt. Ltd. ) Asset no 6, Hospitality District, Dial Aerocity, Delhi- 110037

Party's Ref No: Verbal

Dated: 22/03/2025

Lab Job Order No: 1212/03/25

Period of Testing: 24/03/2025 to 26/03/2025

## TEST REPORT

### A. SAMPLE PARTICULARS:

1. Name of the Unit	:	Lemon Tree Premier (A Unit of Hyacinth Hotels Pvt.Ltd.)
2. Name of Plant/Section	:	D.G. Section
3. Capacity of D.G.	:	1010 KVA
4. Type of the Sample	:	DG Stack Emission
5. Date & Time of Sampling	:	24/03/2025 10:42 AM to 11: AM
6. Type of Fuel Used	:	Diesel
7. Stack height(From the Ground level)	:	90 Feet
8. Stack diameter	:	10 Inch
9. Point of Sample Collection	:	From Port Hole of Stack
10. Purpose of Analysis	:	Monitoring
11. Sample Collected/ Supplied by	:	Our Lab Representative
12. Sampling Procedure	:	As Per IS 11255(P-3)
13. Sampling Plan	:	5.7 F-01 (C)
14. Weather Condition	:	Clear Sky

### B. OBSERVATIONS:

1. Stack Temperature, °C	:	245
2. Ambient Temperature, °C	:	26
3. Flue gas velocity, m/sec	:	9.79
4. Sampling flow rate, lt./min.	:	24
5. Period of sampling, minutes	:	42
6. Volumetric flow rate, Nm <sup>3</sup> /Hr.	:	1022.4

### C. TEST RESULTS:

S. No.	Parameters	Results	Standard Limits	Test Method
1.	PM(Particulate Matter),mg/Nm <sup>3</sup>	53.7	75	IS 11255(P-1)
2.	Oxides of Nitrogen(NO <sub>x</sub> ), mg/Nm <sup>3</sup>	182.4	710	IS 11255(P-7)
3.	Carbon Monoxide(CO), mg/Nm <sup>3</sup>	91.5	150	IS 13270
4.	Hydro Carbon(NMHC), mg/Nm <sup>3</sup>	21.3	100	UAL/SP/SE/01

Mgr. / Sr. Analyst  
Akshay



Authorized Signatory  
Ajeet Singh  
Technical Manager

- Note: 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.  
2. This report should not be used in any advertising media without our special permission in writing.  
3. Sample will be destroyed after retention time unless otherwise specified.  
4. The results are related to the test items only.

Page 1 of 1





# UNIVERSAL ANALYTICAL LAB

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana)  
 E-mail : info@universallab.in, universalanalyticallab@gmail.com  
 www.universallab.in, Mob.: +91 9992929181, +91 9729948882, +91 8569966516  
**AN ISO 9001 CERTIFIED & GOVERNMENT APPROVED LABORATORY**



CERTIFICATE NO. Q-1516-0450

**Report No: UAL/DH/- 1046/03/25**

**Date: 26/03/2025**

Issued to:

**Lemon Tree Premier (A Unit of Hyacinth  
Hotel Pvt. Ltd) Asset no 6, Hospitality District  
Dial Aerocity, Delhi - 110037**

**Party's Ref No: Verbal**

**Dated: 22/03/2025**

**Lab Job Order No: 1215-1217/03/25**

**Dt. 24/03/2025**

## TEST REPORT

### A. SAMPLE PARTICULARS:

- |                                    |   |   |
|------------------------------------|---|---|
| 1. Name of the Unit                | : | <b>Lemon Tree Premier (A Unit of Hyacinth Hotels Pvt. Ltd )</b> |
| 2. Type of the Sample              | : | <b>DG Noise level</b>   |
| 3. Date of Measurement             | : | <b>24/03/2025</b>   |
| 4. Purpose of Analysis             | : | <b>Monitoring</b>   |
| 5. Sample Collected/ Supplied by : |   | <b>Lab Representative</b>                                       |
| 6. Sampling Procedure              | : | <b>UAL/SP/NM/01</b>   |
| 7. Sampling Plan                   | : | <b>5.7 F-01 (E)</b>   |

### B. TEST RESULTS:

Sr. No.	Location	Parameter	Avg.	Insertion Loss
1	DG -I (750 KVA) (Canopy Open)	Noise level dB(A) Leq.	98.1	--
2	DG -I (750 KVA) (Canopy Close)	Noise level dB(A) Leq.	72.1	26.0
3	DG -II (750 KVA) (Canopy Open)	Noise level dB(A) Leq.	97.5	--
4	DG -II (750 KVA) (Canopy Close)	Noise level dB(A) Leq.	72.0	25.5
5	DG -III (1010 KVA) (Canopy Open)	Noise level dB(A) Leq.	99.6	--
6	DG -III (1010 KVA) (Canopy Close)	Noise level dB(A) Leq.	73.2	26.4

Noise Limit:-Minimum insertion loss should be 25 dB(A) or maximum 75 dB(A) at the outside of DG room & DG Set.

*Akshay*  
 Mgr./ Sr. Analyst  
 Akshay



*Ajeet Singh*  
 Authorized Signatory  
 Ajeet Singh  
 Technical Manager

- Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law.  
 2. This report should not be used in any advertising media without our special permission in writing.  
 3. The results are related to the test items only.

Page 1 of 1



Date: 21/10/2024

Report No: UAL/DH/- 901/10/24

Issued to:

Lemon Tree Premier(A Unit of Hyacinth Hotels  
Pvt. Ltd.) Asset no 6, Hospitality District, Dial  
Aerocity, Delhi- 110037

Party's Ref No: Verbal

Dated: 15/10/2024

Lab Job Order No:1301/10/24

Period of Testing:17/10/2024 to 21/10/2024

## TEST REPORT

### A. SAMPLE PARTICULARS:

1. Name of the Unit	:	Lemon Tree Premier (A Unit of Hyacinth Hotels Pvt. Ltd.)
2. Name of Plant/Section	:	D.G. Section
3. Capacity of D.G.	:	1010 KVA
4. Type of the Sample	:	DG Stack Emission
5. Date & Time of Sampling	:	17/10/2024 10:42 AM to 11:00AM
6. Type of Fuel Used	:	Diesel
7. Stack height(From the Ground level)	:	90Feet
8. Stack diameter	:	10Inch
9. Point of Sample Collection	:	From Port Hole of Stack
10. Purpose of Analysis	:	Monitoring
11. Sample Collected/ Supplied by	:	Our Lab Representative
12. Sampling Procedure	:	As Per IS 11255(P-3)
13. Sampling Plan	:	5.7 F-01 (C)
14. Weather Condition	:	Clear Sky

### B. OBSERVATIONS:

1. Stack Temperature, °C	:	251
2. Ambient Temperature, °C	:	30
3. Flue gas velocity, m/sec	:	9.85
4. Sampling flow rate, lt./min.	:	24
5. Period of sampling, minutes	:	42
6. Volumetric flow rate, Nm <sup>3</sup> /Hr.	:	1016.9

### C. TEST RESULTS:

S. No.	Parameters	Results	Standard Limits	Test Method
1.	PM (Particulate Matter), mg/Nm <sup>3</sup>	57.4	75	IS 11255(P-1)
2.	Oxides of Nitrogen (NO <sub>x</sub> ), PPM <sub>v</sub>	196.1	710	IS 11255(P-7)
3.	Carbon Monoxide (CO), mg/Nm <sup>3</sup>	99.4	150	IS 13270
4.	Hydro Carbon (NMHC), mg/Nm <sup>3</sup>	22.7	100	UAL/SP/SE/01

Mgr. / Sr. Analyst  
Akshay



Authorized Signatory  
Ajeet Singh  
Technical Manager



WI-FI Tagged : No

KC0YR1505688050002454220002025052700000000000




DELHI INDIRA GANDHI INTERNATIONAL AIRPORT



**DELHI INTERNATIONAL AIRPORT LIMITED**  
**Registered Office: New Udaan Bhawan, Opp. Terminal-3,**  
**Indira Gandhi International Airport, New Delhi-110037, India**  
**Website: www.newdelhiairport.in CIN Number: U63033DL2006PLC146936**

Original for Recipient/Duplicate for Supplier

**TAX INVOICE**  
**(Water Charges)**



Customer No.:1000000760  
M/s HYACINTH HOTELS PRIVATE LIMITED  
DELHI INTERNATIONAL AIRPORT, ASSET NO.6,  
HOSPITALITY DISTRICT, DIAL, IGI AIRPORT,  
LEMON TREE HOTEL,  
NEW DELHI-110037  
State Code: 07  
Customer PAN No.: AABCH8933M  
GSTIN/Unique ID No: 07AABCH8933M1Z5  
Place Of Supply: DELHI

Invoice No. : 6000016231  
GSTIN : 07AACCD3570F1ZW  
State : DELHI  
State Code : 07  
PAN : AACCD3570F  
CIN : U63033DL2006PLC146936  
Bill Date : 07.05.2025  
Due Date : 28.05.2025

IRN No:- 9588c29c54ad644edf129a7ee5f06a0b7e3277e0e4b6af895be32fd295ab09ee

Particulars	SAC/ HSN	Bill Period/Reading		Basis of Computation	Total Unit	Meter Rent (Rs)	Base Amount	CGST		SGST		Gross Amount(INR)
Meter Name/ RO Name		From/Op. Reading	To/Cl. Reading	Rate per Unit / MF				R a t e %	Amount	R a t e %	Amount	
LM06/08-IW- 1820/Lemon Tree Hotel	997212	01.04.2025 230011	30.04.2025 238,254.00	183.60 /1.00	8243	0.00	1513415.00	9	136,207.35	9	136,207.35	1,785,829.70
<b>Grand Total</b>							1,513,415.00		136,207.35		136,207.35	1,785,829.70

Amount in Words: Rupees Seventeen lakh eighty five thousand eight hundred twenty nine and seventy paise only

Authorized Signatory for & on behalf of

DELHI INTERNATIONAL AIRPORT LIMITED



---

## Notes to Invoices

---

1. Concessional TDS to be deducted in terms of approval accorded by the Income Tax Department (Circle 1(1), Bangalore). Please ensure that you have downloaded LTDC Certificate from TRACES portal.
2. The Cheques / Demand Draft may please be drawn in favour of "DELHI INTERNATIONAL AIRPORT LIMITED" payable at NEW DELHI and send to Manager (Revenue), Finance Function, 1st Floor, DIAL Project office, Opp. ATC Complex, Near Terminal-3, IGI Airport, New Delhi 110037. Please attach the counterfoil.
3. Electronic settlement of Invoices can also be made to DIAL bank account No. 006505002685 with ICICI BANK LIMITED, C-17, LOCAL SHOPPING CENTRE, PASCHIMI MARG, VASANTVIHAR, New Delhi 110057 through the following payment gateways:
  - a. EFT [Electronic Fund Transfer] MICR Code 110229008
  - b. RTGS [Real Time Gross Settlement] ICIC0000065 (Branch Code 0065)
  - c. NEFT ICIC0000065 (Branch Code 0065)For all payments effected through the electronic gateways, the payment advice should be mailed at DIAL-CREDITCONTROL@gmrgroup.in, Dial-Paymentaero@gmrgroup.in, Dial-Paymentnonaero@gmrgroup.in  
No credit will be given in the absence of information.
4. If payment is not made by due date, then interest @ 1.5% per month or as per terms of agreement shall be levied and recovered as ADDITIONAL CHARGES commencing from the due date of the bill till the date of payment (both days inclusive).
5. In case of any Consumption/Reading Queries/clarification,contact us at :

Area/Location	Name	Contact No	Email- ID
T1	Mr Zirgham Ahmad Khan	9958328777	ZirghamAhmad.Khan@gmrgroup.in
T2	Mr Yashveer Pawar	9650098724	Yashveer.Pawar@gmrgroup.in
T3	Mr Anurag Monal	7023550849	Anurag.Monal@gmrgroup.in
Aerocity	Mr. Puneet Khanna	8527912376	Puneet.Khanna@gmrgroup.in

6. Bank charges are to be borne by Customer/Agency / Airline.
7. Please explain the deductions if any with payment advice / mail.
8. Unless otherwise stated, Tax on this invoice is not payable under reverse Charge.
9. Please Detach the Counterfoil Below and attach with the payment

---

**Please Detach the Counterfoil Below and attach with the payment**

---

Payment Counterfoil  
Delhi International Airport Limited  
New Udaan Bhawan,  
Opp. Terminal-3,Indira Gandhi International Airport  
New Delhi - 110037, India.

Invoice No : 6000016231  
Client Code : 1000000760  
Invoice Value : 1,785,829.70  
Cheque No :  
Cheque Drawn On :  
Branch :  
EFT/RTGS/NEFT Details :

10. Customer/Agency / Airline are requested to make invoice wise wise payments and provide the details as per the below format & share on email ID : Dial-Paymentaero@gmrgroup.in : Dial-Paymentnonaero@gmrgroup.in

S.No.	Invoice No	Invoice Amount (INR)	TDS as per LTDC Issued by DIAL(if applicable) INR	Other Deductions, if any (provide details) INR	Net Paid (INR)	Payment Reference No (EFT/RTGS/NEFT) & Date

NOTE: IT may be noted that above payment details are must and required to clear all the open invoices and in absence of details, outstanding amount will continue as unsettled/open.





## Tariff structure

Categories	Description	Fixed/Demand Charge		Energy Charge						Categories	Description	Fixed/Demand Charge	Energy Charge	Temporary		
		Load(kW)	(₹/month)	0-200 Units	201-400 Units	401-800 Units	801-1200 Units	Above 1200 Units						Categories	Fixed Charge	Energy Charge
Domestic	Individual connections: Domestic Light / Mixed Domestic Power, Farm House upto 21kW	Upto 2kW	20/kW/mth	₹3.00	₹4.50	₹6.50	₹7.00	₹8.00		Agriculture	Agriculture	125/kW/mth	₹1.50/kWh	Domestic Including GHS	Same as relevant category	Same as relevant category
		>2kW to 5kW	50/kW/mth							Mushroom	Mushroom Cultivation upto 100 kW	200/kW/mth	₹3.50/kWh			
		>5kW to 15kW	100/kW/mth							Public Utility	Delhi Jal Board, DMRC, Public Lighting etc.	250/kVA/mth	₹6.25/kVAh			
	Single point supply at 11kV for GHS- Domestic Lighting / Fan and Power		150/kW/mth			₹4.50/kWh					Delhi International Airport Limited (DIAL)	250/kVA/mth	₹7.75/kVAh	Thresholds during the threshing Season	MCD E. Tax of ₹ 270/ conn/mth	Flat Rate ₹5400/mth
Non-Domestic	Shopkeepers	Upto 3kVA				₹6.00/kVAh				Charging Stations for E-Rickshaw/ E-Vehicle on Single Point Delivery	Advertisements and Hoardings	250/kVA/mth	₹8.50/kVAh			
	Other Non-Domestic	>3kVA	250 kVA/mth			₹8.50/kVAh						LT	₹4.50/kWh	All other including construction	Same as relevant category	1.30 times of relevant category of tariff
Industrial	Industrial		250/kVA/mth			₹7.75/kVAh						HT	₹4.00/kVAh			

### Schedule of Time of Day (TOD) Tariff

Month	Peak hours	Surcharge on Energy Charges	Off-Peak hours	Rebate on Energy Charges
May-September	1400-1700 hrs and 2200-0100 hrs	20%	0400-1000 hrs	20%

For other than peak & off-peak hours normal energy charges are applicable. Mandatory for >10kW/11kVA other than Domestic. Optional for 3 Phase Domestic Consumers.

**As per CEA regulation 31 and 32 :** Consumers are advised that all electrical installation works shall be got done and checked periodically through licensed electrical contractors only. In case there is any damaged cable /Insulation damaged -It shall be either replaced or suitably repaired through licensed electrical contractors since such joints are prone to electrical heat / fire.

#### Customer Complaint Management:

For any query/complaint, you may contact us using any of the following options:

- Call Center No. 19123 (24x7 Toll Free)
- Customer Care Help Desk (Timing Mon to Fri : 9:30 AM to 5:30 PM & Sat: 9:30 AM to 1:00 PM)
- Email-brpl.customercare@reliancegroupindia.com
- www.bsessedelhi.com

#### Escalation matrix for complaints:

- In care you are not satisfied with the resolution of your query/complaint, you may contact the below listed BRPL officials-
  - Customer Care officer (Timing 09:30 AM to 5:30 PM)
  - Business Manager (between 10AM to 11AM on any working day)
  - Circle Head (with prior appointment)
- Head-Customer Service**  
BSES Rajdhani Power Limited,  
BSES Bhawan, Nehru Place, New Delhi-110019  
Email - brplhead.customercare@reliancegroupindia.com
- Internal Grievance Redressal Cell (ICGRC)**  
Website : <https://icgrcbrpl.bsessedelhi.com/>  
Contact No.: 011-49107924
- Consumer Grievance Redressal Forum (CGRF):** In Case you are not satisfied with the response of the above, you may approach CGRF-BRPL, Sub-station Building, Sector-V, Pushp Vihar, New Delhi-110017.  
Email: [cgrfbrpl@gmail.com](mailto:cgrfbrpl@gmail.com)
- Electricity ombudsman:** An appeal against the CGRF order may be filled with Electricity Ombudsman. B-53, Paschim Marg, Vasant Vihar, New Delhi-110057

#### उपभोक्ता शिकायत प्रबंध:

किसी तरह के पूछताछ / शिकायत के लिए कृपया आप हमें निम्नवत् विकल्पों के जरिए संपर्क कर सकते हैं:

- कॉल सेंटर नंबर 19123 (24x7 टोल फ्री)
- ग्राहक सेवा सहायता डेस्क समय (सोमवार से शुक्रवार सुबह 9:30 बजे से अपराह्न 5:30 बजे और शनिवार सुबह 9:30 से अपराह्न 1:00 बजे तक)
- [brpl.customercare@reliancegroupindia.com](mailto:brpl.customercare@reliancegroupindia.com) पर ईमेल करें
- [www.bsessedelhi.com](http://www.bsessedelhi.com)

#### शिकायतों के लिए यहां भी संपर्क करें:

- अगर आप अपने पूछताछ / शिकायत के निवारण से संतुष्ट नहीं हैं तो आप निम्नवत् बीआरपीएल अधिकारियों से संपर्क कर सकते हैं—
  - कस्टमर केयर ऑफिसर (सुबह 9:30 बजे से अपराह्न 5:30 बजे)
  - बिजनेस मैनेजर (किसी भी कार्यदिवस के दिन सुबह 10 बजे से 11 बजे तक)
  - सर्किल हेड (पूर्व निश्चित समय लेकर)
- हेड ग्राहक सेवा,**  
बीएसईएस राजधानी पावर लिमिटेड,  
बीएसईएस भवन, नेहरू प्लेस, नई दिल्ली 110019  
ईमेल: [brplhead.customercare@reliancegroupindia.com](mailto:brplhead.customercare@reliancegroupindia.com)
- आंतरिक शिकायत निवारण कक्ष (आईसीजीआरसी)**  
वेबसाइट : <https://icgrcbrpl.bsessedelhi.com/>  
संपर्क नंबर : 011-49107924
- कंज्यूमर गिवांस रीड्रेसल फोरम (सीजीआरएफ) :** यदि आप अपनी शिकायत पर सेवा प्रदाता के जवाब से संतुष्ट नहीं हैं तो आप सीजीआरएफ—बीआरपीएल, सब स्टेशन बिल्डिंग, सेक्टर - V, पुष्पविहार, नई दिल्ली 110017, ईमेल [cgrfbrpl@gmail.com](mailto:cgrfbrpl@gmail.com) में अपनी शिकायत दर्ज कर सकते हैं।
- इलेक्ट्रिसिटी ऑम्बुड्समैन :** सीजीआरएफ के आदेश के खिलाफ अपील इलेक्ट्रिसिटी ऑम्बुड्समैन, बी-53, पश्चिमी मार्ग, वसंत विहार, नई दिल्ली-110057, में दायर कर सकते हैं।

"GoNCTD vide Order No. F.6/85/Power/2024/447-459 dated 14.03.2024 has extended subsidy to Domestic Consumers for Financial Year 2024-2025 of entire bill amount upto 200 Units/month. Slab 201-400 Units/month will get subsidy upto Rs 800/month. No subsidy consumption above 400 Units/month"

दिल्ली सरकार की आदेश संख्या F.6/85/Power/2024/447-459 दिनांक 14.03.2024 के अनुसार घरेलू उपभोक्ताओं के लिए सब्सिडी वित्तीय वर्ष 2024-2025 तक बढ़ा दी है, 200 यूनिट / माह तक के संपूर्ण बिल राशि, स्लैब 201-400 यूनिट्स / माह पर ₹ 800 सब्सिडी मिलेगी। 400 यूनिट प्रतिमाह से ऊपर खपत के लिए कोई सब्सिडी नहीं है।



### मुफ्त कानूनी सहायता (Free Legal Aid)

मुक्त कानूनी सेवाओं की शुरुआत दिल्ली राज्य बिलिक हेल्प प्रॉग्राम (DLSPA) ने संघर्ष की है: दिल्ली राज्य बिलिक हेल्प प्रॉग्राम, परिचालन हाउस क्वाथल पर्सिडेंट, नई दिल्ली।

हेल्पलाइन: 1516 (24x7) टोल फ्री, ई-मेल: [lae-dlsa@govin](mailto:lae-dlsa@govin), website: [www.dlsa.org](http://www.dlsa.org), [www.facebook.com/dlsa](https://www.facebook.com/dlsa)

अथवा आप किसी भी विलिंग न्यायालय परिसर में स्थित विलिंग बिलिक हेल्प प्रॉग्राम (DLSPA) के कार्यलय में भी संपर्क कर सकते हैं।

बिलिटी से संबंधित विवाद के विवादों / समाधान के लिए संपर्क करें।

- स्वाधीन लोक अदालत - III (PLA-III) (वीएसएसएस अदालत, वीएसएसएस वाईसीएल, और टीपीडीडीएस के लिए) जमा सुट्टी डेट, अर्द्धरात्रि के बाद, नई दिल्ली - 110002.
- स्वाधीन लोक अदालत - III (PLA-III) (वेब वीएसएसएस अदालत) पीवीआर रोड, बी-कॉल, पीवीआर के पास, बिलान पुरी नई दिल्ली - 110018.

## आपका बिल भुगतान

### बिल भुगतान सूचना

#### भुगतान विकल्प

- आप 4000 रुपये तक के अपने बिल का भुगतान नकद / चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं। 4000 रुपये से अधिक की रकम का भुगतान चेक / डीडी / पे ऑर्डर के माध्यम से कर सकते हैं।
- डीईआरसी के हालिया टैरिफ ऑर्डर के अनुसार, सभी उपभोक्ताओं (घरेलू कृषि और मशरूम की खेती को छोड़कर) के लिए आवश्यक है कि वे 20,000 रुपये से अधिक के बिल का भुगतान 1 अक्टूबर, 2021 से डिजिटल माध्यमों से करें।
- आरडब्ल्यू ऑफिसियल और विभिन्न बीआरपीएल काउंटेर्स पर लगे हमारे ड्रॉप बॉक्सेज में आप अपना चेक डालें। ड्रॉप बॉक्सेज की लिस्ट हमारी वेबसाइट पर उपलब्ध है।
- बिल भुगतान केंद्र सुबह 9 बजे से शाम 3 बजे तक खुले रहेंगे।
- पंजाब नेशनल बैंक और बैंक ऑफ बडोदा की शाखाओं में 50000 रुपये तक बिजली का भुगतान नकद में करा सकते हैं।

#### बिल भुगतान करते समय ये बातें याद रखें

- कंप्यूटरीकृत बिल पाने के बाद ही अपने बिजली बिल का भुगतान करें।
- अनाधिकृत एजेंसियों / दलालों को भुगतान न करें।
- अगर आपका चेक बैंक द्वारा बगैर भुगतान के / अस्वीकृत होकर वापस आ जाता है तो चेक वापसी शुल्क (नौजुदा 200 रुपये + जीएसटी, जैसा लागू हो) वसूल जाएगा और निमोशिफेबल इस्टिमेट्स एक्ट 1881 की धारा 138 के तहत कार्रवाई की जाएगी
- कार्ड स्वाइप और ऑनलाइन के द्वारा 5000 रुपये से अधिक के भुगतान पर लगने वाले सुविधा शुल्क को उपभोक्ता को वहन करना होगा। शुल्क के विस्तृत ब्यौरा के लिए कृपया हमारे वेबसाइट [www.bsessedelhi.com](http://www.bsessedelhi.com) पर जाएं।

### Paying your electricity bill (Bill payment information)

#### Payment Options

- You can pay your bill by cash/cheque/DD/Pay Order up to Rs 4000/- and for amount more than Rs 4000/- by cheque/DD/Pay Order
- According to DERC's recent tariff order, it is mandatory for all consumers (except Domestic, Agriculture & Mushroom Cultivation) to pay their monthly electricity bills exceeding Rs 20,000/- through digital modes w.e.f 1 October 1, 2021\*
- Drop your cheque in our drop boxes at various RWA offices and at BRPL Counters. The list of drop boxes is available on the website
- Bill payment counters are open from 0900 hrs to 1500 hrs. from Monday to Saturday.
- Bill payment upto Rs 50,000/- can be paid in cash at Bank branches of PNB and Bank of Baroda.

#### Points to remember while paying your bill


- Please pay your electricity bill only on obtaining computer generated bill
- Do not make payment to unauthorized agencies/touts.
- In case your cheque is returned unpaid/dishonored by bank, cheque return charges (presently Rs. 200+ GST, as applicable) will be imposed and action will be taken under Section 138 of the Negotiable Instruments Act 1881.
- Convenience fee on card swipe and online payments applicable on payment amount above Rs 5000/- is to be borne by the consumer. For charge details, kindly visit our website [www.bsessedelhi.com](http://www.bsessedelhi.com).


### Pay your electricity bills conveniently by any of the following options:

Payment Options			Timings
Digital Online Payments	• Bharat Bill Pay (BBPS) - Pay option at all BBPS enabled Payments App (Paytm etc.) (Zero Charges) • QR code on bill - Powered by BOB • BSES Mobile App/Website - UPI, IMPS, Internet Banking, Credit/Debit Cards, Mobile Wallets, QR Code • RTGS/NEFT/ECS		24x7
Cash Counters	<b>BRPL Cash Counters:</b> • Cash-Upto Rs. 4000/- • <b>Cheque &amp; Demand Draft:</b> No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-. • Credit/Debit Cards • UPI		9AM - 3PM
24*7 self payment Kiosk	24*7 self payment Kiosks by cards, each division office		24x7
Bank Branches	<b>Bank of Baroda and PNB:</b> • Cash-Upto Rs. 50,000/- only for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum permissible limit is upto Rs. 20,000/- • Cheque & Demand Draft: No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-. • Transfer by account holders		Bank Timings
Cheque Drop boxes	Select RWA locations BRPL owned drop boxes at counters	<b>Cheque &amp; Demand Draft</b> - No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-	24x7 9AM - 5PM
Cheque by Post	To BRPL division offices- Cheque & Demand Draft- No amount limit for Domestic, Agriculture & Mushroom Cultivation category consumers and for other category consumers maximum allowed is upto Rs. 20,000/-.		24x7

For payment of energy bill		
Details	SBI Bank	Axis Bank
Beneficiary Name	BSES Rajdhani Power Limited	BSES Rajdhani Power Limited
Beneficiary A/C No.	SBIBRE (Fixed) + 9 Digit Customer Account Number (Variable)	VBRE(Fixed) + 9 Digit customer account number (Variable) (For eg. VBRE123456789)
IFSC Code	SBIN0004266	UTIBOCCH274
Bank Name	State Bank of India	Axis Bank Ltd
Branch Address	State Bank of India, CMP Centre	9th floor, Solaris C wing, Opp L&T gate no. 6, Sakhi Vihar Road, Powai, Mumbai-400072

The connection shall be liable for disconnection on non-payment of all dues (including arrears of previous bill(s) by due date, after notice as per Section 56(1) of the Electricity Act, 2003. Charges for reconnection - Single phase ₹200, Three phase ₹500.)



**BSES** Powered by  **BHARAT BILLPAY**  
BSES Rajdhani Power Limited

- Cheque should not be post dated.
- Write your telephone number on backside of the cheque.
- Cheque should be account payee and payable at Delhi.
- Do not staple. Only clip the cheque to payment slip.

For detail log on to our website [www.bsessedelhi.com](http://www.bsessedelhi.com). Alternatively, you can visit our Customer Care Center or simply call at 19123 (24x7 Toll Free)

**Regd. Office:** BSES Rajdhani Power Limited (A joint venture of Reliance Infrastructure Ltd. and Govt. of NCT of Delhi) BSES Bhawan, Nehru Place New Delhi 110 019.

CIN No.: U40109DL2001PLC111527, GSTIN.: 07AAGCS3187H2Z3, Tel. No. 19123 (24x7 Toll Free), Fax No.: +91 1149207888, Website: [www.baesdelhi.com](http://www.baesdelhi.com)

### Meter Details Annexure

Name : **M/s. HYACINTH HOTELS PVT LTD**  
 Billing Address : Asset 6 Old Airport Road Dial Project NA  
 NEW DELHI 110030  
 Supply Address : Asset 6 Old Airport Road Dial Project  
 Mahipalpur Road NEW DELHI 110030  
 Mobile / Tel. No. : 98\*\*\*\*\*83  
 Email ID : e\*\*\*\*\*1@lemontreehotels.com  
 District / Division : Vasant Kunj  
 Walking Sequence : **VK2KC**  
 Bill Month : MAY-25  
 Bill Date : 12-05-2025

Sanctioned Load : 1200.00 (kW)  
 Contract Demand : 1050.00 (kVA)  
 M D I : 930.00 (kVA)  
 Power Factor : 0.956  
 Pole No : VKJNHT00S1  
 Meter Reading Status : DL  
 Cycle No. : KC  
 Tariff Category : OA Retail Non-Domestic [ HT ]

CA No. : **150568805**  
 Energisation Date : 03-04-2013  
 Meter Type : 3PSK  
 Supply Type : HT(11KV)  
 Bill No. : 100429199142  
 Bill Basis : Actual  
 O.D. No. : R/25/10484063144  
 CCTV Tagged : No  
 Street Light Tagged : No  
 WI-FI Tagged : No

Net Meter Consumption Details (Date of Reading : )															
Solar Unit Details				Solar Installation Details					GBI & Capital Subsidy Details						
Generation During the Biling Period		Generation During Current FY (APR To MAR)		Date of Installation	Total Solar Load (kWp)	Solar New Load (kWp)		GBI Approved		GBI Units		GBI Amount For the Month		Capital Subsidy Amount	
B/F Units (if any)	Export Reading			Import Reading			Net Difference			Moderate Units			Excess Gen Units	Shared by Prim.	C/F Units (If any)
	Normal	Peak	OffPeak	Normal	Peak	OffPeak	Normal	Peak	OffPeak	Normal	Peak	OffPeak			

(Consumption in the above table are in kWh/kVAh, as applicable)

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading (24:00 Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
Y0354608	kWh	30-04-2025	11160.34	31-03-2025	11010.72	3000.00	30	448860.00
Y0354608	kW	30-04-2025	0.28			3000.00		840.00
Y0354608	kVAh	30-04-2025	11185.48	31-03-2025	11028.93	3000.00	30	469650.00
Y0354608	kVA	30-04-2025	0.31			3000.00		930.00
Y0354608	kVAHP	30-04-2025	3015.58	31-03-2025	2975.02	3000.00	30	121680.00
Y0354608	kVAHO	30-04-2025	2549.16	31-03-2025	2513.12	3000.00	30	108120.00





# SHIV SHAKTI METALS

Office : Khasra No. 545, Village Fafrana Sikheda Road Industrial Area,  
Modinagar Distt. Ghazlabad (U.P.) - 201204

E-mail : shivshaktimetals2009@gmail.com | Website : www.shivshaktimetals.com

Ref. No. : .....

Date : 18/12/2024

U.P.P.C.B Registration No. - 95910221EW13310276

## CERTIFICATE OF RECYCLING

### DESCRIPTION

Client	Lemon Tree Premier (A Unit of Hyacinth Hotels (P) Ltd.)	Date Received - 18/11/2024
Invoice No.	180000107	Date Recycled - 17/12/2024
Location	Hospitality District Asset No 6 Near IGI Airport, Delhi 110037	QTY - 2245.9 KGS
Material	E - Waste Scrap	GSTIN - 07AABCH8933M1Z5

### CERTIFICATION

Shiv Shakti Metals compliance certifies acceptance of the material referenced on this document and that the material referenced has been disposed destroyed, refined and of in accordance with standard industry and regulatory guidelines, policies and procedures.

I certify that the information contained in this document in true and accurate.

GAURAV RASTOGI, PROP.



GSTIN : 09ABOPR4302H1ZH



# SHIV SHAKTI METALS

Office : Khasra No. 545, Village Fafrana Sikheda Road Industrial Area,  
Modinagar Distt. Ghaziabad (U.P.) - 201204

E-mail : shivshaktimetals2009@gmail.com | Website : www.shivshaktimetals.com

Date : 18/12/2024

Ref. No. : .....

19938/UPPCB/Ghaziabad/(UPPCBRO)HWM/GZB/2023

## CERTIFICATE OF RECYCLING

### DESCRIPTION

Client	Lemon Tree Premier (A Unit of Hyacinth Hotels (P) Ltd.)	Date Received - 18/11/2024
Invoice No.	180000107	Date Recycled - 17/12/2024
Location	Hospitality District Asset No 6 Near IGI Airport, Delhi 110037	QTY - 237.75 KGS
Material	Battery Scrap	GSTIN - 07AABCH8933M1Z5

### CERTIFICATION

Shiv Shakti Metals compliance certifies acceptance of the material referenced on this document and that the material referenced has been disposed destroyed, refined and of in accordance with standard industry and regulatory guidelines, policies and procedures.

I certify that the information contained in this document in true and accurate.

GAURAV RASTOGI, PROP.



Scanned with CamScanner





**GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI**  
**HEADQUARTERS: DELHI FIRE SERVICE, NEW DELHI-110001**

F.6/DFS/MS/Hotel/SZ/2024/16

Dated: 07/05/2024

**FIRE SAFETY CERTIFICATE**

Certified that M/s **Hyacinth Hotels Pvt. Ltd** (Hotel Lemon Tree & Red Fox) located at Asset No. 6, Hospitality District, Aerocity, IGI Airport, New Delhi-110037, building comprised of Three Tier Basement, Ground, 6 Upper Floors & Terrace Floor, was issued Fire Safety Certificate by this department vide letter No. F6/DFS/MS/Hotel/SZ/2021/24 dated 28/07/2021. The said premise was re-inspected by the officers concerned of this department on 29/04/2024 in the presence of Sh. Zubbin Arora (GM-Hotel) and observed that the said premises have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the building/premises is fit for occupancy Class "Residential "Hotel" (Group A) for a period up to **31/03/2027** in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of conditions under 38 of the Delhi Fire Service Rules, 2010.

Issued on 07/05/2024 at New Delhi by

(ATUL GARG)  
DIRECTOR  
DELHI FIRE SERVICE

Copy to: -

1. The Joint Commissioner of Police, Licensing Unit, 1<sup>st</sup> Floor, Police Station Defence Colony, New Delhi-110049 (w.r.t. MHA ID No. **2024040904603 dated 09/04/2024**)
2. Authorized Signatory M/s Hyacinth Hotels Pvt. Ltd (Hotel Lemon Tree & Red Fox) located at Asset No. 6, Hospitality District, IGI Airport, New Delhi-110037

**Conditions for the validity of Fire Safety Certificate:**

1. All the means of escape/entry/exit shall be kept free from any obstruction.
2. All the fire safety arrangement provided therein shall be maintained in good working conditions at all time as seen during inspection. Any loss of life property due to non-functional fire safety measures shall be at the responsibility of the management.
3. All the staff members must know the correct method of operation of firefighting system.
4. The basement shall be used strictly in accordance with Building Bye-Laws
5. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or alteration (Clause 1.4.3 of UBBL-2016), if any.
6. The owner/occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on [www.dfs.delhigovt.nic.in](http://www.dfs.delhigovt.nic.in)
7. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.





# Delhi Pollution Control Committee

4th & 5th Floor, ISBT Building, Kashmere Gate, Delhi - 110006.

Website : <http://dpcc.delhigovt.nic.in>

## CONSENT ORDER

Despatch No. 673

Date. 22/1/13

Certificate No. O-019611

Name of the Unit : HYACINTH HOTELS PVT. LTD.

Address : ASSET NO-6, HOSPITALITY DISTRICT, DIAL IGI AIRPORT, DELHI-110029

Consent Order No : DPCC/CMC/2013/31417

Date of Issue : 22-01-2013

Product/Activity : LEMON TREE AND RED FOX HOTEL.

Date of Expiry : 21-01-2014

This Consent to Establish is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under Orange Category. This consent is subject to terms and conditions specified overleaf.

M/s N/A has done the analysis vide report dated N/A as follows:

N/A

N. K. JOSHI

Env. Engineer (CIC)

Delhi Pollution Control Committee

Kashmere Gate, New Delhi-110006

Verified by : ENVIRONMENTAL ENGINEER



### Prescribed standards

pH = 5.5-9, Total Suspended Solids (TSS)  $\leq$  50, Bio-chemical oxygen demand (3 days at 27°C)  $\leq$  30, Oil and Grease  $\leq$  10, Phosphates (as P)  $\leq$  1

# All effluent parameters are in mg/l except pH value.

*[Signature]*

Issuing Authority : SENIOR ENVIRONMENTAL ENGINEER

V. S. PANKAJ

Delhi Pollution Control Committee

4th & 5th Floor, ISBT Building

Kashmere Gate, New Delhi-110006





**GREEN BELT AREA**





PROPER CHANNELIZATION OF RAIN WATER HARVESTING



FIRE SAFETY SIGN BOARD



## Structural Safety Certificate

**VINTECH**  
CONSULTANTS  
CONSULTING ENGINEERS  
& PROJECT MANAGERS

E-35, PAMPUKH INDIAV, GREATER KAILASH - I  
NEW DELHI - 110 048 (INDIA) TEL. : +91-11-43141516.  
FAX : +91-11-26296767 e-mail : vintech@vintechconsultants.com


Date: 26<sup>th</sup> August, 2010

### TO WHOM IT MAY CONCERN

This is to certify that the structure design of **Lemon Tree Premier & Red Fox Hotel** building at Asset No -06, Aero City, IGI Airport, New Delhi developed by M/s Hyacinth Hotels Pvt. Ltd. has been designed in accordance with the latest provisions of National Building Code and the relevant IS codes (with latest amendments) including IS codes for structures resistant to earthquake. While designing the same, local soil conditions, its load bearing capacity and the ground water table etc has duly been considered.

Signature

:



Name of Structural Engineer

:

Dr. Vinod Jain

Qualification

:

Ph. D., M.Tech.

Registration No. Institution  
of Engineer

:

M-118865-2

On Behalf of

:

Vintech Consultants

CONSULTANT: Dr. VINOD JAIN Ph.D. (IITD), M.Tech. (SKJ IITD), M.I.E., C.E., FIASHedE, M-CEAL, M-SET, F.I.I.Y., M-INDSAG



ISO 9001:2008



# HYACINTH HOTELS PRIVATE LIMITED

Regd. Office: B 6/17 Safdarjung Enclave, New Delhi -- 110 029

T +91-11-46050101. F +91-11-46050110

(CIN U55204DL2007PTC166050)

## Lemon Tree Hotels CSR Initiatives:

### Giving back to society:

Lemon Tree focuses on delivering a healthy 'triple bottom line' i.e. Planet, People and Profit through its sustainability initiatives.

- 1. Planet:** Our current efforts include energy efficiency and conservation; water efficiency and conservation; use of CNG instead of LPG; use of green building material; planting of trees and shrubs on hotel premises; building hotels in accordance with Universal Design concepts for greater access for differently abled people and building our hotels to Leadership in Energy and Environment Design (LEED) Gold Standards. In the medium term to long term, we will focus on wind power; agro power i.e. burn agricultural waste; recycled water for AC cooling tower (target replacement of fresh water by 15-20%); heat pump for energy conservation; solar photo voltaic (PV) system for lighting; extensive use of LED light fittings (post cost reduction).
- 2. People:** We are very focused on building a culture of inclusion and on keeping our integrated team (Persons With Disability and persons without disability) engaged. Lemon Tree Hotels was ranked # 30 in the Best Work Places in India in the year 2015 by the Great Places to Work Institute and Economic Times. We have set a target of 250% of our expected employee strength of 8000 being either ladies, EWD's or from economically underprivileged sections of society by 2016-2017.
- 3. Profit:** Our main focus is on being best in class in our cost structure, both in building and operating hotels. This will enable us to offer the best Return on Capital Employed to our investors, over the long term.
- 4. Recruitment of people with disabilities:** As part of our Corporate Social Responsibility endeavor, LTH has recruited ~400 Employees With Disability (EWD). This includes Speech & Hearing Impaired, Orthopedically Challenged, Visually Impaired and Down Syndrome. We impart relevant employability skills to these EWD in job roles where their disability is not a disadvantage. They can then be employed routinely and on an equal footing with normal people, which is the only long lasting way to sustain the practice. The 31 March 2016 vision is to employ (and retain through sensitivity training/counseling) 460 EWD i.e. ~15% of the employee base. A video clipping on "Inclusive Employability" is attached.
- 5. "Hunar Se Rozgar Tak":** A Government of India Skill Development Program. Under this initiative, we have worked extensively to hire and impart basic skill training for people who hail from economically weaker sections and have very limited academic scope (Minimum qualification being 8th std.). The objective of this on the job skill training is to provide these marginalized people job opportunities in the hospitality sector. Each of our hotels is partnering with the Local Government run Hotel Management Colleges for this purpose and is extending skill training in operational verticals such as Food & Beverage Service, Food Production, & Housekeeping. The tenure of training is between 6 weeks to 8 weeks.
- 6. Promoting tribal art:** LTH is the largest buyer nationally of tribal art from Bastar, Madhya Pradesh. We buy artifacts from the tribals in this region and use this art extensively in the hotel interiors.


For HYACINTH HOTELS PVT. LTD.

(Authorized Signatory)

Name: Perkin Rocha

Designation: Area General Manager

Authorized Signatory







**OWC-60 PROPER CHANNELIZATION**



**GREEN BELT AREA PROPERLY MANGED BY STAFF**



**LOG-BOOK FOR WET AND DRY GARBAGE**



**ELECTRONIC EMSSION CONTROL SYSTEM**



**ORGANIC WASTE CONVERTER**





## DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building

Kashmere Gate, Delhi 110006

(Visit us at <https://www.dpccocmms.nic.in>)



### CONSENT ORDER

Certificate No. :G-40194

Name of the unit	:	HYACINTH HOTELS PVT LTD LEMON TREE PREMIER AND RED FOX HOTEL
Address	:	Asset No 6 Hospitality District DIAL Aerocity IGI Airport, Hotels, Delhi - 110029
Area	:	Non Industrial
Area Name	:	Hotels
Consent Order No	:	DPCC/CMC/2024/3893804
Date of issue	:	20/03/2024
Product Name	:	As Per Records
Product Capacity	:	As Per Records null
Fuel Type	:	As Per Records   C: As Per Records   Q: As Per Records
Control Equipment	:	As Per Records
ETP Details	:	D.Capacity: As Per Records   Type: As Per Records
Stack Details	:	As Per Records   AT: As Per Records   H: As Per Records
Activity Name	:	Hotels requiring / having Environmental Clearance under EIA Notification
Category	:	[RED]
Generator Set(s)	:	As Per Records

This Consent to **Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **RED** Category. This consent is subjected to terms and conditions specified overleaf. **This is being issued with reference to your application id 3893804 valid from 10/02/2024 to 09/02/2029.**

SEE (EIA)

## Terms and Conditions

### Specific Conditions:

1. Consentee shall install separate flow meters at reuse lines i.e. HVAC, Flushing, and Horticulture and submit compliance within 30 days.
2. Generator set (s) shall be operated subject to compliances of the prescribed norms/statutory directions.

### General Conditions:

3. The Consentee shall meet the effluent standards i.e. pH= 5.5-9, Total Suspended Solids (TSS) -50, Biochemical Oxygen Demand (3days at 27degree Cent.)-30, Oil and Grease-10, Phosphate Total-1. # All effluent parameters are in mg/l expect pH value.
4. The Consent is activity specific and based on the information provided in the consent application along with the documents/ subsequent documents/information submitted to Delhi Pollution Control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity/manufacturing process.
5. The consentee shall display the Name of the unit along with its Address, name of the proprietor/Directors/partners etc., Contact Phone No(s) and its Activities Processes/ Product etc, on a Display Board to be placed/fixed at the main gate of the unit.
6. The consentee/unit shall have/take separate Electricity/Power connection in its name and shall have/install separate meter in this regard.
7. The consentee shall provide and maintain separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system and shall be connected to the conveyance system/ sewerage system of the area leading to common Effluent Treatment Plant of the Industrial Area/sewage Treatment Plant of the catchment area.
8. The Consentee shall obtain permission from Delhi Jal Board. for ground water extraction, if any, as per the various orders/Notification of Govt. of NCT of Delhi.
9. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good housekeeping practices so as to maintain clean & safe environment in and around the premises of the unit
10. The Consentee shall comply with the noise standards laid down vide Gazette notification of Ministry of Environment and Forest(MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements],if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date. Stack Height for sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following (i)Minimum 6 meter above the building where generator set is installed (ii) 30 meter (iii) 14Q<sup>0.3</sup>(Q Total So<sub>2</sub> emission from the plant in kg per hr) and for other Generator Set(s) ( up to 0.8 MW) stack height shall be as per the following formula,  $H = h + 0.2KVA$  ( H-Total Height of stack in meter , h =Height of the building in meters where the Generator Set is installed, KVA -Total Generator capacity of the set in KVA).
11. Capacity of the Generator Set(s) installed in the unit is 1x1010 KVA and 2x750 KVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for Generator Set(s) in good condition and maintain the adequate stack height for Generator Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall ensure the compliance of the extant directions issued by CAQM / CPCB/ DPCC under GRAP.
12. The Generator Set(s) shall be operated subject to compliances of the norms. The Consentee shall not operate the Generator Set(s) till compliance of the prescribed norms/standards.
13. The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling) Rules, 2001 as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules,





Confederation of Indian Industry



Indian Green Building Council

# Indian Green Building Council (IGBC)

*hereby certifies that*

**Lemon Tree Premier and Red Fox Hotel**

**Delhi Airport, New Delhi**

*have successfully achieved the Green Building Standards required for  
the following level of certification under the Leadership in Energy and Environment Design  
(LEED) for India Green Building Rating System*

**LEED India for New Construction Gold**

October 2014

**C N Raghavendran**  
Chairman, LEED India

**Dr Prem C Jain**  
Chairman, IGBC

**S Raghupathy**  
Executive Director, CII-Godrej GBC



IGBC



Confederation of Indian Industry

Indian Green Building Council  
is honoured to confer

# Green Champion Award

to

## Lemon Tree Hotels Ltd.

for

'Organisation leading the green building movement in India (commercial)'

**S Raghupathy**

Deputy Director General, CII

**V Suresh**

Chairman, IGBC

2018

**Gurmit Singh Arora**

Vice Chairman, IGBC







# MANIFEST FOR HAZARDOUS AND OTHER WASTER

To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Copy 1 (White)

Party

1.	Sender's name and mailing address (including Phone No. and e-mail) :	LEMON TREE PREMIER (A UNIT OF HYACINTH HOTELS (P) LTD. HOSPITALITY DISTRICT ASSET HQ-6, NEAR IGT AIRPORT DELHI - 110037
2.	Sender's Authorisation No.	A-2510
3.	Manifest Document No. :	DPCL/CHC/2018/38381
4.	Transporter's name and address : (including Phone No. and e-mail)	180000107 DURGA TRANSPORT COMPANY SIKHEDA ROAD MODINAGAR
5.	Type of Vehicle :	(Truck/Tanker/Special Vehicle)
6.	Transporter's Registration No. :	09BTHP8333P127
7.	Vehicle Registration No. :	UPI5ET8248 / UPI4KT2032
8.	Receiver's name and mailing address (including Phone No. and e-mail) :	SHIV SHAKTI METALS KHASRA NO. 545, VILLAGE FAFRANA, SIKHEDA ROAD, INDUSTRIAL AREA MODINAGAR-201204
9.	Receiver's Authorisation No. :	19938/UPPCB/GHAZIABAD (UPPCBRO) HWM/GZB/2023
10.	Waste Description	BATTERY SCRAP
11.	Total Quantity : No. of Containers :	..... m3 or MT 237.75 / KGS. .... Nos
12.	Physical Form :	(Solid/Semi-Sludge/Oily/Tarry/Slurry/Liquid)
13.	Special handling instruction and additional information :	Avoid Leakage & Spillage Hazardous Waste Material
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked and labelled and are in all respects in proper conditions for transport inproper according to applicable national government regulations.
	Name and stamp : Signature	Month Day Year 11/18/2024
15.	Transporter acknowledgement of receipt of Wastes	
	Name and stamp : Signature	Month Day Year 11/18/2024
16.	Receiver's certification of receipt of hazardous and other waster	
	Name and stamp : Signature	Month Day Year 11/18/2024






# E-WASTE MANIFEST

422

To be retained by the sender after taking signature on it from the transporter and other three copies will be carrier by transporter

Copy 1 (Yellow)

PAR-14

1.	Sender's name and mailing address (including Phone No.)	LEMON TREE PREMIER (A UNIT OF LEMONTREE HOTELS (P) LTD. HOSPITALITY DISTRICT ASSETA, G. NEAR IGI AIRPORT DELHI-110037
2.	Sender's authorisation No. if applicable.	G-2510 DPCL/CMC/2018/38381
3.	Manifest Document No.	180000107
4.	Transporter's Name and address (Including Phone No.)	DURGA TRANSPORT COMPANY SIKHEDA ROAD MODINAGAR
5.	Type of Vehicle :	(Truck or Tanker or Special Vehicle)
6.	Transporter/s registration No.	09BTHPS 6333P127
7.	Vehicle registration No.	UPISET8248 / UPI4KT2032
8.	Receiver name & address	SHIV SHAKTI METALS KHASRA NO. 545, VILLAGE FAFRANA, SIKHEDA ROAD, INDUSTRIAL AREA MODINAGAR-201204
9.	Receiver authorisation No. if applicable	95910221EW13310276
10.	Description of E-waste (Item, Weight / Numbers) :	2245.9 / KGS.
11.	Name and stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre of Refurbisher or Dismantler) Signature :	 <div>Month    Day    Year</div> <div>11   11   18   20   24</div>
12.	Transporter acknowledgment of receipt of E-Wastes Name and Stamp : Signature :	 <div>Month    Day    Year</div> <div>11   11   18   20   24</div>
13.	Receiver* (Collection Centre or Recycler) Certification of receipt of E-waste Name and stamp : Signature :	 <div>Month    Day    Year</div> <div>11   11   18   20   24</div>