

*[Handwritten signature]*  
(NORTH ZONE)  
DELHI POLLUTION CONTROL COMMITTEE  
ENVIRONMENT & FOREST  
DEPT. OF ENVIRONMENT  
4th Floor, ISBT Building,  
Kashmere Gate, DELHI-110006

Dated: 01.01.2021

To,  
The Member Secretary  
Delhi Pollution Control Committee  
4<sup>th</sup> Floor, ISBT Building,  
Kashmere Gate, Delhi-110006

Sub: Submission of Six monthly December 2020 compliance report of Environmental Clearance letter and also Six monthly CTO compliance for "lemon Tree & Red Fox Hotel" located at Asset no. 06, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

Ref. No.: File No. DPCC/SEIAA-SEAC/153/12/227  
EC letter No, DPCC/SEAC/153/SEIAA/20/2013 dated 30<sup>th</sup> July, 2013  
CTO Letter no- DPCC/CMC/2018/38381

Dear Sir,

With reference to the above mentioned subject, we are herewith submitting the six monthly compliance report of EC & CTO for the month of DEC 2020 along with related Annexures for your kind perusal, soft copy is also attached.


We fully assure you that, we will comply with all conditions as specified Environmental Clearance and Consent to Operate.

Thanking you,  
Yours sincerely,  
For M/s Hyacinth Hotels Pvt. Ltd.

Name  
(Designation)

Copy To:-

- 1) Secretary (Environment), cum chairman (DPCC), Department of Environment, Government of NCT Delhi, Secretariat Building, 6<sup>th</sup> level, C-wing, I.P Estate, New Delhi-2.
- 2) Director, Impact Assessment III-Division, Ministry of Environment, Forest & climate change Paryavaran Bhawan, CGO Complex, Jor Bagh Road, Aliganj, New Delhi-110092
- 3) The Chief Conservator, Regional Officer, Ministry of Environment Forest & climate change (central region), Kendriya Bhawan, 5<sup>th</sup> Floor, Sector-H, Aliganj, Lucknow-226024



**Lemon Tree Premier, Delhi Airport**  
Asset No. 6, Aerocity Hospitality District, IGI Airport, New Delhi 110037  
T +91 11 44232323 | E hl.dl@lemontreehotels.com  
(A unit of Hyacinth Hotels Private Limited | CIN: U55204DL2007PTC166050)  
Regd. Office: Asset No. 6, Aerocity Hospitality District, New Delhi 110037 | T +91 11 4605 0101 | Fax 011 4605 0110  
Central Reservations: +91 9911 701 701 | lemontreehotels.com

Dated: 01.01.2021

To,  
The Member Secretary  
Delhi Pollution Control Committee  
4<sup>th</sup> Floor, ISBT Building,  
Kashmere Gate, Delhi-110006

Sub: Submission of Six monthly December 2020 compliance report of Environmental Clearance letter and also Six monthly CTO compliance for "lemon Tree & Red Fox Hotel" located at Asset no. 06, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

Ref. No.: File No. DPCC/SEIAA-SEAC/153/12/227  
EC letter No, DPCC/SEAC/153/SEIAA/20/2013 dated 30<sup>th</sup> July, 2013  
CTO Letter no- DPCC/CMC/2018/38381

Dear Sir,

With reference to the above mentioned subject, we are herewith submitting the six monthly compliance report of EC & CTO for the month of DEC 2020 along with related Annexures for your kind perusal, soft copy is also attached.

We fully assure you that, we will comply with all conditions as specified Environmental Clearance and Consent to Operate.

Thanking you,  
Yours sincerely,  
For M/s Hyacinth Hotels Pvt. Ltd.

Name  
(Designation)

Copy To:-

- 1) Secretary (Environment), cum chairman (DPCC), Department of Environment, Government of NCT Delhi, Secretariat Building, 6<sup>th</sup> level, C-wing, I.P Estate, New Delhi-110002
- 2) Director, Impact Assessment III-Division, Ministry of Environment, Forest & climate change Paryavaran Bhawan, CGO Complex, Jor Bagh Road, Aliganj, New Delhi-110092
- 3) The Chief Conservator, Regional Officer, Ministry of Environment Forest & climate change (central region), Kendriya Bhawan, 5<sup>th</sup> Floor, Sector-H, Aliganj, Lucknow-226024

**Lemon Tree Premier, Delhi Airport**

Asset No. 6, Aerocity Hospitality District, IGI Airport, New Delhi 110037

T +91 11 44232323 | E hl.dl@lemontreehotels.com

(A unit of Hyacinth Hotels Private Limited | CIN: U55204DL2007PTC166050)

Regd. Office: Asset No. 6, Aerocity Hospitality District, New Delhi 110037 | T +91 11 4605 0101 | Fax 011 4605 0110

Central Reservations: +91 9911 701 701 | lemontreehotels.com

Scanned with CamScanner

Scanned with CamScanner



ELI225089185114 201318  
Counter No:1, CP-Code:001  
To:REGIONAL,

ALIGAHJ, PIN:226024  
From:AGMI, GR MDIDA  
Wt:50grams, 14/01/2021, 13:55  
Amt:41.00EDD(If not a holiday):00:00:00  
POST @% 3, SEST @%: 3.00  
<Track on [www.indiapost.gov.in](http://www.indiapost.gov.in)>



<Duplicate> SP SECTORIGMDIDA 201318  
GSTN No: 09AAAGW309M1Z8  
ELI225089185114  
Counter No:1, CP-Code:001  
To:REGIONAL,

ALIGAHJ, PIN:226024  
From:AGMI, GR MDIDA  
Wt:50grams, 14/01/2021, 13:55  
Amt:41.00EDD(If not a holiday):00:00:00  
POST @% 3, SEST @%: 3.00  
<Track on [www.india](http://www.india)>





**Six Monthly Environmental Clearance Compliance Report and CTO  
Report DEC-2020**

**"M/S Lemon Tree Premier & Red Fox Hotel"**  
*Asset no- 6, Hospitality District,  
DIAL, IGI Airport, New Delhi, 110029*



**Submission Date: DEC 2020**



PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTION, NOIDA UTTAR PRADESH 201301



Dated: 01.01.2021

To,  
The Member Secretary  
Delhi Pollution Control Committee  
4<sup>th</sup> Floor, ISBT Building,  
Kashmere Gate, Delhi-110006

**Sub: Submission of Six monthly December 2020 compliance report of Environmental Clearance letter and also Six monthly CTO compliance for "lemon Tree & Red Fox Hotel" located at Asset no. 06, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.**

Ref. No.: File No. DPCC/SEIAA-SEAC/153/12/227  
EC letter No, DPCC/SEAC/153/SEIAA/20/2013 dated 30<sup>th</sup> July, 2013  
CTO Letter no- DPCC/CMC/2018/38381

Dear Sir,

With reference to the above mentioned subject, we are herewith submitting the six monthly compliance report of EC & CTO for the month of DEC 2020 along with related Annexures for your kind perusal, soft copy is also attached.

We fully assure you that, we will comply with all conditions as specified Environmental Clearance and Consent to Operate.

Thanking you,  
Yours sincerely,  
For M/s Hyacinth Hotels Pvt. Ltd.

Name  
(Designation)



**Copy To:-**

- 1) Secretary (Environment), cum chairman (DPCC), Department of Environment, Government of NCT Delhi, Secretariat Building, 6<sup>th</sup> level, C-wing, I.P Estate, New Delhi-2.
- 2) Director, Impact Assessment III-Division, Ministry of Environment, Forest & climate change Paryavaran Bhawan, CGO Complex, Jor Bagh Road, Aliganj, New Delhi-110092
- 3) The Chief Conservator, Regional Officer, Ministry of Environment Forest & climate change (central region), Kendriya Bhawan, 5<sup>th</sup> Floor, Sector-H, Aliganj, Lucknow-226024

**Lemon Tree Premier, Delhi Airport**

Asset No. 6, Aerocity Hospitality District, IGI Airport, New Delhi 110037

T +91 11 44232323 | E hi.dl@lemontreehotels.com

(A unit of Hyacinth Hotels Private Limited | CIN: U55204DL2007PTC166050)

Regd. Office: Asset No. 6, Aerocity Hospitality District, New Delhi 110037 | T +91 11 4605 0101 | Fax 011 4605 0110

**Central Reservations: +91 9911 701 701 | lemontreehotels.com**



**"Lemon Tree Premier & Red Fox Hotel"**

**Asset no- 6, Hospitality District,  
DIAL, IGI Airport, New Delhi**



**DEC Report-2020**

**SPECIFIC AND GENERAL CONDITIONS AS PER THE ENVIRONMENTAL  
CLEARANCE LETTER NO:DPCC/SEAC/153/SEIAA/20/2013; dated 30/07/2013,  
(ANNEXURE I) FOR CONSTRUCTION AND OPERATION PHASES OF THE  
PROJECT PERIOD APRIL 2020 to SEP 2020.**

Lab monitoring reports for the month of NOV 2020 STP, RO Water and Raw water  
are attached-

**PART A. – SPECIFIC CONDITIONS**

**I. Construction Phase**

I.	Construction should be started after obtaining prior Consent to Establish from Delhi Pollution Control Committee (DPCC) under Air and Water Acts and a copy shall be submitted to the SEAC-Delhi, failing which project shall be discontinued.	Construction was started after obtaining Consent to Establish from DPCC, Consent to Establish letter is enclosed as Annexure- 1.
II.	Provision shall be made for the housing of labours within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care along with first aid room, crèche etc. The housing may be in the form of temporary structures to be removed after completion of the project.	The construction of the project has been completed and it is in operational phase. All necessary provisions was followed during construction phase.
III.	Health and safety norms of CPWD should be followed during construction	Complied.
IV.	Top soil excavated during construction activities should be stored within the site for use in horticulture/landscape development.	Complied.
V.	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed of taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority	Project is in operational phase, same was followed during construction phase.



**PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS,NOIDA,UTTAR PRADESH 201301**



**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**

**DEC Report-2020**

VI.	Proper measures should be adopted to control dust emissions during construction phase by providing adequate numbers of water sprinklers.	For controlling dust emissions during construction phase all necessary precautions were taken.
VII.	Soil and water samples of the site should be tested by the project proponent through any laboratory recognized by DPCC to ascertain that there is no threat to ground water quality by leaching of contaminants, on quarterly basis for inclusion in the six monthly reports.	It was done at the time of construction.
VIII.	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into groundwater. Bulk of the demolition waste should be recycled and minimum possible demolition waste should be dumped at designated dumping site.	The construction of the project has been completed while project in its operational phase, hence this condition is not applicable.
IX.	Bio-medical waste, if any, shall be disposed of as per the Bio-medical waste (Management & Handling) Rules, 1998 and authorization shall be obtained from DPCC as per applicability.	There is no Bio-medical waste generated, hence this condition is not applicable.
X.	Any hazardous waste generated during construction and operation phase should be disposed off as per applicable rules and norms with necessary authorization from Delhi Pollution Control Committee.	Hazardous waste generated during construction was well managed & disposed off as per applicable rules and norms. There is no hazardous waste generation during operation phase and proper channelization is used to handle the waste
XI.	The diesel generator sets to be used during construction phase should be operated on low sulphur diesel and should conform to the Environment Protection Rules prescribed for air and noise emission standards.	Complied.




**PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301**



XII.	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.	Diesel for DG sets was stored in daily storage drums in very low quantity as per threshold limit applicable for temporarily storage of diesel for which no clearance from Chief Controller of Explosives is required.
XIII.	Vehicles hired for bringing construction material to the site should be in good condition, have pollution check certificate, conform to applicable air and noise emission standards. These vehicles should be operated only during non-peak hours. The material loaded or unloaded should be covered (Especially excavated soil) before transportation to avoid fugitive emissions etc.	Complied.
XIV.	Ambient noise levels should conform to prescribed residential standards both during day and night hours. Adequate measures should be made to reduce ambient air and noise level during construction and operation phase, so as to conform to the norms stipulated by CPCB/DPCC. Ambient air and noise monitoring should be done by an accredited lab and data should be submitted along with compliance report in every six month.	Environment monitoring report is enclosed as <b>Annexure-2</b> . Monitoring has been carried out by NABL accredited lab.
XV.	Thick green belt of the adequate width and density, along with adequate tree plantation to create a buffer zone as per plan submitted, shall be raised along the periphery of the plot so as to provide protection against particulates and noise.	Thick Green belt has been developed in the project. Planted thick green belt acts as noise barrier attenuation factor which will reduce the noise level from outside source Indigenous variety of plant species is planted around the project periphery to absorb maximum dust and to reduce noise level. Photographs showing greenbelt developed in the project premise is enclosed as <b>Annexure- 3</b> .
XVI.	Natural drainage should be preserved as far as possible.	Within 7 KM of the project site there is no Natural drainage
XVII.	Rain water harvesting, as per plan submitted, for roof top run-off and surface run-off should be implemented.	The implementation of rain water harvesting for roof top, run-off and surface run-off has been done as per

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301





**"Lemon Tree Premier & Red Fox Hotel"**

**Asset no- 6, Hospitality District,  
DIAL, IGI Airport, New Delhi**

**DEC Report-2020**

	Before recharging the surface run-off, pre-treatment must be done to remove suspended matter, oil and grease. The depth of the bore for rainwater recharging should be kept in consultation with DJB. No wastewater (such as sewage, trade effluent, backwash of treatment unit, floor washing wastewater etc) should be discharged into the rainwater harvesting structure in order to avoid groundwater contamination. The collected rainwater, if any should be properly treated before use.	submitted plan. Bore for rainwater recharging has been kept in consultation with DJB. No waste water is being discharged into the rainwater harvesting structure in order to avoid groundwater contamination. To Remove suspended matter, oil and grease before recharging surface run off, pre-treatment is being done time to time.
XVIII.	The ground water drawl during construction and operation phases should be done only with the prior permission of DJB. Until then, no ground water shall be used in construction activities. The ground water level and its quality should also be monitored regularly in consultation with DJB.	Not Applicable. There was no ground water extraction done at time of construction. In its operational phase also the source of water supply is Delhi International Airport Private Limited. Recent water bill of water is enclosed as Annexure-4.
XIX.	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification dated September 14 <sup>th</sup> , 1999 and amended as on August 27 <sup>th</sup> , 2003.	It was used during construction of project.
XX	Ready Mix Concrete must be used in building construction to minimize the use of water.	During construction, it was practiced.
XXI	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices preferred.	It was done at the time of construction.
XXII	Fixtures for toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Required fixtures have been installed for toilet flushing and drinking
XXIII	Energy Conservation Building Code to be strictly adopted in all aspects of building design and construction. Requirements of GRIHA rating, if proposed, should be followed.	Energy Conservation Building Code has been adapted to maximum possible extent in all aspects of building design and construction.

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301



# "Lemon Tree Premier & Red Fox Hotel"

Asset no- 6, Hospitality District,  
DIAL, IGI Airport, New Delhi

DEC Report-2020

XXIV	Approval of Chief Fire Officer and Delhi Urban Arts Commission for Building Plans, approval of Airport Authority of India for Building Height and approval of other authorities viz Land owning Agency, DJB, MCD, NDMC, DISCOM, etc should be obtained.	All necessary approvals have already been obtained. NOC from chief Fire Officer is enclosed as <i>Annexure-VI</i> .
XXV	NOC for cutting of trees, if any, should be obtained from Department of forest & Wildlife.	Not Applicable.
XXVI	Approval of competent authority shall be obtained for structural safety of the building due to earthquake. Adequacy be ensured for firefighting equipments etc as per National Building Code including protection measures from lightening etc.	All safety measures were taken as per National Building Code. Approval of competent authority was obtained for structural safety of the building due to earthquake. Structural Safety certificate is enclosed as <i>Annexure- VI</i> .
XXVII	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to neighbors.	It was done at the time of construction.

## II. Operation Phase

I	Consent to operate under Air and Water Acts shall be obtained from DPCC before operation, failing which the Environmental Clearance herein shall be deemed to be withdrawn.	Consent to operate under Air and Water Acts is granted by DPCC. Application for renewal of CTO had been submitted to DPCC. Acknowledgement of renewal of CTO letter is enclosed as <i>Annexure-VII</i> .
II.	The zero wastewater discharge condition shall be achieved with installation of a well designed on-site Sewage Treatment Plant (STP) for the generation of sewage and Effluent Treatment Plant (ETP) for any type of effluent and the treated waste water shall be reused in HVAC cooling, flushing through dual plumbing and in Horticulture. The STP/ETP should be certified by an independent expert and adequacy report in this regard should be submitted to Delhi Pollution Control	STP of 220 KLD based on FAB technology is installed for the treatment of wastewater generated within project. STP is installed in the basement mitigate odor problem STP was certified and report was submitted. Total waste water generation in the project is 181 KLD. 169 KLD water is recoverable after treatment by STP which is used through dual plumbing in Flushing (54 KLD), Horticulture (13 KLD), Cooling Towers (90 KLD). Boiler

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301



# "Lemon Tree Premier & Red Fox Hotel"

Asset no- 6, Hospitality District,

DIAL, IGI Airport, New Delhi

DEC Report-2020

	Committee before the project is commissioned for operation. Water meters at all appropriate places shall be installed to know the quantum of water used, wastewater, treated water recycled/reused in HVAC, flushing and horticulture/ gardening, necessary measures should be made to mitigate the odor problem from STP/ETP.	(2 KLD) and back wash. STP was certified and report was submitted, water meters are installed at appropriate places. STP analysis report is enclosed as and also online monitoring system is installed <b>annexure-II.</b>
III.	The Solid waste (dry as well as wet garbage) generated should be properly collected and segregated. Biodegradable (wet) garbage generated should be converted to compost or biogas by suitable technology. Non- Biodegradable waste should be outsourced properly after recovery of recyclable material. Paper recycling unit should be installed for recycle and reuse of waste paper. Adequate measures should be taken to prevent odor problem.	In the hotel, total municipal solid waste generation is 629 kg/day. OWC has been provided in the hotel for treatment of organic waste. Recyclable and non recyclable solid waste is disposed off through government approved vendors. Necessary precaution is being taken to minimize nuisance of odor, flies and rodent.
IV.	Bio- medical waste, if generated any, shall be disposed of as per the Bio-medical Waste (Management & Handling) Rules, 1998 and authorization shall be obtained from DPCC as per applicability.	Lemon Tree & Red Fox is hotel, hence there is no Bio- medical waste generation in the project site. Therefore no permission from DPCC is required.
V.	Utilization of Diesel power generating sets is subject to power failure condition only, The DG sets proposed as a source of power back up during operation phase should be of enclosed type. The DG sets of capacity more than 1000 KVA should be provided the stipulated stack height of 30 meter from the ground. If not possible due to any reason, permission from MoEF must be obtained specifically for stack height of such DG sets. All the DG sets should be subjected to periodic noise and stack monitoring in consultation with DPCC. Waste/used diesel should be stored and managed as per Hazardous Waste (Management and Handling) Rules, 2000 as amended to date and be sold to CPCB approved recyclers.	In the project site, 3 no. (1x 1010 kVA and 2 x 750 kVA) of D.G sets have been installed as power backup during power failure condition. D. G sets are enclosed in acoustic enclosure to reduce noise level. Stack height of D.G Set is 6 m above the height of building as per norms and no use of DG set is carried out as per latest guidelines of MoEF&CC  NOC from AAI is already obtained and submitted with earlier compliance. Used diesel is stored and managed as per Hazardous And Other Wastes (Management and Tran boundary Movement) Rules 2016 and used diesel is sold to CPCB approved recyclers.

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301



**"Lemon Tree Premier & Red Fox Hotel"**

**Asset no- 6, Hospitality District,**

**DIAL, IGI Airport, New Delhi**

**DEC Report-2020**

	Clearance from AAI should be obtained for stack height of D.G set.	
VI	Traffic congestion near the entry and exit points from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized. Separate parking provision should be provided for handicapped persons.	Adequate parking facility of 324 ECS has been provided in hotel which is shown in traffic circulation plan submitted in earlier compliance. Parking is fully internalized and no public space is utilized and separate parking is provided for handicapped persons.
VII	Energy Conservation measures such as solar lighting for common areas, solar water heating system, LED lights, solar inverters etc should be adopted.	Energy Conservation measures such as solar lighting for project boundary areas, LED lights in common areas have been provided.
VIII	A report on energy conservation measures conforming to energy conservation norms finalized by Bureau of energy Efficiency should be prepared incorporating details about building materials and technology, R&U factors etc and submit a copy to ministry of Environment & Forests, Regional Offices, Chandigarh and DPCC in three months time with Intimation to SEIAA	The guidelines of Bureau of energy have been incorporated in the design and building construction for conservation of energy.

**PART B. - GENERAL CONDITIONS**

I	The environmental safeguards and monitoring schedule as contained in the EMP should be implemented in letter and spirit & there will be no departure from the final project proposal.	The environmental safeguards and monitoring schedule as contained in the EMP has been implemented.
II	The project proponent shall follow the revised Guidelines/criteria for Evaluation of proposals/Request for Ground water abstraction issued by Central Ground Water Authority (CGWA) vide letter no.21-4/Guidelines/CGWA/2012-4793 dated: 30.10.2012 which are in effect from 15.11.2012.	During construction phase water requirement was met by CSTP treated water and in operational phase demand of water is meeting by Delhi International Airport Private Limited, hence there is no extraction of ground water. Water bill is enclosed as Annexure-IV.

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301



**"Lemon Tree Premier & Red Fox Hotel"**

**Asset no- 6, Hospitality District,**

**DIAL, IGI Airport, New Delhi**

**DEC Report-2020**

III	Corporate Social Responsibility should be carried out as per action plan and budgetary provisions submitted to SEAC subject to a minimum of 0.4% of total project cost as one time expenditure and 0.08% of the project cost as recurring expenditure.	CSR plan is enclosed as Annexure-VIII.
IV	Officials from Ministry of environment & Forests, Regional Office, Chandigarh and Delhi Pollution Control Committee, who would be monitoring the implementation of environmental safeguards, should be given full co-operation to inspect the facilities and documents/data on site by the project proponents during their site inspection. A complete set of all the documents submitted to SEAC should be forwarded to Ministry of Environment & Forests, Regional Office, Chandigarh & DPCC. Six monthly monitoring reports should also be submitted to Ministry of Environment & Forests, Regional Office Chandigarh & to DPCC.	We are abiding with rules and regulations. Six monthly Compliance report is also submitted to regional office of MoEF & CC. Receiving of submitted compliance in June 2020 enclosed as Annexure-X
V	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEAC and the Consent to Establish/Operation from DPCC as well.	Noted.
VI	In Compliance to Hon'ble High Court's order dated 7 <sup>th</sup> August, 2008, use sale and storage of all kinds of plastic bags shall be forbidden.	In hotel use and storage of all kinds of plastic bags are forbidden.
VII	E-waste generated in the complex should be managed as per E-waste (Management and Handling) Rules, 2011 and disposed through approved e-waste recyclers.	E- Waste generated in the complex is managed as per E-waste (Management and Handling) Rules, 2016 and disposed through approved e- waste recyclers, authorization letter is enclosed as Annexure-11
VIII	State Environmental Impact Assessment Authority reserves the right to add additional safeguard measures	We are abiding with rules and regulations of State Environmental


PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS AGIDA, UTTAR PRADESH 201301



**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**

**DEC Report-2020**

	subsequently, if found necessary, and to take action including the revoking of the Environmental Clearance under the provisions of the Environmental (Protection) Act, 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Impact Assessment Authority.
IX	All other statutory clearances such as approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department etc shall be obtained, as applicable by project proponents from the respective competent authorities	All required approval such as fire safety certificate, NOC from AAI regarding height clearance have already been obtained.
X	These stipulations would be enforced among others under the provisions of Water (Prevention and Control) Pollution Act, 1974, the Air (Prevention and Control) Act 1981, The Environment (Protection) Act, 1986, The Public Liability (Insurance) Act, 1991 and EIA Notification, 2006, as amended to date.	We are following the condition.
XI	The Project Proponent should prominently advertise in at least two local Newspapers widely circulated in the region indicating that the project has been accorded Environmental Clearance and copy of clearance is available with the DPCC and may also be seen on the site of DPCC at <a href="http://www.dpcc.delhigovt.nic.in">http://www.dpcc.delhigovt.nic.in</a> . The advertisement should be made within 10 days from the date of receipt of the Clearance letter.	It was done per directions.
XII	The Project Proponent should submit copy of environmental Clearance to the Heads of local bodies, Panchayats and municipal bodies in addition to relevant offices of government who in turn has to display the same for 30 days from the date of receipt	It was done as per the direction



PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301



**"Lemon Tree Premier & Red Fox Hotel"**

**Asset no- 6, Hospitality District,**

**DIAL, IGI Airport, New Delhi**

**DEC Report-2020**

XIII	The project proponent shall apply for amendment in EC, if there is change in building plan(s) & layout plan(s) by DUAC or any other authority after the grant of EC.	Noted.
XIV	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the Project Proponent on its website.	It is uploaded on website.





**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**

**DEC Report-2020**

**ANNEXURE LIST EC**

<b><u>ANNEXURE-1</u></b>	CONSENT TO ESTABLISH
<b><u>ANNEXURE-2</u></b>	MONITORING REPORTS
<b><u>ANNEXURE-3</u></b>	GREEN BELT PHOTOGRAPHS
<b><u>ANNEXURE-4</u></b>	WATER BILL
<b><u>ANNEXURE-5</u></b>	FIRE NOC
<b><u>ANNEXURE-6</u></b>	STRUCTURAL SAFETY
<b><u>ANNEXURE-7</u></b>	CTO LETTER
<b><u>ANNEXURE-8</u></b>	SAME AS ANNEXURE 2
<b><u>ANNEXURE-9</u></b>	CSR POLICY
<b><u>ANNEXURE-10</u></b>	RECEIVING OF LAST COMPLIANCE JUNE 2020







# Delhi Pollution Control Committee

4th & 5th Floor, ISBT Building, Kashmir Gate, Delhi - 110006.

Website : <http://dpcc.delhigovt.nic.in>



## CONSENT ORDER

Name of the Unit : HYACINTH HOTELS PVT. LTD.  
Address : ASSET NO-6, HOSPITALITY DISTRICT, DIAL IGI AIRPORT, DELHI-110029  
Consent Order No : DPCC/CMC/2013/31417  
Date of Issue : 22-01-2013  
Product/Activity : LEMON TREE AND RED FOX HOTEL.

This Consent to Establish is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under Orange Category. This consent is subject to terms and conditions specified overleaf.

M/s N/A has done the analysis vide report dated N/A as follows:

N/A

### Prescribed standards

pH = 5.5-9, Total Suspended Solids (TSS)  $\leq$  50, Bio-chemical oxygen demand (3days at 20°C)  $\leq$  30, Oil and Grease  $\leq$  10, Phosphates (as P)  $\leq$  1  
# All effluent parameters are in mg/l except pH value.



N. K. JOSHI

Env. Engineer (CIC)

Delhi Pollution Control Committee

Kashmere Gate, New Delhi-110006

Verified by : ENVIRONMENTAL ENGINEER

Kashmere Gate, New Delhi-110006

Issuing Authority : SENIOR ENVIRONMENTAL ENGINEER

Delhi Pollution Control Committee

4th & 5th Floor, ISBT Building

Kashmere Gate, New Delhi-110006

P. S. PANKAJ





Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(An ISO : 9001 : 2015, ISO 14001:2015 & ISO 45001:2018 & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB & HSPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Issued To	LEMON TREE HOTEL , Atrocitiy New Delhi	Report No	ENVA2020121401
		Date Of Monitoring	10.12.2020 – 11.12.2020
Nature of the Sample	Ambient Air Quality	Test Started On	11.12.2020
Customer Ref. No	NS	Test Completed on	14.12.2020

### Sampling Details:

Type of Monitoring : Ambient Air Quality  
 Location of Sampling Point : Near main Gate  
 Sampling Started on : 11:30 am (11.12.2020)  
 Sampling Completed on : 11:30am (12.12.2020)  
 Actual Time of Sampling (min) : 1440  
 Average flow Rate for particulate matter : (1) For PM<sub>10</sub> 1.0 m<sup>3</sup>/min  
 Total Volume of air sampled for particulate matter (m<sup>3</sup>) : (1) For PM<sub>10</sub> 1440.0  
 Environmental Conditions : Normal  
 Average Temperature Degree Celsius : 24° C

### Test Result

S.No	Parameters	Unit	Result	Requirement permissible limits as per NAAQS/CPCB	Test Method
1	Particulate Matter, PM 10	µg/m <sup>3</sup>	95.5	100	IS:5182 (P-23 )
2	Particulate Matter, PM 2.5	µg/m <sup>3</sup>	57.5	60	SOP1/Ambient Air/01/010416 based on Gravimetric/CPCB NAAQS Method, Volume 1 ,May 2011.
3	Sulphur Dioxide ( as SO <sub>2</sub> )	µg/m <sup>3</sup>	6.4	80	IS:5182 (P-2 )
4	Carbon Monoxide, (as CO)	mg/m <sup>3</sup>	0.865	4(1 hourly)	IS:5182 (P-10 )
5	Nitrogen Dioxide (as NO <sub>2</sub> )	µg/m <sup>3</sup>	16.8	80	IS:5182 (P-06 )

*Himangi*  
CHECKED BY

*amta*  
AUTHORIZED SIGNATORY





# NOIDA TESTING LABORATORIES

(An ISO : 9001 : 2015, ISO 14001:2015 & ISO 45001:2018 & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB & HSPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Test Report of	Report Code	Date of Report Issue
RO Water	W-20201212-001	12.12.2020

ISSUED TO: LEMON TREE HOTEL  
Aerocity New Delhi

### SAMPLING & ANALYSIS DATA

Sample Drawn By : Lab Representative  
Sample Received On : 10.12.2020  
Sample Quantity : 1L  
Sample packing Details : In Sealed Plastic+ Glass Bottle  
Analysis Duration : 10.12.2020 to 12.12.2020

### CHEMICAL & PHYSICAL PARAMETERS

S.NO.	Parameter	Test Method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Color	IS-3025(P-04)	<5	Hazen Unit	5	15
2.	Odor	IS-3025(P-05)	Agreeable	-	Agreeable	Agreeable
3.	Taste	IS-3025(P-07 & 08)	Agreeable	-	Agreeable	-
4.	Turbidity	IS-3025(P-10)	<1	NTU	1	5
5.	pH value	IS-3025(P-11)	7.33	-	6.5-8.5	-
6.	Calcium	IS-3025(P-40)	44.0	mg/l	75	200
7.	Total Dissolve Solid ( TDS)	IS-3025(P-16)	474	mg/l	500	2000
8.	Chloride (as Cl)	IS: 3025 (P- 32)	104	mg/l	250	1000
9.	Nitrate –Nitrogen (as No3-N)	IS: 3025 (P-34)	1.5	mg/l	1.0	1.5
10.	Iron (as Fe)	IS: 3025(P-53)	0.12	mg/l	1.0	No Relaxation
11.	Sulphate (as SO <sub>4</sub> )	IS: 3025 (P- 24)	42.4	mg/l	200	400
12.	Total Hardness (as CaCO <sub>3</sub> )	IS: 3025 (P- 21)	160	mg/l	200	600
13.	Alkalinity (as CaCO <sub>3</sub> )	IS 3025(Part-23)	220	mg/l	200	600
14.	Residual Free Chlorine	IS 3025(Part-24)	<0.2	mg/l	0.2	1.0
15.	Fluoride(as F)	IS 3025(Part-60)	0.44	mg/l	1.0	1.5

### MICROBIOLOGICAL REQUIREMENT RESULT

S.No.	Parameter	Test Method	Results	Requirements as per IS-10500:2012
16.	Escherichia coli	IS-1622	Absent	Absent/100ml
17.	Coliform Bacteria	IS-1622	Absent	Absent/100ml

Note: As per IS 10500: 2012, standards the sampled water is suitable for potable purpose only for above testing parameters.

Checked By: Himangi  
CHECKED BY







Analyzing for an Assured  
Future

# NOIDA TESTING LABORATORIES

(An ISO : 9001 : 2015, ISO 14001:2015 & ISO 45001:2018 & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB & HSPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Issued To : LEMON TREE HOTEL  
Aerocity New Delhi

Sample Received : 10.12.2020  
Analysis Duration : 10.12.2020 to 14.12.2020

Sample  
Description : STP INLET

Report Code: W20201214-02

Report Issue Date : 14.12.2020

### Waste Water Quality Analysis

#### SAMPLING DETAILS:

Sampling Location : STP INTLET  
Weather Condition : Normal  
Sample Packing & Marking : Plastic/Glass Bottle  
Sampling Protocol : IS-3025(P-1)-1987, Reaff.2003  
Sample Quantity : 1 Liter+500 ml

TDS - 1578

S. No.	Parameters	Unit	Results	Test method
1.	pH	-	7.98	IS : 3025(Pt-11)1983, Reaff. 2002
2.	Total Suspended Solids	mg/l	122	IS : 3025(Pt-17)1984, Reaff. 2006
3.	Oil & Grease	mg/l	12.5	IS : 3025(Pt-39)1991, Reaff. 2003
4.	Bio Chemical Oxygen Demand(at 27°C for 3 days)	mg/l	96	IS : 3025(Pt-44)1993, Reaff. 2003
5.	Chemical Oxygen Demand	mg/l	488	IS : 3025(Pt-58)-2006

*Himangi*  
CHECKED BY

\*\* End of Report \*\*

AUTHORIZED SIGNATORY





Analyzing for an Assured  
Future

# Noida Testing Laboratories

(An ISO : 9001 : 2015, ISO 14001:2015 & ISO 45001:2018 & NABL Accredited Laboratory)  
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB & HSPCB Recognized Laboratory  
+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## TEST CERTIFICATE

Report Code: W20201214-02

Report Issue Date : 14.12.2020  
Sample Received : 10.12.2020  
Analysis Duration : 10.12.2020 to 14.12.2020

Issued To : LEMON TREE HOTEL  
Aerocity New Delhi

Sample Description : STP OUTLET

### Waste Water Quality Analysis

#### SAMPLING DETAILS

Sampling Location : STP OUTLET  
Weather Condition : Normal  
Sample Packing & Marking : Plastic/Glass Bottle  
Sampling Protocol : IS-3025(P-1)-1987, Reaff.2003  
Sample Quantity : 1 Liter+500 ml

TDS - 2550

S. No.	Parameters	Unit	Limits	Results	Test method
1.	pH	-	5.5-9.0	6.89	IS : 3025(Pt-11)1983, Reaff. 2002
2.	Total Suspended Solids	mg/l	<50	18.3	IS : 3025(Pt-17)1984, Reaff. 2006
3.	Oil & Grease	mg/l	10	4.4	IS : 3025(Pt-39)1991, Reaff. 2003
4.	Bio Chemical Oxygen Demand(at 27°C for 3 days)	mg/l	30	20.0	IS : 3025(Pt-44)1993, Reaff. 2003
5.	Chemical Oxygen Demand	mg/l	250	95.7	IS : 3025(Pt-58)-2006

**\*\* End of Report \*\***

Checked By  
Himangi

AUTHORIZED SIGNATORY  
Noida Testing Laboratories





**GREEN BELT AREA**








PROPER CHANNELIZATION OF RAIN WATER HARVESTING



FIRE SAFETY SIGN BOARD



**DELHI INTERNATIONAL AIRPORT LIMITED**  
(Formerly Known as "Delhi International Airport Private Limited")  
Registered Office: New Udaan Bhawan, Opp. Terminal-3,  
Indira Gandhi International Airport, New Delhi-110037, India  
Website: [www.newdelhiairport.in](http://www.newdelhiairport.in)



Original for Recipient/Duplicate for Supplier

**TAX INVOICE**  
(Water Charges)

Customer No.:1000000760  
M/s HYACINTH HOTELS PRIVATE LIMITED  
DELHI INTERNATIONAL AIRPORT, ASSET NO.6,  
HOSPITALITY DISTRICT, DIAL, IGI AIRPORT,  
LEMON TREE HOTEL,  
NEW DELHI-110037  
State Code: 07  
Customer PAN No.: AABCH8933M  
GSTIN/Unique ID No: 07AABCH8933M1Z5  
Place Of Supply: DELHI

Invoice No. : 6000008301  
GSTIN : 07AACCD3570F1ZW  
State : DELHI  
State Code : 07  
PAN : AACCD3570F  
CIN : U63033DL2006PLC146936  
Bill Date : 03.12.2020  
Due Date : 24.12.2020

IRN No:- 97ce08fa98f6e9968f267cad9d99aa15a151f93ad535913b2cb19f0d9600f249

Particulars	SAC/ HSN	Bill Period/Reading		Basis of Computation	Total Unit	Meter Rent (Rs)	Base Amount	CGST		SGST		Gross Amount(INR)
Meter Name/ RO Name		From/Op. Reading	To/Cl. Reading	Rate per Unit / MF				R a t e %	Amount	R a t e %	Amount	
LM06/08-IW- 1820/Lemon Tree Hotel	996761	01.11.2020 428837	30.11.2020 431,264.00	183.60 /1.00	2427	0.00	445597.00	9	40,103.73	9	40,103.73	525,804.46
<b>Grand Total</b>							445,597.00		40,103.73		40,103.73	525,804.46

Amount in Words: Rupees Five lakh twenty five thousand eight hundred four and forty six paise only

Authorized Signatory for & on behalf of

DELHI INTERNATIONAL AIRPORT LIMITED



## Notes to Invoice

1. Concessional TDS to be deducted in terms of approval accorded by the Income Tax Department (Circle 1(1), Bangalore). Please ensure that you have received TDS exemption order from our office.
2. The Cheques / Demand Draft may please be drawn in favour of "DELHI INTERNATIONAL AIRPORT LIMITED" payable at NEW DELHI and send to Manager (Revenue), Finance Function, 1st Floor, DIAL Project office, Opp. ATC Complex, Near Terminal-3, IGI Airport, New Delhi 110037. Please attach the counterfoil.
3. Electronic settlement of Invoices can also be made to DIAL bank account No. 006505002685 with ICICI BANK LIMITED, C-17, LOCAL SHOPPING CENTRE, PASCHIMI MARG, VASANTVIHAR, New Delhi 110057 through the following payment gateways:
  - a. EFT [Electronic Fund Transfer] MICR Code 110229008
  - b. RTGS [Real Time Gross Settlement] ICIC0000065 (Branch Code 0065)
  - c. NEFT ICIC0000065 (Branch Code 0065)
4. If payment is not made by due date, then interest @ 1.5% per month or as per terms of agreement shall be levied and recovered as ADDITIONAL CHARGES commencing from the date of the bill till the date of payment(both days inclusive).
5. In case of any Queries/clarification, contact us at :
  - T1+T2 - Mr. Chetan Jugran +91-7042355411 E-Mail: chetan.jugran@gmrgroup.in
  - T3 - Mr. Naveen Kumar Saini +91-8826674343 E-Mail: naveenkumar.saini@gmrgroup.in
  - For CPD - Knight Frank 24x7 Helpline +91-8588895596 E-Mail: knightfrank.aerocity@in.knightfrank.com -Sudhanshu Ojha +91-8130197500 sudhanshu.ojha@gmrgroup.in +91-11-47197526 cpd.dial@gmrgroup.in
6. Bank charges are to be borne by Agency / Airline.
7. Please explain the deductions if any with payment advice / mail.
8. Unless otherwise stated, Tax on this invoice is not payable under reverse Charge.

### Please Detach the Counterfoil Below and attach with the payment

Payment Counterfoil	Invoice No	: 6000008301
Delhi International Airport Limited	Client Code	: 1000000760
New Udaan Bhawan,	Invoice Value	: 525,804.46
Opp. Terminal-3,Indira Gandhi International Airport	Cheque No	:
New Delhi - 110037, India.	Cheque Drawn On	:
	Branch	:
	EFT/RTGS/NEFT Details	:

Payment Details	TDS Deducted	Deductions,if any ( with reason )	Net Released
-----------------	--------------	--------------------------------------	--------------



**GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI**  
**HEADQUARTERS : DELHI FIRE SERVICE : NEW DELHI - 110 001**


No. F.6/DFS/MS/Hotel/SZ/2018/ 2556

Dated: 26/11/18

**FIRE SAFETY CERTIFICATE**

Certified that M/s Hyacinth Hotels Pvt. Ltd. (Hotel Lemon Tree & Red Fox) situated at Asset No 6, Hospitality District, IGI Airport, New Delhi-110037, comprised of Three tier Basement, Ground Floor, Six Upper Floors & Terrace floor has already been issued FSC by this department vide letter No. F6/DFS/MS/2015/SZ/2148 dated 10/12/2015. The said premise/building was re-inspected by the officer concerned of this department on 16/11/2018 in the presence of Sh. Naveen (Chief Engineer) & found to have complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the building is fit for occupancy Group-A "Hotel Building" with effect 26/11/2018 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule-38 of the Delhi Fire Service Rules, 2010.

Issued on 26/11/18 at New Delhi by

  
(Vipin Kental)  
Chief Fire Officer  
Ph:-011-23412235

Copy to:-

1. The Authorize Signatory, M/s Hyacinth Hotels Pvt. Ltd. (Hotel Lemon Tree & Red Fox) situated at Asset No 6, Hospitality District, IGI Airport, New Delhi-110037
2. Joint Commissioner of Police (Lic), 1<sup>st</sup> Floor, Police Station, Defence Colony, New Delhi-110024

**Conditions for the validity of fire safety certificate:**

1. All the means of escape/entry/exit shall be kept free from any obstruction.
2. All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to non-functional fire safety measures shall be at the responsibility of the management.
3. All the staff members must know the correct method of operation of firefighting system.
4. The owner/ occupier shall submit a declaration every year in Form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on [http://delhi.gov.in/wps/wcm/connect/doit\\_fire/FIRE/Home/Forms](http://delhi.gov.in/wps/wcm/connect/doit_fire/FIRE/Home/Forms)
5. This fire safety certificate may not in any way be treated as regularization-(Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if any.
6. "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry."



## Structural Safety Certificate

**VINTECH**  
CONSULTANTS  
CONSULTING ENGINEERS  
& PROJECT MANAGERS

C-25, PAMPUSH INDIAN, GREATER KAILASH - I  
NEW DELHI - 110 048 (INDIA) TEL. +91 11 43141516  
FAX +91 11 26296767 e-mail: vintech@vintechconsultants.com


Date: 26<sup>th</sup> August, 2010

### TO WHOM IT MAY CONCERN

This is to certify that the structure design of **Lemon Tree Premier & Red Fox Hotel** building at Asset No -06, Aero City, IGI Airport, New Delhi developed by M/s Hyacinth Hotels Pvt. Ltd. has been designed in accordance with the latest provisions of National Building Code and the relevant IS codes (with latest amendments) including IS codes for structures resistant to earthquake. While designing the same, local soil conditions, its load bearing capacity and the ground water table etc has duly been considered.

Signature

:



Name of Structural Engineer

:

Dr. Vinod Jain

Qualification

:

Ph. D., M.Tech.

Registration No. Institution  
of Engineer

:

M-118865-2

On Behalf of

:

Vintech Consultants

CONSULTANT: Dr. VINOD JAIN Ph.D. (IITD), M.Tech. (SKJ IITD), M.I.E., C.E., FIASHudE, M-CEAL, M-SET, F.I.I.Y., M-INDAG



ISO 9001:2008







# DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

## CONSENT ORDER

Certificate No. :G-2510

Name of the unit	:	HYACINTH HOTELS PVT. LTD.
Address	:	ASSET NO-6,HOSPITALITY DISTRICT ,DIAL IGI AIRPORT, Hotels, Delhi - 110029
Consent Order No	:	DPCC/CMC/2018/38381
Date of issue	:	26/08/2019
Product/Activity	:	Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler
Manufacturing Activities	:	Hotel (Lemon Tree Premier and Red Fox Hotel)

This Consent to **Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **ORANGE** Category. This consent is subjected to terms and conditions specified overleaf. **This is being issued with reference to your application id 38381 valid from 10/02/2019 to 09/02/2024.**

Senior Environmental Engineer

## Terms and Conditions

### Terms and Conditions

1. The Consentee shall meet the effluent standards i.e. pH= 5.5-9, Total Suspended Solids ( TSS)  $\leq 50$ , Biochemical Oxygen Demand (3days at 27degree Cent.)  $\leq 30$ , Oil and Grease  $\leq 10$ , Phosphate(as P)  $\leq 5$ .  
#All effluent parameters are in mg/l except pH value..
2. The Consent is activity specific and based on the information provided in the consent application alongwith the documents/ subsequent documents/information submitted to Delhi Pollution control Committee ( DPCC). The Consentee shall apply for fresh consent in case of any change in the activity /manufacturing process.
3. The consentee shall display the Name of the unit alongwith its Address, name of the proprietor/ Directors/partners etc, Contact Phone No(s) and its Activities/Processes/ Product etc, on a Display Board to be placed/fixed at the main gate of the unit.
4. The consentee/unit shall have/take separate Electricity/Power connection in its name and shall have/ install separate meter in this regard.
5. The consentee shall provide and maintain separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system and shall be connected to the conveyance system/ sewerage system of the area leading to common Effluent Treatment Plant of the Industrial Area/sewage Treatment Plant of the catchment area.
6. The Consentee shall obtain permission from Delhi Jal Board. for ground water extraction, if any, as per the various orders/Notification of Govt. of NCT of Delhi.
7. In case the unit is located in the industrial area where Common Effluent Treatment Plant (CETP) has been provided ,the Consentee shall make regular payment of its share for the operation and maintenance of CETP to the concerned CETP Society as per the Delhi Common Effluent Treatment Plants Act,2000, as amended to date.
8. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good house keeping practices so as to maintain clean & safe environment in and around the premises of the unit
9. The Consentee shall comply with the noise standards laid down vide Gazette notification of Ministry of Environment and Forest(MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements],if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date. Stack Height for sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following (i)Minimum 6 meter above the building where generator set is installed (ii) 30 meter (iii)  $14Q^{0.3}$  (Q>Total so<sub>2</sub> emission from the plant in kg/hr) and for other DG Set(s) ( upto 0.8 MW) stack height shall be as per the following formula,  $H = h + 0.2\sqrt{KVA}$  ( H-Total Height of stack in meter , h = Height of the building in meters where the Generator Set is installed, KVA -Total Generator capacity of the set in KVA).
10. The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling ) Rules, 2001 as amended to date, Solid Waste Management Rules,2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler/Reprocessor /Authorized Agencies for such wastes,authorized by MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites.
11. The Consentee shall comply with the provisions of the Plastic Waste Management Rules,2016, as amended to date, if applicable.



12. The Consentee shall comply the other prescribed standards of Effluent/Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000as amended to date.
13. The Consentee shall promote the use of CFL and recovery of mercury from CFL Lamps and should create a system of replacing of old bulbs for new to enable recovery of mercury after the bulbs are fused.
14. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.
15. Consentee shall reuse/recycle treated water up-to maximum extent to achieve the objective of zero discharge.
16. The Consentee having installed Sewage Treatment Plant (STP) of 235 KLD shall properly operate and maintain the STP to meet the prescribed standards as given in the Consent Order. Flow Meters/ suitable flow measuring devices shall be provided and maintained to measure the quantity of waste water generation and treatment by the unit and to quantify the reused of treated water. No bypass (Pipe / Drain) shall be provided. The treated effluent shall be used/ recycled by the unit. Records /Logbook shall be maintained for the operation of the STP, waste water generated, treated and used/recycled and shall be produced during the inspection of DPCC official(s).
17. The Consentee having installed Emission Control System (ECS) shall properly operate and maintain the ECS to meet the prescribed standards as given in the Consent Order. No bypass stack/ arrangement shall be provided. Records /Logbook shall be maintained for the operation of the ECS and shall be produced during the inspection of DPCC official(s).The Consentee shall provide and maintain ports in the Stack(s) / Chimney(s) and facilities such as ladder, platform etc. in good condition for monitoring of the emissions.
18. Capacity of the Diesel Generator Set (s) installed in the unit 1X1010 KVA 2X750 KVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets.
19. Project proponent will ensure use of ozone depletion substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created.
20. Zero garbage concept shall be implemented with appropriate technology of composting.
21. The Consentee shall not extract the ground water without obtaining prior permission in this regard from DJB/CGWA.
22. Unit shall implement the environmental safeguards as per stipulations in Environmental Clearance issued by MoEF/SEIAA and shall submit half yearly compliance report in respect of the terms and conditions of Environmental Clearance to Regional Office of MoEF and simultaneously to DPCC on the prescribed date.
23. The Consentee shall comply with the applicable provisions / Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23-10-2012 including the directions that No person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of Poly Propylene, Non woven fabric type carry bags) in the whole of National Capital Territory of Delhi.
24. The Consentee shall submit application for renewal of the Consent, one month in advance of the expiry date of this Consent Order.
25. In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.
26. Notwithstanding anything contained in this consent order. Delhi Pollution Control Committee , reserves

its right to review any / or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution)Act, 1981, as amended to date and the Water(Prevention and Control of Pollution)Act, 1974, as amended to date.

27. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi.

28. The consentee shall submit the stack monitoring report of DG set (1010KVA) within 30 days of issuance of this consent order.

28. This issues in view of the Office Order No. F.No. DPCC/Consent/2017/569-580 dated 31.05.2017 and Office Order No. F.No.DPCC/Consent/2017/1185-1198 dated 08.09.2017 as per decision taken by Consent Management Committee for II(a) category in its meeting held on 07.08.2019.





# HYACINTH HOTELS PRIVATE LIMITED

Regd. Office: B 6/17 Safdarjung Enclave, New Delhi -- 110 029

T +91-11-46050101. F +91-11-46050110

(CIN U55204DL2007PTC166050)

## Lemon Tree Hotels CSR Initiatives:

### Giving back to society:

Lemon Tree focuses on delivering a healthy 'triple bottom line' i.e. Planet, People and Profit through its sustainability initiatives.

- 1. Planet:** Our current efforts include energy efficiency and conservation; water efficiency and conservation; use of CNG instead of LPG; use of green building material; planting of trees and shrubs on hotel premises; building hotels in accordance with Universal Design concepts for greater access for differently abled people and building our hotels to Leadership in Energy and Environment Design (LEED) Gold Standards. In the medium term to long term, we will focus on wind power; agro power i.e. burn agricultural waste; recycled water for AC cooling tower (target replacement of fresh water by 15-20%); heat pump for energy conservation; solar photo voltaic (PV) system for lighting; extensive use of LED light fittings (post cost reduction).
- 2. People:** We are very focused on building a culture of inclusion and on keeping our integrated team (Persons With Disability and persons without disability) engaged. Lemon Tree Hotels was ranked # 30 in the Best Work Places in India in the year 2015 by the Great Places to Work Institute and Economic Times. We have set a target of 250% of our expected employee strength of 8000 being either ladies, EWD's or from economically underprivileged sections of society by 2016-2017.
- 3. Profit:** Our main focus is on being best in class in our cost structure, both in building and operating hotels. This will enable us to offer the best Return on Capital Employed to our investors, over the long term.
- 4. Recruitment of people with disabilities:** As part of our Corporate Social Responsibility endeavor, LTH has recruited ~400 Employees With Disability (EWD). This includes Speech & Hearing Impaired, Orthopedically Challenged, Visually Impaired and Down Syndrome. We impart relevant employability skills to these EWD in job roles where their disability is not a disadvantage. They can then be employed routinely and on an equal footing with normal people, which is the only long lasting way to sustain the practice. The 31 March 2016 vision is to employ (and retain through sensitivity training/counseling) 460 EWD i.e. ~15% of the employee base. A video clipping on "Inclusive Employability" is attached.
- 5. "Hunar Se Rozgar Tak":** A Government of India Skill Development Program. Under this initiative, we have worked extensively to hire and impart basic skill training for people who hail from economically weaker sections and have very limited academic scope (Minimum qualification being 8th std.). The objective of this on the job skill training is to provide these marginalized people job opportunities in the hospitality sector. Each of our hotels is partnering with the Local Government run Hotel Management Colleges for this purpose and is extending skill training in operational verticals such as Food & Beverage Service, Food Production, & Housekeeping. The tenure of training is between 6 weeks to 8 weeks.
- 6. Promoting tribal art:** LTH is the largest buyer nationally of tribal art from Bastar, Madhya Pradesh. We buy artifacts from the tribals in this region and use this art extensively in the hotel interiors.


FOR HYACINTH HOTELS PVT. LTD.

(Authorized Signatory)

Name: Perkin Rocha


Designation: Area General Manager

Authorized Signatory




## JUNE HALF YEARLY EC COMPLIANCE 2020- RECEIVING

This is to inform you that due to COVID-19 situation all file has submitted By INDIAN Post which are attached as follows-



Scanned with CamScanner


## **RO MOEF ALIGANG LUCKNOW**



Scanned with CamScanner



DELHI POLLUTION CONTROL COMMITTEE



**TERMS & CONDITIONS AS PER THE CONSENT TO**


**OPERATE NO:DPCC/CMC/2018/38381;dated 26/08/2019**

1.	The Consentee shall meet the effluent standards i.e. pH= 5.5-9, Total Suspended Solids ( TSS) <=50,Biochemical Oxygen Demand (3days at 27degree Cent.)<= 30, Oil and Grease<=10, Phosphate(as P)<=5#All effluent parameters are in mg/l expect pH value	Noted lab report is attached as Annexure-1 where inlet and outlet reports has shown
2.	The Consent is activity specific and based on the information provided in the consent application along with the documents/ subsequent documents/information submitted to Delhi Pollution control Committee ( DPCC). The consentee shall apply for fresh consent in case of any change in the activity /manufacturing process.	Noted surely the consentee shall apply for fresh consent in case of any change in the activity /manufacturing process.
3.	The consentee shall display the Name of the unit along with its Address, name of the proprietor/Directors/partners etc, Contact Phone No(s) and its Activities Processes/ Product etc, on a Display Board to be placed/fixed at the main gate of the unit	Noted and will do accordingly
4.	The consentee/unit shall have/take separate Electricity/Power connection in its name and shall have/ install separate meter in this regard	Noted for reference attached electricity bill Annexure-2
5.	The consentee shall provide and maintain separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system and shall be connected to the conveyance system/ sewerage system of the area leading to common Effluent Treatment Plant of the Industrial Area/sewage Treatment Plant of the catchment area	Noted STP properly maintain by Lemon Tree officials,photographs attached as Annexure-3
6.	The Consentee shall obtain permission from Delhi Jal Board for ground water extraction, if any, as per the various orders/Notification of Govt. of NCT of Delhi.	Noted no ground water extraction is done yet,supply of water done by GMR group bill is attached as Annexure-4

**PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS,NOIDA,UTTAR PRADESH 201301**



7.	In case the unit is located in the industrial area where Common Effluent Treatment Plant (CETP) has been provided ,the Consentee shall make regular payment of its share for the operation and maintenance of CETP to the concerned CETP Society as per the Delhi Common Effluent Treatment Plants Act,2000, as amended to date.	Noted and no Common Effluent Treatment Plant (CETP) is operational in this area.
8.	The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good house keeping practices so as to maintain clean & safe environment in and around the premises of the unit	Noted Consentee always willing to maintain good house keeping practices so as to maintain clean & safe environment in and around the premises of the unit, Attached as Annexure-5
9.	The Consentee shall comply with the noise standards laid down vide Gazette notification of Ministry of Environment and Forest(MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements],if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date. Stack Height tor sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following (i)Minimum 6 meter above the building where generator set is installed (ii) 30 meter (iii)14Q <sup>3</sup> (QTotal so2 emission from the plant in kglhr) and for otter DG Set(s) ( upto 0.8 MW) stack height shall be as per the following formula, $H = h + 0.2\sqrt{KVA}$ ( H-Total Height of stack in meter , h = Height of the building in meters where the Generator Set is installed, KVA -Total Generator capacity of the set in KVA)	Noted all noise standards is done by notification provided by Ministry of Environment and Forest(MOEF&CC), Government of India Dated 17.05.2002 & 12.07.2004 but in current Situation, no D.G set is operational in Delhi/NCR region as per government officials guidelines.





10.	<p>The Consentee shall comply with the provisions of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling) Rules, 2001 as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler/Reprocessor /Authorized</p> <p>Agencies for such wastes, authorized by MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites.</p>	<p>Noted consentee strictly follow the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016. Waste Generated from the unit is strictly operate by Authorized vendor from MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites.</p> <p>E-waste is also managed by Authorize vendor attached as Annexure-6</p>
11.	<p>The Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016, as amended to date, if applicable.</p>	<p>Noted, maintain by collecting wet and dry garbage in the plastic, and handover to the authorized vendor- <b>Annexure-7</b></p>
12.	<p>The Consentee shall comply the other prescribed standards of Effluent/Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000 as amended to date</p>	<p>Noted</p>
13.	<p>The Consentee shall promote the use of CFL and recovery of mercury from CFL Lamps and should create a system of replacing of old bulbs for new to enable recovery of mercury after the bulbs are fused.</p>	<p>Noted, This is a green building, which follows all requirement under IGBC rule, attached certificate <b>Annexure-8</b></p>
14.	<p>The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in</p>	<p>Noted</p>

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301





**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**

**DEC Report-2020**

	National Capital Territory of Delhi, as per Master Plan of Delhi	
15.	Consentee shall reuse/recycle treated water up-to maximum extent to achieve the objective of zero discharge	Noted, treated water is used in the work of maintaining the greenery around, Rain water harvesting system is also followed by Lemon tree officials
16.	The Consentee having installed Sewage Treatment Plant (STP) of 235 KLD shall properly operate and maintain the STP to meet the prescribed standards as given in the Consent Order. Flow Meters/ suitable flow measuring devices shall be provided and maintained to measure the quantity of waste water generation and treatment by the unit and to quantify the reused of treated water. No bypass (Pipe / Drain) shall be provided. The treated effluent shall be used/ recycled by the unit. Records /Logbook shall be maintained for the operation of the STP, waste water generated, treated and used/recycled and shall be produced during the inspection of DPCC official(s)	Noted, properly operational and maintain 24/7 by Engineering team, lab report is also attached and photographs Annexure-9
17.	The Consentee having installed Emission Control System (ECS) shall properly operate and maintain the ECS to meet the prescribed standards as given in the Consent Order. No bypass stack/ arrangement shall be provided. Records /Logbook shall be maintained for the operation of the ECS and shall be produced during the inspection of DPCC official(s). The Consentee shall provide and maintain ports in the Stack(s) /Chimney(s) and facilities such as ladder, platform etc. in good condition for monitoring of the emissions.	Noted, Emission Control System (ECS) shall properly operate and maintain the ECS to meet the prescribed standards as given in the Consent Order. Annexure-10
18.	Capacity of the Diesel Generator Set (s) installed in the unit 1X1010 KVA 2X750 KVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets	Noted Noted all noise standards is done by notification provided by Ministry of Environment and Forest(MOEF&CC), Government of India Dated 17.05.2002 & 12.07.2004 but in current

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH-201301

15



**"Lemon Tree Premier & Red Fox Hotel"**  
**Asset no- 6, Hospitality District,**  
**DIAL, IGI Airport, New Delhi**

**DEC Report-2020**

		Situation, no D.G set is operational in Delhi/NCR region as per government officials guidelines.
19.	Project proponent will ensure use of ozone depletion substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created	Noted- all safety measures are concerned and strictly followed
20.	Zero garbage concept shall be implemented with appropriate technology of composting	Noted- Organic waste Converter technology of composting is used at site <b>Annexure-11</b>
21.	The Consentee shall not extract the ground water without obtaining prior permission in this regard from DJB/CGWA	No ground water is extract
22.	Unit shall implement the environmental safeguards as per stipulations in Environmental Clearance issued by MoEF/SEIAA and shall submit half yearly compliance report in respect of the terms and conditions of Environmental Clearance to Regional Office of MoEF and simultaneously to DPCC on the prescribed date.	Noted and half yearly EC compliance report submitted to Regional Office of MoEF and simultaneously to DPCC on the prescribed date.
23.	The Consentee shall comply with the applicable provisions / Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23-10-2012 including the directions that No person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of Poly Propylene, Non woven fabric type carry bags) in the whole of National Capital Territory of Delhi	Noted
24.	The Consentee shall submit application for renewal of the Consent, one month in advance of the expiry date of this Consent Order.	Noted, will apply renewal of the Consent, one month in advance of the expiry date of this Consent Order.
25.	In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent	Noted

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301





	Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration	
26.	Notwithstanding anything contained in this consent order. Delhi Pollution Control Committee , reserves its right to review any / or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution)Act, 1981, as amended to date and the Water(Prevention and Control of Pollution)Act, 1974, as amended to date.	Noted
27.	The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi.	Noted all precautions and safety measures are followed by the Staff officials also mentioned in EC half yearly compliance reports
28.	The consentee shall submit the stack monitoring report of DG set (1010KVA) within 30 days of issuance of this consent order.	Noted but no D.G is operational as directed by Government officials no D.G sets required in Delhi/NCR region to control the pollution in the region
29.	This issues in view of the Office Order No. F.No. DPCC/Consent/2017/569-580 dated 31.05.2017 and Office Order No. F.No.DPCC/Consent/2017/1185-1198 dated 08.09.2017 as per decision taken by Consent Management Committee for II(a) category in its meeting held on 07.08.2019.	Noted



**"Lemon Tree Premier & Red Fox Hotel"**

**Asset no- 6, Hospitality District,  
DIAL, IGI Airport, New Delhi**

**DEC Report-2020**

**ANNEXURE LIST CTO**

<b><u>ANNEXURE-1</u></b>	STP INLET /OUTLET LAB REPORT
<b><u>ANNEXURE-2</u></b>	ELECTRICITY BILL
<b><u>ANNEXURE-3</u></b>	STP PHOTOGRAPHS
<b><u>ANNEXURE-4</u></b>	WATER BILL
<b><u>ANNEXURE-5</u></b>	SIGN BOARD AT DIFFRENT PLACES
<b><u>ANNEXURE-6</u></b>	E -WASTE CERTIFICATE
<b><u>ANNEXURE-7</u></b>	WASTE RECYCLER AUTHORIZATION LETTER
<b><u>ANNEXURE-8</u></b>	IGBC CERTIFICATE
<b><u>ANNEXURE-9</u></b>	STP PHOTOGRAPHS/LAB REPORT
<b><u>ANNEXURE-10</u></b>	EMISSION CONTROL SYSTEM
<b><u>ANNEXURE-11</u></b>	ORGANIC WASTE CONVERTER



**PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS,NOIDA,UTTAR PRADESH 201301**





BSES Rajdhani Power Ltd.

**Due Date:**  
**26-12-2020**

GSTIN : 07AAGCS3187H2Z3

Billing Address : Asset 6 Old Airport Road Dial Project NA  
NEW DELHI 110030

Sanctioned Load	:1290.00 (kVA)
Contract Demand	:1050.00 (kVA)
M D I	:420.00 (kVA)
Power Factor	: .999
Pole No.	:VKJNHT00S1
Meter Reading Status	:DL
Cycle No.	:KC

<b>CA No.</b>	<b>:150568805</b>
Energisation Date	:03.04.2013
Meter Type	:3PSK
Supply Type	:HT(11KV)
Bill No.	:100036479199
Bill Basis	:Actual
O.D. No.	:R/20/10202509626
CCTV Tagged	:No
Street Light Tagged	:No
WI-FI Tagged	:No

Supply Address : Asset 6 Old Airport Road Dial Project  
Mahipalpur Road NEW DELHI 110030

Mobile / Tel. No. :9560958428  
Email ID :naveen.kumar@lemontreehotels.com  
District / Division :Vasant Kunj  
Walking Sequence :VK2KC  
Bill Month :DEC-20  
Bill Date :11-12-2020

Tariff Category :Non-Domestic [ HT ]

**Customer Care Centre No. 39999707**

## Billing Details

**Current Period Charges ( 10-11-2020 to 10-12-2020 )**

[illegible]**Past Dues / Refunds / Subsidy**

Arrears / Refunds		Late Payment Surcharge (LPSC)	Other Charges, if any *	Total Charges Payable	Rebate(R) / Subsidy*	Net Amount Payable
Amount	Period to which it relates					
0.00		0.00	2.58	2411190.19	(53399.42)/0.00	2357790.77

<b>Amount not immediately payable, if any.</b>	Rs. 0.00	Reasons
Service line cum development charges paid	Rs. 0.00	Security Deposit with DISCOM
Interest accrued for FY 2019-20 already adjusted in bill No.100305406059 ( generated for the period 14-03-2020 to 1-04-2020).		Rs. 1800000.00
Interest for FY 2020-21 will be adjusted in your first bill to be generated in FY 2021-22		Rs. 15432.00

Last payment Rs. 2241970.00 received on 25-11-2020    Payment Accounted Upto. 08-12-2020

The connection shall be liable for disconnection on non payment of all dues(including arrears of previous bill(s)) by due date, after notice as per Section 56(1) of the Electricity Act, 2003.

**Bill Amount Payable**  
**Rs. 2357790.00**

**Due Date of Payment**  
**26-12-2020**

If payment is made after the due date, LPSC for the delay, shall be charged in the next bill.

#Power Purchase Adjustment Charge (PPAC) @ 14.30% has been levied on energy & fixed charge w.e.f 15.11.2020. CCTV Bill amount include Energy,RA,PPAC,PTC and Electricity Tax on CCTV consumption.##In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 5.00% has been levied on energy & fixed charge w.e.f. 01.09.2020. ##The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division office. ##Anyone treating Electricity Bill as conclusive proof of Residence is advised to verify the particulars.# Switch off lights and appliances from mains when not in use. This will conserve energy and reduce your electricity bill.

(This bill is computer generated, hence does not require signature.)



## Payment Slip

**\* Make your cheque/DD payable to BRPL CA No. 150568805**

\* Cheque should not be post dated.

\* Write your telephone number on reverse of the cheque.



KC00R1505688050002357790002020122600000000000

\* Cheque should be account payee and payable at Delhi  
\* Do not Staple. Only clip the cheque to payment slip..

Bill amount payable: Rs.2357790.00  
Cheque/DD No.

Bill month:DEC-20  
Date:

Regd. Office: BSES Rajdhani Power Limited (A joint venture of Reliance Infrastructure Ltd & Govt. of NCT of Delhi) BSES Bhawan, Nehru Place, NEW DELHI-110019  
CIN NO.:U40109DL2001PLC111527, Telephone No: 011-3999 9707, Fax No: 011-3999 9890, Email: [brpl.customercare@relianceada.com](mailto:brpl.customercare@relianceada.com), Website: [www.bsesdelhi.com](http://www.bsesdelhi.com)



ECS and EBILL Customer

Date of Print Out: 12.12.2020  
**Meter Details Annexure**

BSES Rajdhani Power Ltd.

**CA No. :150568805**

Bill No. :100036479199

Bill Date :11-12-2020

Name :M/s. HYACINTH HOTELS PVT LTD

Billing Address :Asset 6 Old Airport Road Dial Project NA NEW DELHI 110030

Net Meter Consumption Details ( Date of Reading : 10-12-2020)													
Total Solar Generation Units		For The Billing Period		Cumulative Generation in FY			Solar Installation Details			Date of Installation		Capicity kWp	
		0		0								0.00	
B/F Units (If any)	Export Reading			Import Reading			Net Difference			Moderated Units			C/F Units (If any)
	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	
0	0	0	0	0	0	0	0	0	0	0	0	0	0

( Consumption in the above table are in kWh/kVAh, as applicable )

Meter No	Units	Billed Consumption (Current)		Billed Consumption (Previous)		Multiplication Factor	Current Consumption	
		Date of Meter Reading(24:00Hrs)	Reading	Date of Meter Reading	Reading		Days	Units
Y0354608	kWh	10-12-2020	4,739.20	09-11-2020	4,677.64	3,000.00	31	184,680.00
Y0354608	kW	10-12-2020	0.14			3,000.00		420.00
Y0354608	kVAh	10-12-2020	4,754.99	09-11-2020	4,693.38	3,000.00	31	184,830.00
Y0354608	kVA	10-12-2020	0.14			3,000.00		420.00
Y0354608	kVAhP	10-12-2020	1,333.51	09-11-2020	1,316.79	3,000.00	31	50,160.00
Y0354608	kVAhO	10-12-2020	1,083.48	09-11-2020	1,069.96	3,000.00	31	40,560.00





**OWC-60 PROPER CHANNELIZATION**



**GREEN BELT AREA PROPERLY MANGED BY STAFF**



**LOG-BOOK FOR WET AND DRY GARBAGE**



**ELECTRONIC EMSSION CONTROL SYSTEM**



**ORGANIC WASTE CONVERTER**



# TAX INVOICE

LEMON TREE PREMIER, DELHI AIRPORT (A UNIT OF HYACINTH HOTELS PVT. LTD.) Asset No. 6, Aerocity Hospitality District New Delhi 110037 GSTIN: 07AABCH8933M1Z5		Invoice No. 300829000014		Dated 29.12.2020		
		Accounting Document No: 170000024		Mode/Terms of Payment: Pay immediately w/o deduction		
				Other Reference(s)		
<b>Buyer</b> GREENZON RECYCLING PVT LTD. R 30 UPSIDC, INDUSTRIAL AREA, SIKANDRABAD BULANDSAHAR, UTTAR PRADESH GSTIN:09AAGCG4175P1ZX		Buyer's Order No.		Dated		
		Dispatch Document No.		Delivery Note Date		
		Dispatched Through		Destination		
		Due Date:				
SL No.	Description of Services/Goods	HSN/SAC	GST Rate	Quantity	GST Base	Amount (INR)
1	Scrap Sales Output-IGST@18.00 %	8471	18.00%	200	203,389.83	203,389.83 36,610.17
		Total				2,40,000.00
HSN/SAC		Taxable		Tax		
		Value		Rate		Amount
8471		203,389.83		18.00 %		36,610.17
Total		203,389.83				36,610.17
<p>Bank Account details: -</p> <p>Account Name :</p> <p>Account No :</p> <p>Bank Name &amp; Address :</p> <p>RTGS/IFSC :</p> <p>Text : Scrap Sales 200 old TV @ 1016.95/-</p> <p>For LEMON TREE PREMIER, DELHI (A UNIT OF HYACINTH HOTELS PVT. LTD.)</p> <p>Company's PAN: AABCH8933M CIN No : U55204DL2007PTC166050</p> <p><u>Declaration</u> We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct. Regd. Office: Assest No.6 , Aerocity Hospitality, New Delhi 110037</p> <p>Authorised Signatory</p>						

SUBJECT TO DELHI JURISDICTION  
This is a Computer Generated Invoice



[See rules 4 (8), 5 (5) and 9 (5)]

## FORM FOR MAINTAINING RECORDS OF E-WASTE HANDLED/ GENERATED

Quantity in Metric Tonnes (MT) or Kilograms (Kg) per year

ISO 14001 : 2015



**GreenZon**  
Mission Green...

29-12-20 **GreenZon Recycling Pvt. Ltd.**

R-30, UPSIDC, Industrial Area, Sikandrabad, Bulandsahar, UP - 203205  
Mob.: 9811206076, Email: info@greenzon.in, Website : www.greenzon.in

1.	Name & Address: Producer / Collection Centre / Dismantler? Recycler / Bulk Consumer*	LEMON TREE PREMIER - DELHI AIRPORT Asset No. 6. Aerocity Hospitality District New Delhi - 110037	
2.	Date of Issue of Authorization*/Registration*	Nov 2016	
3.	Validity of Authorization* /Registration*	Nov 22	
4.	Types & Quantity of e-waste handled/generated	Category E-waste	Quantity 200 Nos -
		Item Description Scrap T.V.	
5.	Types & Quantity of e-waste stored	Category	Quantity
		Item Description	
6.	Types & Quantity of e-waste sent to authorized collection centre/ registered dismantler or recycler	Category	Quantity
		Item Description	
7.	Types & Quantity of e-waste transported*	Category	Quantity
		Item Description	
	Name, address and contact details of the destination	GREENZON RECYCLING PVT. LTD.	
8.	Types & Quantity of e-waste refurbished*	Category	Quantity
		Item Description	
	Name, address and contact details of the destination of refurbished materials	Greenzon Recycling Pvt. Ltd. R-30, UPSIDC Sikandrabad, Bulandshehar (U.P.) 203205	
9.	Types & Quantity of e-waste dismantled*	Category	Quantity
		Item Description	
	Name, address and contact details of the destination		
10.	Types & Quantity of e-waste recycled*	Category	Quantity
	Types & Quantity of materials recovered	Item Description	
	Name, address and contact details of the destination		
11.	Types & Quantity of e-waste treated & disposed	Category	Quantity
		Item Description	



## E-WASTE MANIFEST



**GreenZon**  
Mission Green...

# GreenZon Recycling Pvt. Ltd.

R-30, UPSIDC, Industrial Area, Sikindrabad, Bulandsahar, U.P.-203205

Mob: +91-9811206076, +91-11-46544111, Email: info@greenzon.in, Web: www.greenzon.in




Toll Free - 18001035712

1.	Sender's name and mailing address (Including Phone No.)	LEMON TREE PREMIER - DELHI Airport Asset No. 6, Aerocity Hospitality District - New Delhi - 110037 India
2.	Sender's authorisation No, if applicable	N/A
3.	Manifest Document No.	035
4.	Transporter's name and address	Chote Lal Transport
5.	Type of vehicle	(Truck or Tanker or Special Vehicle)
6.	Transporter/s registration No.	N/A
7.	Vehicle registration No.	DL-1L-AB-8336
8.	Receiver's name & address:	<b>GreenZon Recycling Pvt. Ltd.</b> R-30, UPSIDC, Industrial Area, Sikindrabad Bulandsahar, U.P.-203205 Mob: +91-9811206076, +91-11-46544111
9.	Receiver's authorisation No, if applicable	H08049C-4/E- Waste/170/2017 To 2022
10.	Description of E-Waste (Weight/Numbers)	200 Nos
11.	Name and stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre or Refurbisher or Dismantler): Signature: Day Month Year	29 12 2020
12.	Transporter acknowledgement of receipt of E-Wastes Name and stamp: Signature: Day Month Year	29 12 2020
13.	Receiver* (Collection Centre or Refurbisher or Dismantler or Recycler) certification of receipt of E-waste Name and stamp: Signature: Day Month Year	29 12 2020



**FORM 10**  
[See Rule 19 (1)]

**MANIFEST FOR HAZARDOUS AND OTHER WASTE 482**

1.	Sender's Name and Mailing Address (Including Phone No. and Email)	Lemon Tree Premier (Delhi Airport)		
2.	Sender's Authorisation No.			
3.	Manifest Documents.	482		
4.	Transporter's Name and Address : (Including Phone No. & Email)	<b>MAHAVIRA UDYOG</b> 5/11, Mile Stone, Vill. & P.O. Baniyani, Bhiwani Road, Distt. Rohtak, Haryana   Mob. : 9811182507, 8076564627 Email : ksrawat1965@gmail.com		
5.	Type of Vehicle	Truck DL1L AC 8713		
6.	Transporter's registration No.	115/2015-16/RCRR/Waste Oil / HSPCB Orange		
7.	Vehicle Registration No.			
8.	Receiver's Name and Mailing Address (Including Phone No. & Email)	<b>MAHAVIRA UDYOG</b> 5/11, Mile Stone, Vill. & P.O. Baniyani, Bhiwani Road, Distt. Rohtak, Haryana   Mob. : 9811182507, 8076564627 Email : ksrawat1965@gmail.com		
9.	Receiver's Authorisation No.	115/2015-16/RCRR/Waste Oil / HSPCB Orange		
10.	Waste Description	used waste lubricants (D.O. sets)		
11.	Total Quantity No. of Containers	1140 ltr. (one thousand one hundred forty litres)		
12.	Physical Form	liquid		
13.	Special handling instructions and additional information			
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labeled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
		Name & Stamp: _____ Signature _____ Month _____ Day _____ Year _____		
15.	Transport acknowledgment of receipt of Wastes	used waste lubricants (D.O. sets)		
		Name & Stamp: _____ Signature _____ Month _____ Day _____ Year _____		
16.	Receiver's Certification for receipt of Hazardous and other waste	used waste lubricants (D.O. sets)		
		Name & Stamp: _____ Signature _____ Month _____ Day _____ Year _____		

1. White Form forwarded by the sender to SPCB.
2. Yellow Form retained by sender after taking sign from transporter.
3. Blue Form retained by receiver

4. Orange Form handed over to transporter after accepting waste.
5. Green Form sent by receiver to SPCB.
6. Pink Form sent by the receiver to the sender.



LEMON TREE PREMIER, DELHI AIRPORT  
(A UNIT OF HYACINTH HOTELS PVT. LTD.)  
Asset No. 6, Aerocity Hospitality District  
New Delhi 110037  
GSTIN: 07AABCH8933M1Z5

Invoice No.  
300829000015  
Accounting Document No:  
Dated  
05.01.2024  
Mode/Terms of Payment: Pay  
immediately w/o deduction  
Other Reference(s)

**Buyer**  
MAHAVIRA UDYOG  
VPO BANIYANI, BHIWANI ROAD,  
ROHTAK, HARYANA 124001  
GSTIN: 06AAYFM4494Q1Z1

Buyer's Order No.  
Dispatch Document No.  
Dispatched Through  
Dated  
Delivery Note Date  
Destination  
Due Date:

SL No.	Description of Services/Goods	IISN/SAC	GST Rate	Quantity	GST Base	Amount (INR)
1	Used Lube Oil Black Output-IGST@18.00 %	2710	18.00%	1140 Ltr	15,677.97	15,677.97 2,822.03
Total						18,500.00

IISN/SAC	Taxable	Tax	
	Value	Rate	Amount
2710	15,677.97	18.00 %	2,822.03
Total	15,677.97		2,822.03

**Bank Account details: -**

Account Name :  
Account No :  
Bank Name & Address :  
RTGS/IFSC :


Text : Used Lube Oil Black 1140 Ltr @ Rs. 16.23

For LEMON TREE PREMIER, DELHI  
(A UNIT OF HYACINTH HOTELS PVT. LTD.)

Company's PAN: AABCH8933M  
CIN No : U55204DL2007PTC166050

**Declaration**

We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.  
Regd. Office: Asset No.6 , Aerocity Hospitality,  
New Delhi 110037

  
Authorised Signatory

SUBJECT TO DELHI JURISDICTION  
This is a Computer Generated Invoice