
## M/S Lemon Tree & Red Fox hotel


Compliance June -2021



### **DELHI POLLUTION CONTROL BOARD**



**MINISTRY OF ENVIRONMENT FOREST& CLIMATE CHANGE** 



LUCKNOW RO MOEF&CC

Dated: 18.06.2021



To, The Member Secretary Delhi Pollution Control Committee 4<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi-110006

Sub: Submission of Six monthly June 2021 compliance report of Environmental Clearance letter and also Six monthly CTO compliance for "lemon Tree & Red Fox Hotel" located at Asset no. 06, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

### Ref. No.: File No. DPCC/SEIAA-SEAC/153/12/227 EC letter No, DPCC/SEAC/153/SEIAA/20/2013 dated 30<sup>th</sup> July, 2013 CTO Letter no- DPCC/CMC/2018/38381

Dear Sir,

With reference to the above mentioned subject, we are herewith submitting the six monthly compliance report of EC & CTO for the month of June 2021 along with related Annexures for your kind perusal, soft copy is also attached.

We fully assure you that, we will comply with all conditions as specified Environmental Clearance and Consent to Operate.

ree Premie Thanking you Yours sincerely For M/s Hyacinth Nam (Designation) Ocity, Nev

### Copy To:-

- 1) Secretary (Environment), cum chairman (DPCC), Department of Environment, Government of NCT Delhi, Secretariat Building, 6<sup>th</sup> level, C-wing, I.P Estate, New Delhi-2.
- of NC1 Denn, Secretariat Building, or lovel, or
- Paryavaran Bnawan, CGO Complex, for Dagin Road, Angang, Ren Denne Forest & climate change
  3) The Chief Conservator, Regional Officer, Ministry of Environment Forest & climate change (central region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj,Lucknow-226024

#### Lemon Tree Premier, Delhi Airport


Asset No. 6, Aerocity Hospitality District, IGI Airport, New Delhi 110037 T +91 11 44232323 | E hi.dl@lemontreehotels.com (A unit of Hyacinth Hotels Private Limited | CIN: U55204DL2007PTC166050) Regd. Office: Asset No. 6, Aerocity Hospitality District, New Delhi 110037 | T +91 11 4605 0101 | Fax 011 4605 0110

Central Reservations: +91 9911 701 701 | lemontreehotels.com

Scanned with CamScanner

## Six Monthly Environmental Clearance Compliance Report and CTO Report JUNE-2021

"M/S Lemon Tree Premier & Red Fox Hotel" Asset no- 6, Hospitality District, DIAL, IGI Airport, New Delhi,110029



PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTION, NOIDA UTTAR PRADESH 201301

Scanned with CamScanner

June Report-2021

lemon

SPECIFIC AND GENERAL CONDITIONS AS PER THE ENVIRONMENTAL CLEARANCE LETTER NO:DPCC/SEAC/153/SEIAA/20/2013; dated 30/07/2013, (ANNEXURE I) FOR CONSTRUCTION AND OPERATION PHASES OF THE PROJECT PERIOD OCTOBER 2020 to MARCH 2021.

Lab monitoring reports for the month of March 2021 STP, RO Water and Raw water are attached-

### PART A. - SPECIFIC CONDITIONS

### **I.** Construction Phase

I.	Construction should be started after	Construction was started after
	obtaining prior Consent to Establish	obtaining Consent to Establish from
	from Delhi Pollution Control	DPCC, Consent to Establish letter is
	Committee (DPCC) under Air and	enclosed as Annexure- 1.
	Water Acts and a copy shall be	
	submitted to the SEAC-Delhi, failing	
	which project shall be discontinued.	
II.	Provision shall be made for the housing	The construction of the project has
	of labours within the site with all	been completed and it is in operational
	necessary infrastructure and facilities	phase. All necessary provisions was
	such as fuel for cooking, mobile toilets,	followed during construction phase.
	mobile STP, safe drinking water,	
	medical health care along with first aid	
	room, crèche etc. The housing may be	
	in the form of temporary structures to	
	be removed after completion of the	
	project.	
III.	Health and safety norms of CPWD	Complied.
	should be followed during construction	
IV.	Top soil excavated during construction	Complied.
	activities should be stored within the	
	site for use in horticulture/landscape	
	development.	
V.	Disposal of muck during construction	Project is in operational phase, same
	phase should not create any adverse	was followed during construction
	effect on the neighboring communities	phase.
	and be disposed of taking the necessary	
	precautions for general safety and	Tree Pres
	health aspects of people, only in	an lice rie de
	approved sites with the approval of	N. Niol
	competent authority	A A VAR E
1	competent authority	
		And
1000	and the second	io ascola
1.000	A STATE OF A	The states of the second

June Report-2021

lemontree

		tuing
VI.	Proper measures should be adopted to	For controlling dust emissions during
	control dust emissions during	construction phase all necessary
	construction phase by providing	precautions were taken.
	adequate numbers of water sprinklers.	precautions
VII.	Soil and water samples of the site	It was done at the time of construction.
V 11.	should be tested by the project	
	proponent through any laboratory	
	recognized by DPCC to ascertain that	
	there is no threat to ground water	
	incre is no inreat to ground water	
	quality by leaching of contaminants, on	
	quarterly basis for inclusion in the six	
	monthly reports. Construction spoils, including	The construction of the project has
VIII.	Construction of the second	been completed while project in its
	material and	operational phase, hence this condition
	hazardous materials, must not be	operational phase, hence and estimate
	allowed to contaminate watercourses	is not applicable.
	and the dump sites for such material	
	must be secured so that they should not	
	leach into groundwater. Bulk of the	
	demolition waste should be recycled	
	and minimum possible demolition	
	waste should be dumped at designated	
	dumping site.	There is no Bio-medical waste
IX.	Bio-medical waste, if any, shall be	generated, hence this condition is not
	disposed of as per the Bio-medical	applicable.
	waste (Management & Handling)	approve
	Rules, 1998 and authorization shall be	
	obtained from Dree	
	applicability. Any hazardous waste generated during	Hazardous waste generated during
Χ.	Any hazardous waste generated during	construction was well managed &
	construction and operation phase	disposed off as per applicable rules and
	should be disposed off as per applicable	norms. There is no hazardous waste
	rules and norms with necessary utbesization from Delhi Pollution	generation during operation phase and
	authorization nom	proper channelization is used to handle
	Control Committee.	the waste
	to be used	Complied.
XI.	The diesel generator sets to be used	Prami
	a construction phase should be	A Tomas and
	low suppur dieser and	Still Metty
	hauld conform to the Elivironment	
	Protection Rules prescribed for air and	And lenon trees
	noise emission standards.	12 101 Erce / 2
		3
		The derocity, New Dettin
		. octify blear
		PRADESH 201301

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301



June Report-2021

XII.	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from 'Chief Controller of Explosives shall be taken.	Diesel for DG sets was stored in daily storage drums in very low quantity as per threshold limit applicable for temporarily storage of diesel for which no clearance from Chief Controller of Explosives is required.
XIII.	Vehicles hired for bringing construction material to the site should be in good condition, have pollution check certificate, conform to applicable air and noise emission standards. These vehicles should be operated only during non-peak hours. The material loaded or unloaded should be covered (Especially excavated soil) before transportation to avoid fugitive emissions etc.	Complied.
XIV.	Ambient noise levels should conform to prescribed residential standards both during day and night hours. Adequate measures should be made to reduce ambient air and noise level during construction and operation phase, so as to conform to the norms stipulated by CPCB/DPCC. Ambient air and noise monitoring should be done by an accredited lab and data should be submitted along with compliance report in every six month.	Environment monitoring report is enclosed as Annexure-2. Monitoring has been carried out by NABL accredited lab.
XV.	Thick green belt of the adequate width and density, along with adequate tree plantation to create a buffer zone as per plan submitted, shall be raised along the periphery of the plot so as to provide protection against particulates and noise.	Thick Green belt has been developed in the project. Planted thick green belt acts as noise barrier attenuation factor which will reduce the noise level from outside source Indigenous variety of plant species is planted around the project periphery to absorb maximum dust and to reduce noise level. Photographs showing greenbelt developed in the project premise is enclosed as Annexure- 3.
XVI.	Natural drainage should be preserved as far as possible.	Within 7 KM of the project site there is no Natural drainage
XVII.	Rain water harvesting, as per plan submitted, for roof top run-off and surface run-off should be implemented.	The implementation of rain water harvesting for roof top, run-off and
PF	REPARE & SUBMISSION BY ASMI ENVIRO SOLU	IONSIDE UTTARPRADESH 201301



### June Report-2021

	Before recharging the surface run-off, pre-treatment must be done to remove suspended matter, oil and grease. The depth of the bore for rainwater recharging should be kept in consultation with DJB. No wastewater (such as sewage, trade effluent, backwash of treatment unit, floor washing wastewater etc) should be discharged into the rainwater harvesting structure in order to avoid groundwater contamination. The collected rainwater, if any should be
XVIII.	properly treated before use.The ground water drawl during construction and operation phases should be done only with the prior permission of DJB. Until then, no ground water shall be used in construction activities. The ground water level and its quality should also be monitored regularly in consultationNot Applicable. There was no ground water extraction done at time of construction. In its operational phase also the source of water supply is Delhi International Airport Private Limited. Recent water bill of water is enclosed as Annexure-4.
XIX.	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification dated September 14 <sup>th</sup> , 1999 and amended as
XX	Ready Mix Concrete must be used in During construction, it was practiced. building construction to minimize the
XXI	Water demand during construction It was done at the time of construction. should be reduced by use of pre-mixed concrete, curing agents and other best practices preferred.
XXII	Fixtures for toilet flushing and Required fixtures have been installed drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXIII	D 'I I' - Code to Energy Conservation Billion 9 Code
	PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NO DA UTTARPRADESH 201301

Aerocity New D



June Report-2021

XXIV	Approval of Chief Fire Officer an Delhi Urban Arts Commission fo Building Plans, approval of Airpor Authority of India for Building Heigh and approval of other authorities viz Land owing Agency, DJB, MCD NDMC, DISCOM, etc should be obtained.	r been obtained. NOC from chief Fire officer is enclosed as <i>Annexure-V</i> .
XXV	NOC for cutting of trees, if any, should be obtained from Department of forest & Wildlife.	Not Applicable.
XXVI	Approval of competent authority shall be obtained for structural safety of the building due to earthquake. Adequacy be ensured for firefighting equipments etc as per National Building Code including protection measures from lightening etc.	All safety measures were taken as per National Building Code. Approval of competent authority was obtained for structural safety of the building due to earthquake. Structural Safety certificate is enclosed as <i>Annexure- VI</i> .
XXVII	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to neighbors.	It was done at the time of construction.

### **II.** Operation Phase

Ι	Consent to operate under Air and Water Acts shall be obtained from DPCC	
	before operation, failing which the	0 y =
	Environmental Clearance herein shall be	
	deemed to be withdrawn.	of CTO letter is enclosed as Annexure-
		VII.
II.	The zero wastewater discharge condition	STP of 220 KLD based on FAB
	shall be achieved with installation of a	technology is installed for the treatment
1	well designed on-site Sewage Treatment	of wastewater generated within project.
	Plant (STP) for the generation of sewage	STP is installed in the basement mitigate
	and Effluent Treatment Plant (ETP) for	odor problem STP was certified and
	any type of effluent and the treated waste	report was submitted.
	water shall be reused in HVAC cooling,	Total waste water generation in the
	flushing through dual plumbing and in	project is 181 KLD. 169 KLD water is
	Horticulture. The STP/ETP should be	recoverable after treatment by STP which
	certified by an independent expert and	is used through dual plumbing in
	adequacy report in this regard should be	Flushing (54 KLD), Horticulture (13
		KLD), Cooling Towers (90 KLD), Boiler
		Tree Freme.

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDALUT AR READESH 201301

Scanned with CamScanner



### June Report-2021

	Committee before the project is	(2 KLD) and back wash. STP was
	commissioned for operation. Water	certified and report was submitted, water
	meters at all appropriate places shall be	meters are installed at appropriate places.
	installed to know the quantum of water	STP analysis report is enclosed as and
	used, wastewater, treated water	also online monitoring system is installed
	recycled/reused in HVAC, flushing and	annexure-II.
	horticulture/ gardening, necessary	
	measures should be made to mitigate the	
	odor problem from STP/ETP.	
III.	The Solid waste (dry as well as wet	In the hotel, total municipal solid waste
	garbage) generated should be properly	generation is 629 kg/day. OWC has been
	collected and segregated. Biodegradable	provided in the hotel for treatment of
	(wet) garbage generated should be	organic waste. Recyclable and non
	converted to compost or biogas by	recyclable solid waste is disposed off
	suitable technology. Non- Biodegradable	through government approved vendors.
		Necessary precaution is being taken to
	waste should be outsourced properly	minimize nuisance of odor, flies and
	after recovery of recyclable material.	rodent.
	Paper recycling unit should be installed	
	for recycle and reuse of waste paper.	
	Adequate measures should be taken to	
11.7	prevent odor problem.	Lemon Tree & Red Fox is hotel, hence
IV.	Bio- medical waste, if generated any,	
	shall be disposed of as per the Bio-	there is no Bio- medical waste generation in the project site. Therefore no
	medical Waste (Management &	In Friday
	Handling) Rules, 1998 and authorization	permission from DPCC is required.
	shall be obtained from DPCC as per	
	applicability.	1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1
V.	Utilization of Diesel power generating	In the project site, 3 no. (1x 1010 kVA
	sets is subject to power failure condition	and 2 x 750 kVA) of D.G sets have been
	only, The DG sets proposed as a source	installed as power backup during power
	of power back up during operation phase	failure condition. D. G sets are enclosed
	should be of enclosed type. The DG sets	in acoustic enclosure to reduce noise
	of capacity more than 1000 KVA should	level.Stack height of D.G Set is 6 m
	be provided the stipulated stack height of	above the height of building as per norms
	30 meter from the ground. If not possible	and no use of DG set is carried out as per
	due to any reason, permission from	latest guidelines of MoEF&CC
	MoEF must be obtained specifically for	
	stack height of such DG sets. All the DG	NOC from AAI is already obtained and
	sets should be subjected to periodic noise	submitted with earlier compliance. Used
	and stack monitoring in consultation	diesel is stored and managed as pe
	with DPCC. Waste/used diesel should be	Hazardous And Other Waster
	stored and managed as per Hazardous	(Management and Tran boundary
	Waste (Management and Handling)	Movement) Rules2016and used diesel is
	Rules, 2000 as amended to date and be	sold to CPCB approved recyclers.
		sold to CFCB approved recynets.
	sold to CPCB approved recyclers,	and Premity
		Ser 1 12
PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301		
	REPARE & SUBIVIISSION BY ASIVII ENVIKU SOLUT	IUNS, NUIDA, OTTAK PRAVEST 201001
Pl		101 ~1004. 131 F
Pl		Horres 6

June Report-2021

lemontree

VI	Clearance from AAI should be obtained for stack height of D.G set. Traffic congestion near the entry and exit points from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized. Separate parking provision should be provided for handicapped persons.	Adequate parking facility of 324 ECS has been provided in hotel which is shown in traffic circulation plan submitted in earlier compliance. Parking is fully internalized and no public space is utilized and separate parking is provided for handicapped persons.
VII	Energy Conservation measures such as solar lighting for common areas, solar water heating system, LED lights, solar inverters etc should be adopted.	Energy Conservation measures such as solar lighting for project boundary areas, LED lights in common areas have been provided.
VIII	A report on energy conservation measures conforming to energy conservation norms finalized by Bureau of energy Efficiency should be prepared incorporating details about building materials and technology, R&U factors etc and submit a copy to ministry of Environment & Forests, Regional Offices, Chandigarh and DPCC in three months time with Intimation to SEIAA	The guidelines of Bureau of energy have been incorporated in the design and building construction for conservation of energy.

### PART B. - GENERAL CONDITIONS

I	The environmental safeguards and	The environmental safeguards and
	monitoring schedule as contained in the	monitoring schedule as contained in the
	EMP should be implemented in letter	EMP has been implemented.
	and spirit & there will be no departure	
	from the final project proposal.	
II	The project proponent shall follow the	
	revised Guidelines/criteria for	requirement was met by CSTP treated
	Evaluation of proposals/Request for	water and in operational phase demand
	Ground water abstraction issued by	of water is meeting by Delhi
	Central Ground Water Authority	International Airport Private Limited,
	(CGWA) vide letter no.21-	hence there is no extraction of ground
	4/Guidelines/CGWA/2012-4793 dated:	water . Water, bill is enclosed as
	30.10.2012 which are in effect from	Annexure-IV. Annexure-IV.
	15.11.2012.	8
	and the second	
	A STATE	1.1.V (17)
and and a superior	PREPARE & SUBMISSION BY ASMI ENVIRO SOLUT	



June Report-2021

111	Corporate Social Responsibility should	CSR plan is enclosed as Annexure
	be carried out as per action plan and	VIIII.
	budgetary provisions submitted to	
	SEAC subject to a minimum of 0.4% of	
	total project cost as one time	
	expenditure and 0.08% of the project	
	cost as recurring expenditure.	
		We are abiding with rules and
IV	Officials from Ministry of environment	We are abluing this Compliance
	& Forests, Regional Office, Chandigarn	regulations, submitted to regiona
	and Delhi Pollution Control Committee,	For a More & CC. Receiving o
	who would be monitoring the	office of Model in DEC 2020
	implementation of environmental	
	asfoguards should be given full co-	
	operation to inspect the facilities and	
	documents/data on site by the project	
	proponents during their site inspection.	
	A complete set of all the documents	
	submitted to SEAC should be forwarded	
	to Ministry of Environment & Forests,	
	Regional Office. Chandigarh & DPCC.	
	Six monthly monitoring reports should	
	also be submitted to Ministry of	
	Environment & Forests, Regional Office	
	Chandigarh & to DPCC.	
V	In the case of any change(s) in the scope	Noted.
	of the project, the project would require	
	a fresh appraisal by the SEAC and the	
	Consent to Establish/Operation from	
		Ly hetel use and storage of all kinds of
/1	DPCC as well. In Compliance to Hon'ble High Court's	In notel use and storage of all hinds of
-	order dated 7 <sup>th</sup> August, 2008, use sale	plastic bags are forbidden.
	and storage of all kinds of plastic bags	
	shall be forbidden.	
		E- Waste generated in the complex i
'II	E-waste generated in the complex should be managed as per E-waste	managed as per E-waste (Managemen
	(Management and Handling) Rules,	and Handling) Rules, 2016 and dispose
	(Management and Handing) Rules,	through approved e- wast
	2011 and disposed through approved e-	recyclers, authorization letter is enclose
	waste recyclers.	as Annexure-11
		We are abiding with rules an
III	State Environmental Impact Assessment	We all abluing with failed an
	Authority reserves the right to add	regulations of state Privionments
	additional safeguard measures	Cellin Cellin
P	REPARE & SUBMISSION BY ASMI ENVIRO SOLUT	
P	REPARE & SUBMISSION BY ASMI ENVIRO SOLUT	

lemontree By LEMON TREE HOTELS

"Lemon Tree Premier & Red Fox Hotel" Asset no- 6, Hospitality District, DIAL, IGI Airport, New Delhi

June Report-2021

	subsequently, if found necessary, and to take action including the revoking of the Environmental Clearance under the provisions of the Environmental (Protection) Act, 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Impact Assessment Authority.
IX	All other statutory clearances such as approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department etc shall be obtained, as applicable by project proponents from the respective competent authorities	All required approval such as fire safety certificate, NOC from AAI regarding height clearance have already been obtained.
X	These stipulations would be enforced among others under the provisions of Water (Prevention and Control) Pollution Act, 1974, the Air (Prevention and Control) Act 1981, The Environment (Protection) Act, 1986, The Public Liability (Insurance) Act, 1991 and EIA Notification, 2006, as amended to date.	
XI	The Project Proponent should prominently advertise in at least two local Newspapers widely circulated in the region indicating that the project has been accorded Environmental Clearance and copy of clearance is available with the DPCC and may also be seen on the site of DPCC at <u>http://www.dpcc.delhigovt.nic.in</u> . The advertisement should be made within 10 days from the date of receipt of the Clearance letter.	
XII	The Project Proponent should submit copy of environmental Clearance to the Heads of local bodies, Panchayats and municipal bodies in addition to relevant offices of government who in turn has to display the same for 30 days from the date of receipt	Stres Premier 100
		JAN DEM
-	PREPARE & SUBMISSION BY ASMI ENVIRO SOLU	JTIONS,NOIDA,UTTAR PRADESH 201301



June Report-2021

XIII	The project proponent shall apply for amendment in EC, if there is change in building plan(s) & layout plan(s) by DUAC or any other authority after the grant of EC.	
	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the Project Proponent on its website.	It is uploaded on website.



PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301



June Report-2021

### ANNEXURE LIST EC

ANNEXURE-1	CONSENT TO ESTABLISH
ANNEXURE-2	MONITORING REPORTS
ANNEXURE-3	GREEN BELT PHOTOGRAPHS
ANNEXURE-4	WATER BILL
ANNEXURE-5	FIRE NOC
ANNEXURE-6	STRUCTURAL SAFETY
ANNEXURE-7	CTO LETTER
ANNEXURE-8	SAME AS ANNEXURE 2
ANNEXURE-9	CSR POLICY
ANNEXURE-10	RECEIVING OF LAST COMPLIANCE JUNE 2020
	Premio



PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301

Scanned with CamScanner

The first first of the firs
--

**UNIVERSAL ANALYTICAL LAB** Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana) E-mail : info@universallab.in, universalanalyticallab@gmail.com

www.universallab.in, Mob.: +91 8569966516, +91-9992929181

AN ISO 9001 CERTIFIED & MOEF RECOGNISED GOVERNMENT APPROVED LABORATORY

### Report No: UAL/DH/-199/06/21

### Issued to:

Lemon Tree Premier(A Unit of Hyacinth Hotels Pvt. Ltd.) Asset no 6, Hospitality District, Dial Aerocity, Delhi-110037

## Dated: 01/06/2021 Lab Job Order No: 235/06/21

Period of Testing: 03/06/2021 to 07/06/2021

Party's Ref No: Verbal

### **TEST CERTIFICATE**

:

:

:

:

- A. SAMPLE PARTICULARS: 1. Name of the Unit
  - 2. Type of the Sample
  - 3. Date of Sample Receiving
  - 4. Point of Sample Collection
  - 5. Purpose of Analysis
  - 6. Sample Collected/ Supplied by
  - 7. Sampling Procedure
  - 8. Sampling Plan
  - 9. Sample Description
- **B. TEST RESULTS:**

#### Lemon Tree Premier

- **RO** Water Sample
- 03/06/2021
- From Water Cooler
- : Monitoring
- : By Lab Rep.
- As Per IS 3025 (P-1) :
- : 5.7 F-01 (B)
- : Clear Water

S.NO	Bauaut		Drinking Wa (As per I	0.000	
	Parameters	Results	Desirable Limits	Permissible Limits in the absence of better alternate source	Protocol Used
1	Colour, Hazen	<5.0	5 max.	15 max.	IS-3025(P-4)
2	Odour	Agreeable	Agreeable	Agreeable	
3	Taste	Agreeable	Agreeable	Agreeable	IS-3025(P-5)
4	Turbidity, NTU	<1	1 max.		IS-3025(P-7)
5	рН	7.52		5 max	1S-3025(P-10)
6	Total Hardness (as CaCO <sub>3</sub> ), mg/l	111.6	6.5 - 8.5	No relaxation	IS-3025(P-11)
7	Iron (as Fe), mg/l		200 max.	600 max.	IS-3025(P-21)
8	Chloride (as Cl), mg/l	< 0.01	0.30 max.	No relaxation.	APHA 23rd Ed.
9	Residual Free Chlorine, mg/l	75.8	250 max.	1000 max.	IS-3025(P-32)
10		<0.1	0.20 max.	1 max	IS-3025(P-26)
	Total Dissolved Solids, mg/l	311	500 max.	2000 max.	IS-3025(P-16)
11	Fluoride (as F), mg/1	< 0.1	1.0 max.	1.5 max.	APHA 23 <sup>rd</sup> Ed
12	Nitrate, (as NO <sub>3</sub> ), mg/l	4.10	45 max.	No relaxation	IS-3025(P-34)
Bacteriological Examinations					10-5025(1-54)
1	Total Coliform, MPN/100 ml	Absent	Shall not be detectab	le in any 100 ml sample	10,1(22)
2	E.Coli, per 100 ml	Absent		le in any 100 ml sample	IS-1622 IS-1622

Mgr. / Sr. Analyst



Note: 1. This report is not to be reproduced whoily or in part and cannot be used as an evidence in the court of law.

2. This report should not be used in any advertising media without our special permission in viriting Sample will be destroyed after retention time unless otherwise specified.
 The results are related to the test items only.

Page 1of 1





Date: 07/06/2021

## **UNIVERSAL ANALYTICAL**

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana) E-mail : info@universallab.in, universalanalyticallab@gmail.com

www.universallab.in, Mob.: +91 8569966516, +91-9992929181



CERTIFICATE NO. Q-1516-0450

AN ISO 9001 CERTIFIED & MOEF RECOGNISED GOVERNMENT APPROVED LABORATORY

#### Report No: UAL/DH/-200/06/21

Issued to:

Lemon Tree Premier(A Unit of Hyacinth Hotels Pvt. Ltd.) Asset no 6, Hospitality District, Dial Aerocity, Delhi-110037

Party's Ref No: Verbal Dated: 01/06/2021 Lab Job Order No: 236/06/21 Period of Testing: 03/06/2021 to 07/06/2021

### **TEST CERTIFICATE**

:

:

:

### A. SAMPLE PARTICULARS:

- 1. Name of the Unit
- 1. Type of the Sample
- 2. Date of Sample Receiving
- 3. Point of Sample Collection
- 4. Purpose of Analysis
- 5. Sample Collected/ Supplied by
- 6. Sampling Procedure
- **Sampling Plan** 7
- **Sample Description** 8.
- **B. TEST RESULTS:**

- **Lemon Tree Premier**
- Raw Water Sample :
- 03/06/2021 :
  - From Pump Room
- Monitoring :
- By Lab Rep. :
  - As Per IS 3025 (P-1)
- 5.7 F-01 (B) :
- Clear Water ٠

S. NO	Parameters	Results	Protocol Used
1	Colour, Hazen	<5.0	IS-3025(P-4)
2	Odour	Agreeable	IS-3025(P-5)
3	Taste	Agreeable	IS-3025(P-7)
4	Turbidity, NTU	<1.0	IS-3025(P-10)
5	pН	7.63	IS-3025(P-11)
6	Total Hardness (as CaCO <sub>3</sub> ), mg/l	438.9	IS-3025(P-21)
7	Iron (as Fe), mg/l	0.09	APHA 23 <sup>rd</sup> Ed.
8	Chloride (as Cl), mg/l	155.4	IS-3025(P-32)
9	Residual Free Chlorine, mg/l	<0.1	IS-3025(P-26)
10	Total Dissolved Solids, mg/l	665	IS-3025(P-16)
11	Fluoride (as F), mg/l	0.20	APHA 23 <sup>rd</sup> Ed
12	Nitrate, (as NO <sub>3</sub> ), mg/l	9.50	IS-3025(P-34)
Bacte	riological Examinations		
1	Total Coliform, MPN/100 ml	Absent	IS-1622
2	E.Coli, per 100 ml	Absent	IS-1622

Mgr. / Sr.



Note : 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law. This report should not be used in any advertising media without our special permission in writing.
 Sample will be destroyed after retention time unless otherwise specified.
 The results are related to the test items only.

Date: 07/06/2021

## UNIVERSAL ANALYTICAL LAB

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana) E-mail : info@universallab.in, universalanalyticallab@gmail.com

www.universallab.in, Mob.: +91 8569966516, +91-9992929181

AN ISO 9001 CERTIFIED & MOEF RECOGNISED GOVERNMENT APPROVED LABORATORY

#### Report No: UAL/DH/-201/06/21

Issued to: Lemon Tree Premier(A Unit of Hyacinth Hotels Pvt. Ltd.) Asset no 6,Hospitality District, Dial Aerocity,Delhi-110037

Party's Ref No: Verbal Dated: 01/06/2021 Lab Job Order No: 237/06/21 Period of Testing: 03/06/2021 to 07/06/2021

### **TEST CERTIFICATE**

:

### A. SAMPLE PARTICULARS:

- 1. Name of the Unit
- 2. Type of the Sample
- 3. Date of Sample Receiving
- 4. Point of Sample Collection
- 5. Purpose of Analysis
- 6. Sample Collected/ Supplied by
- 7. Sampling Procedure
- 8. Sampling Plan
- 9. Sample Description
- **B. TEST RESULTS:**

- Lemon Tree Premier
- : Domestic Water Sample
- : 03/06/2021
- : From Pump Room
- : Monitoring
- : By Lab Rep.
- : As Per IS 3025 (P-1)
- : 5.7 F-01 (B)
- : Clear Water

S.NO	Parameters	Results	Protocol Used
1	Colour, Hazen	<5.0	IS-3025(P-4)
2	Odour	Agreeable	IS-3025(P-5)
3	Taste	Agreeable	IS-3025(P-7)
4	Turbidity, NTU	<1.0	IS-3025(P-10)
5	рН	7.68	IS-3025(P-11)
6	Total Hardness (as CaCO <sub>3</sub> ), mg/l	316.2	IS-3025(P-21)
7	Iron (as Fe), mg/l	0.07	APHA 23 <sup>rd</sup> Ed.
8	Chloride (as Cl), mg/l	153.5	IS-3025(P-32)
9	Residual Free Chlorine, mg/l	<0.1	IS-3025(P-26)
10	Total Dissolved Solids, mg/l	648	IS-3025(P-16)
11	Fluoride (as F), mg/l	0.18	APHA 23 <sup>rd</sup> Ed
12	Nitrate, (as NO <sub>3</sub> ), mg/l	9.10	IS-3025(P-34)
Bacter	iological Examinations		
1	Total Coliform, MPN/100 ml	Absent	IS-1622
2	E.Coli, per 100 ml	Absent	IS-1622

Mgr. / Sr. Analys



Note: 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law. 2. This report should not be used in any advertising media without our special permission in writing.

3. Sample will be destroyed after retention time unless otherwise specified.

4. The results are related to the test items only.





CERTIFICATE NO. Q-1516-0450

Date: 07/06/2021

# UNIVERSAL ANALYTICAL LAB

Plot No -77-77A, Khevat No. 222, Opposite HUDA Sector- 4A, Nagarpalika, Dharuhera-123106, Distt Rewari (Haryana) E-mail : info@universallab.in, universalanalyticallab@gmail.com www.universallab.in, Mob.: +91 8569966516, +91-9992929181

CERTIFICATE NO. Q-1516-0450

## AN ISO 9001 CERTIFIED & MOEF RECOGNISED GOVERNMENT APPROVED LABORATORY

Report No: UAL/DH/-202/06/21

Issued to:

Lemon Tree Premier(A Unit of Hyacinth Hotels Pvt. Ltd.) Asset no 6, Hospitality District, Dial Aerocity, Delhi-110037

Date: 07/06/2021

Party's Ref No: Verbal Dated: 01/06/2021 Lab Job Order No: 238/06/21 Period of Testing: 03/06/2021 to 07/06/2021

### TEST CERTIFICATE

- 1. Name of the Unit
- 2. Type of the Sample

A. SAMPLE PARTICULARS:

- 3. Date of Sample Receiving
- 4. Point of Sample Collection
- 5. Purpose of Analysis
- Sample Collected/ Supplied by 6.
- 7. Sampling Procedure
- **Sampling Plan** 8

#### **B. TEST RESULTS:**

- **Lemon Tree Premier** :
- Swimming Pool Water Sample :
- 03/06/2021 : :
  - From Swimming Pool
- : Monitoring
- : By Lab Rep.

:

- As Per IS 3025 (P-1)
- : 5.7 F-01 (B)

S.No	Farameters	Results	Requirements (as per IS-3328 : 1993)	Protocol Used
1	Colour, Hazen	<5	10 Max	
2	Odour	Odourless		IS-3025(P-4)
3	Taste	Palatable	Odourless	IS-3025(P-5)
4	Turbidity, NTU		Palatable	IS-3025(P-7)
5	pH	<1	10 Max	IS-3025(P-10)
6	Iron (as Fe), mg/l	7.90	7.50 - 8.50	IS-3025(P-11)
7	Chloride (as Cl), mg/l	0.05	0.10 Max	APHA 23 <sup>rd</sup> Ed.
8	Residual Free Chlorine, mg/l	136.5	500 Max	IS-3025(P-32)
9	Total Dissalar d G 111	0.44	0.20 -0.50 Max	IS-3025(P-26)
10	Total Dissolved Solids, mg/l	630	1500 Max	IS-3025(P-16)
	Total Alkalinity (as CaCO <sub>3</sub> ), mg/l	222.7	50 -500 Max	
11	Aluminium (as Al), mg/l	< 0.01	0.10 Max	IS-3025(P-23)
12	Heavy Metals (as Pb), mg/l	< 0.01		IS-3025(P-55)
13	Oxygen Absorbed in 4 Hrs at 27°C mg/l		0.10 Max	APHA 23 <sup>rd</sup> Ed.
Bacter	iological Examinations	0.36	1.0 Max	IS-3025(P-63)
1				
2	Total Coliform, MPN/100 ml	Absent	10 Max	IS 1622
2	Standard Plate Count, cfu/ml	60	100 Max	IS-1622 IS-1622

Opinion: The sample confirms to is: 3328(1993) for swimming pool water with respect to above test parameters.



Note: 1. This report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law This report should not be used in any advertising media without our special permission in writing.
 Sample will be destroyed after retention time unless otherwise specified.
 The results are related to the test items only.



## **NOIDA TESTING LABORATORIES**

(A Government Approved Testing Laboratory

(An ISO :9001 : 2015 & ISO 45001 : 2018 Certified Laboratory) MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB & HSPCB Recognized Laboratory +91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

### **TEST CERTIFICATE**

Report Code: W20201214-02

Report Issue Date Sample Received Analysis Duration : 06.03.2021 :02.03.2021 :02.03.2021 to 06.03.2021

Issued To : LEMON TREE HOTEL Aerocity New Delhi

### Sample

Description :STP INLET

### Waste water Quality Analysis SAMPLING DETAILS:

Sampling Location Weather Condition Sample Packing & Marking Sampling Protocol Sample Quantity : STP INTLET : Normal : Plastic/Glass Bottle : IS-3025(P-1)-1987,Reaff:2003 : 1Liter+500 ml

S. No.	Parameters	Unit	Results	Test method
1.	рН	-	7.66	IS: 3025(Pt-11)1983, Reaff. 2002
2.	Total Suspended Solids	mg/l	146	IS: 3025(Pt-17)1984, Reaff. 2006
3.	Oil & Grease	mg/l	16.6	IS: 3025(Pt-39)1991, Reaff. 2003
4.	Bio Chemical Oxygen Demand(at 27 <sup>o</sup> C for 3 days)	mg/l	88	IS: 3025(Pt-44)1993, Reaff. 2003
5.	Chemical Oxygen Demand	mg/l	456	IS: 3025(Pt-58)-2006

\*\* End of Report \*\*

CHECKED BY

AUTHORIZED SIGNATORY



## **NOIDA TESTING LABORATORIES**

(A Government Approved Testing Laboratory

(An ISO :9001 : 2015 & ISO 45001 : 2018 Certified Laboratory) MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB & HSPCB Recognized Laboratory \*91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

### **TEST CERTIFICATE**

Report Code: W2021030603

Report Issue Date SampleReceived Analysis Duration :06.03.2021 :02.03.2021 :02.03.2021 to 06.03.2021

Issued To : LEMON TREE HOTEL Aerocity New Delhi

Sample Description

STP OUTLET

Waste Water Quality Analysis

#### SAMPLING DETAILS

Sampling Location Weather Condition Sample Packing & Marking Sampling Protocol Sample Quantity : STPOUTLET : Normal : Plastic/Glass Bottle : IS-3025(P-1)-1987,Reaff:2003 : 1Liter+500 ml

TDS - 2550

S. No.	Parameters Un		Limits	Results	Test method		
1.	рН	-	5.5-9.0	<u>6.8</u> 2	IS: 3025(Pt-11)1983, Reaff. 2002		
2.	Total Suspended Solids	mg/l	<50	16.6	IS: 3025(Pt-17)1984, Reaff. 2006		
3.	Oil & Grease	mg/l	10	4.1	IS: 3025(Pt-39)1991, Reaff. 2003		
4.	Bio Chemical Oxygen Demand(at 27 <sup>0</sup> C for 3 days)	mg/l	30	14.0	IS: 3025(Pt-44)1993, Reaff. 2003		
5.	Chemical Oxygen Demand	mg/l	250	56.7	IS: 3025(Pt-58)-2006		

\*\* End of Report \*\*

CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Noida Gautam Budh Nagar - 201301 Branch Office : IP-2, Haridwar, Uttrakhand Branch Office : Gayatri Nagar. Katgodam, Haldwani, Uttrakhand E. : noida.laboratory@gmail.com, info@noidalabs.com W.: www. noidalabs.com

## **PHOTOGRAPHS**




PROPER MAINTAINACE OF LUBE OIL STORED IN DRUM



**MAINTAIN WET GARBAGE AT SITE** 

	Date 13/06/2021 - Prediction
-	DULL 2 69 46 03:15 04:05 18B3 Brie DULL 2 69 46 03:15 04:05 18B3 Brie
2 Specal	seheat N. In James Base Base
0, 242	DUIL 2 69 46 03:15 04 05 1000
	1000 100/00/0
- inline f	MR 697 0601 00:01 00:50 15: Bar Bonse
or jean	DLILZ 694603:23 04:15 19 Bars Band
2 257	HR 89 D 0601 00:01 00:50 15:But Bonse DL 1 LZ 6946 03:23 04:15 19 Bong Bonse OD80 15/05/2081
OI Day	DLILZ 6946 03:58 01:25 02.83 Bond
02	
-	16/06/31 000
allint	. 0 10P 0601 2355 00126 05 300 183
- a pres	DL 122 6946 04:43 0 4:43 2500 982
-25-2	
2	
	the second se
	and the second s
	and a second sec
The state	
A STATE OF	
	The second se

LOG BOOK MAINTAIN OF VEHICLE COLLECTING WET&DRY GARBAGE



**GREEN BELT AREA DEVELOPED BY STAFF** 



SIGN BOARD AT SITE



**RAIN WATER HARVESTING PIT** 




**OWC INSTALLED AT SITE** 

Date	Wet Food Waste collected from all	Manure / e generated	compost	Chemical used		Daily Ene	in Uni	ter Reading	Manu	Manure / Disposal record			
	the outlets in Kgs	machine	on Kgs	Saw Dust	Enhancer	Present	Past	Difference	In Garden	Taken by Authorized vendor	Sign		
1.06.21		41-2101-2			160.24	2135	2734	1	47104	Autriorized vendor	100000		
06.21	49. 72043	45 8103	7. Slotz	3.2705	180 500		2735	2	6.520tz		Q4		
-06.21	Q.4. 270Kg	41. 410%			160.304	2738	2787		A 340/2		12		
.0621	40. 72015	38. 120K		2: 120k	Noigro	2734	2738	1	5-114000		R		
-06-21	47. 182.15	44-1264 0	1.281%			27.00	7739	1	5.4263		62		
06.21	49. 820K3	15. 910ks 8	8.520Ks	3 71042	180 5M	24 47	27.00	2	1. Eyden		1×		
06 : 21	45. July	12:1704 5	5. 410th			2243	2742	1	5. 120h		15		
06-21	42. 823 43	40.1264	2. 510/25			7244	2713	1	#-110H		18		
c6 - X	79. 420Ks	14.21042 0	.71042	3.12042	180 500	27.95	2.7492	1	81014		18		
06-1 71	41. 87012	39. 42642 4	154042		160-5141		2700	1	9.2242		12		
01.21	17. 24183	43 8104 X	1702			77.47	2796	1	5. 22010		1		
1.21	45. 810k	41-71242 5	2805	1:92614	160 SM	2200	27.07	1	4-5605		-		
		45.740147				2750	2748	2	K-467K		2		
		40.1264 4				2751	2750	1	3 716/5		100		
	10, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	43.520K 1			190.20		2#51	1	1. 12015		- K		
00-210	97.2402	43 32921	- Sing	- 370-B	100.200	CTOL	2751	(	P. I.T.	-	- KX		
							-				-		
								-					
									1				
							-			1	-		

LOG BOOK OF OWC




DG SET ROOM



### **STP LOG BOOK MAINTAIN AT SITE**

PREM	tree SEWAGE TRE	EATMEN	ON	Off		Off	ON Time	Off	ſ
S.No.	Equipment Name		Time	Time	Time IS'50			2464	ł
1	Raw sewage pump 1	1	10:00	12:50				23:10	
2	Raw sewage pump 2	0.000	11:00	14:00	14:40		20:40		
3	Filter feed water pump 1	2	10:52	12:40			22:40		
4	Filter feed water pump 2	1.1.1	10:10	15:00	15:00		21:50		
5	Filter water pump 1	1	10:40	14:0			AND THE R. O. LEWIS CO.	23.60	
6	Filter water pump 2	3 121 1	11:00	13:50	15.00	171	Par inc	10.00	
7	Soft water pump 1	0000	NIN	-	100.00	13:00		-	1
8	Soft water pump 2	1.	-	-	11:00	150	-		1000
9	Sludge recycle pump 1		-	-	-				
10	Sludge recycle pump 2		-		-	-			
11	Sludge feed pump 1		-	-	-		-		
12	Sludge feed pump 2	-		-	-			-	
13	Blower 1	250	NW	77		-	0.1000	04150	
14	Blower 2	1.00.9	08:40	12:50			024:00		
15	Blower 3	2008	12:00	10:00	2018	24:40	54:00	02:80	
16	Centrifuge	1247.1	Mer		-	-	-	0.4	
17	UV Plant	11.30	OK	OK	OK	OK	OK	OK	
10.000	A REAL PROPERTY AND A REAL	Shift	I	Shift I	I	Shift III	Re	marks	
Sludg	e removed from clarifier Y/N	Tes	THE P	yes	-	YES			
Back	wash done Y/N	ye	1 5	Yes	1	yes			23
Softe	ner charged Y/N	0		1		0		-	
-	Level	20	1	201	6	351	1.00		
112.00				1	Tranta	d	quality		
111	Consumption details		-	PH	reate	d water	and the second se		
Alum	and the second se	-				6.9	_		
Chiori		-	200	Colo		cle			
	cal Meter reading ( 12 Midnight)		317:0	CALLS STREET, ST.	nlorine le	N		Kauly	100
	ater meter reading ( 12 Midnight)	oul	7762	d h C	norme les	vel 0.	-	-	
Raw w	ater meter reading ( 12 Midnight)	distants?	-	-	-	-			
C.T. m	ake up water meter reading (12 Mi	unignt)		0 10	-	-	-		
	ng tank water meter reading (12 M	76000				-			
	ning tank water meter reading (12	mianight)	1031	40%	el				
	onsumed	-		-					
Misc.	Martin and a state of the state	1	1	1		-			



SOLAR PANNEL INSTALL AT SITE



CONSTRUCTION OF PUBLIC TOILET UNDER CSR POLICY

### DELHI INTERNATIONAL AIRPORT LIMITED (Formerly Known as "Delhi International Airport Private Limited") Registered Office: New Udaan Bhawan, Opp. Terminal-3, Indira Gandhi International Airport, New Delhi-110037, India Website: www.newdelhiairport.in

Original for Recipient/Duplicate for Supplier

### TAX INVOICE (Water Charges)

Customer No.:1000000760 M/s HYACINTH HOTELS PRIVATE LIMITED DELHI INTERNATIONAL AIRPORT, ASSET NO.6, HOSPITALITY DISTRICT, DIAL, IGI AIRPORT, LEMON TREE HOTEL, NEW DELHI-110037 State Code: 07 Customer PAN No.: AABCH8933M GSTIN/Unique ID No: 07AABCH8933M1Z5 Place Of Supply: DELHI

### $IRN \ No:-\ 6b56585 beca 8f36c6 bc9 fce8 d3 cf23 a 824 c020 a cdde6 a 4b825 e 837 e 0958 fdb14$

Particulars	SAC/ HSN	Bill Perio	d/Reading	Basis of Computation	Total Unit		Base Amount	CGST			SGST	Gross Amount(INR)
Meter Name/		From/Op.	To/Cl.	Rate per Unit				R	Amount	R	Amount	
RO Name		Reading	Reading	/ MF				а		а		
								t		t		
								e		e		
								%		%		
LM06/08-IW-	996761	01.05.2021	31.05.2021	183.60 /1.00	2765	0.00	507654.00	9	45,688.86	9	45,688.86	599,031.72
1820/Lemon												
Tree Hotel		450791	453,556.00									
Grand Total							507,654.00		45,688.86		45,688.86	599,031.72

Amount in Words: Rupees Five lakh ninety nine thousand thirty one and seventy two paise only

Authorized Signatory for & on behalf of

DELHI INTERNATIONAL AIRPORT LIMITED



: 600008743

: AACCD3570F

: 04.06.2021

: 25.06.2021

: DELHI

:07

:07AACCD3570F1ZW

: U63033DL2006PLC146936

Invoice No. GSTIN State State Code PAN CIN Bill Date Due Date

### Notes to Invoice

1. Concessional TDS to be deducted in terms of approval accorded by the Income Tax Department (Circle 1(1), Bangalore). Please ensure that you have received TDS exemption order from our office.

2. The Cheques / Demand Draft may please be drawn in favour of "DELHI INTERNATIONAL AIRPORT LIMITED" payable at NEW DELHI and send to Manager (Revenue), Finance Function, 1st Floor, DIAL Project office, Opp. ATC Complex, Near Terminal-3, IGI Airport, New Delhi 110037. Please attach the counterfoil.

3. Electronic settlement of Invoices can also be made to DIAL bank account No. 006505002685 with ICICI BANK LIMITED, C-17, LOCAL SHOPPING CENTRE, PASCHIMI MARG, VASANTVIHAR, New Delhi 110057 through the following payment gateways:

- a. EFT [Electronic Fund Transfer] MICR Code 110229008
- b. RTGS [Real Time Gross Settlement] ICIC0000065 (Branch Code 0065)
  - ICIC0000065 (Branch Code

0065)

For all payments effected through the electronic gateways, the payment advice should be mailed at DIAL-CREDITCONTROL@gmrgroup.in. No credit will be given in the absence of information.

4. If payment is not made by due date, then interest @ 1.5% per month or as per terms of agreement shall be levied and recovered as ADDITIONAL CHARGES commencing from the date of the bill till the date of payment(both days inclusive).

#### 5. In case of any Queries/clarification, contact us at :

NEFT

c.

- T1+T2 Mr. Chetan Jugran +91-7042355411 E-Mail: chetan.jugran@gmrgroup.in
- T3 Mr. Naveen Kumar Saini +91-8826674343 E-Mail: naveenkumar.saini@gmrgroup.in

• For CPD - Knight Frank 24x7 Helpline +91-8588895596 E-Mail: kinghtfrank.aerocity@in.knightfrank.com -Sudhanshu Ojha +91-8130197500 sudhanshu.ojha@gmrgroup.in +91-11-47197526 cpd.dial@gmrgroup.in

6. Bank charges are to be borne by Agency / Airline.

7. Please explain the deductions if any with payment advice / mail.

8. Unless otherwise stated, Tax on this invoice is not payable under reverse Charge.

#### Please Detach the Counterfoil Below and attach with the payment

Payment Counterfoil	Invoice No	: 6000008743
Delhi International Airport Limited	Client Code	: 100000760
New Udaan Bhawan,	Invoice Value	: 599,031.72
Opp. Terminal-3,Indira Gandhi International Airport	Cheque No	:
New Delhi - 110037, India.	Cheque Drawn On	:
	Branch	:
	EFT/RTGS/NEFT Details	:

**Payment Details** 

**TDS Deducted** 

Deductions, if any ( with reason )

Net Released

### GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS : DELHI FIRE SERVICE : NEW DLEHI - 110 001

No. F.6/DFS/MS/Hotel/SZ/2018/ 2-556

Dated: 26/11/18

## FIRE SAFETY CERTIFICATE

Certified that M/s Hyacinth Hotels Pvt. Ltd. (Hotel Lemon Tree & Red Fox) situated at Asset No 6, Hospitality District, IGI Airport, New Delhi-110037, comprised of Three tier Basement, Ground Floor, Six Upper Floors & Terrace floor has already been issued FSC by this department vide letter No. F6/DFS/MS/2015/SZ/2148 dated 10/12/2015. The said premise/building was reinspected by the officer concerned of this department on 16/11/2018 in the presence of Sh. Naveen (Chief Engineer) & found to have complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the building is fit for occupancy Group-A "Hotel Building" with effect  $\frac{26}{11}$  2018 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule-38 of the Delhi Fire Service Rules, 2010.

(Vipin Kental) **Chief Fire Officer** Ph:-011-23412235

Copy to:-

- C1. The Authorize Signatory, M/s Hyacinth Hotels Pvt. Ltd. (Hotel Lemon Tree & Red Fox) situated at Asset No 6, Hospitality District, IGI Airport, New Delhi-110037
  - 2. Joint Commissioner of Police (Lic), 1<sup>st</sup> Floor, Police Station, Defence Colony, New Delhi-110024

## Conditions for the validity of fire safety certificate:

1. All the means of escape/entry/exit shall be kept free from any obstruction.

- 2. All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to nonfunctional fire safety measures shall be at the responsibility of the management.
- 3. All the staff members must know the correct method of operation of firefighting system.
- 4. The owner/ occupier shall submit a declaration every year in Form 'K' provided in the first The form is available on 2010. Rules of Delhi Fire Service schedule http://delhi.gov.in/wps/wcm/connect/doit\_fire/FIRE/Home/Forms
- 5. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if
  - "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in any.
- Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to 6. its expiry."

### Structural Safety Certificate



E 35 PAMPOSH ENCLAVE CREATER VAILASH E NEW DELHI 110 048 (INDIA) TEL +91 11 43141516. FAX +91 11 26296767 email vintech@vintechconsultants.com

Date: 26th August, 2010

SO 9001: 20

### TO WHOM IT MAY CONCERN

This is to certify that the structure design of Lemon Tree Premier & Red Fox Hotel building at Asset No -06, Aero City, IGI Airport, New Delhi developed by M/s Hyacinth Hotels Pvt. Ltd. has been designed in accordance with the latest provisions of National Building Code and the relevant IS codes (with latest amendments) including IS codes for structures resistant to earthquake. While designing the same, local soil conditions, its load bearing capacity and the ground water table etc has duly been considered.

:

:

Signature

Name of Structural Engineer

Qualification

Registration No. Institution of Engineer

RSULTANT DE VINDO JAIN Ph.D. (11TO), M.Tech. (Sk.) 11TO, M.I.E. C.E., FIAShucle, M.CEAL, M.ISET, F.I.Y., M.INSDAG

On Bchalf of

Dr. Vinod Jain

Ph. D., M.Tech.

M-118865-2

Vintech Consultants

## **DELHI POLLUTION CONTROL COMMITTEE**



(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006

### **CONSENT ORDER**

Certificate No. :G-2510

Name of the unit	:	HYACINTH HOTELS PVT. LTD.
Address	:	ASSET NO-6,HOSPITALITY DISTRICT ,DIAL IGI AIRPORT, Hotels, Delhi - 110029
Consent Order No	:	DPCC/CMC/2018/38381
Date of issue	:	26/08/2019
Product/Activity		Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler
Manufacturing Activities		Hotel (Lemon Tree Premier and Red Fox Hotel)

This Consent to **Operate** is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under **ORANGE** Category. This consent is subjected to terms and conditions specified overleaf. **This is being** issued with reference to your application id 38381 valid from 10/02/2019 to 09/02/2024.

Senior Environmental Engineer

### Terms and Conditions

Terms and Conditions

1. The Consentee shall meet the effluent standards i.e. pH= 5.5-9, Total Suspended Solids (TSS) <=50, BiochemicalOxygen Demand (3days at 27degree Cent.)<= 30, Oil and Grease<=10, Phosphate(as P)<=5. #All effluent parameters are in mg/I expect pH value..

2. The Consent is activity specific and based on the information provided in the consent application alongwith the documents/ subsequent documents/information submitted to Delhi Pollution control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity /manufacturing process.

3. The consentee shall display the Name of the unit alongwith its Address, name of the proprietor/ Directors/partners etc, Contact Phone No(s) and its ActivitiesProcesses/ Product etc, on a Display Board to be placed/fixed at the main gate of the unit.

4. The consentee/unit shall have/take separate Electricity/Power connection in its name and shall have/ install separate meter in this regard.

5. The consentee shall provide and maintain separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system and shall be connected to the conveyance system/ sewerage system of the area leading to common Effluent Treatment Plant of the Industrial Area/sewage Treatment Plant of the catchment area.

6. The Consentee shall obtain permission from Delhi Jal Board. for ground water extraction, if any, as per the various orders/Notification of Govt. of NCT of Delhi.

7. In case the unit is located in the industrial area where Common Effluent Treatment Plant (CETP) has been provided ,the Consentee shall make regular payment of its share for the operation and maintenance of CETP to the concerned CETP Society as per the Delhi Common Effluent Treatment Plants Act,2000, as amended to date.

8. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good house keeping practices so as to maintain clean & safe environment in and around the premises of the unit

9. The Consentee shall comply with the noise standards laid down vide Gazette notification of Ministry of Environment and Forest(MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date. Stack Height tor sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following (i)Minimum 6 meter above the building where generator set is installed (ii) 30 meter (iii)  $14Q^{\circ'3}$ (QTotal so2 emission from the plant in kglhr) and for otter DG Set(s) ( upto 0.8 MW) stack height shall be as per the following formula, H = h + 0.2?KVA(H-Total Height of stack in meter , h = Height of the building in meters where the Generator Set is installed, KVA -Total Generator capacity of the set in KVA).

10. The Consentee shall comply with the provisions of the Hazadousand Other Wastes (Management and Transboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling ) Rules, 2001 as amended to date, Solid Waste Management Rules,2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler/Reprocessor /Authorized Agencies for such wastes,authorized by MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites.

11. The Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016, as amended to date, if applicable.

12. The Consentee shall comply the other prescribed standards of Effluent/Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000as amended to date.

13. The Consentee shall promote the use of CFL and recovery of mercury from CFL Lamps and should create a system of replacing of old bulbs for new to enable recovery of mercury after the bulbs are fused.14. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.

15. Consentee shall reuse/recycle treated water up-to maximum extent to achieve the objective of zero discharge.

16. The Consentee having installed Sewage Treatment Plant (STP) of 235 KLD shall properly operate and maintain the STP to meet the prescribed standards as given in the Consent Order. Flow Meters/ suitable flow measuring devices shall be provided and maintained to measure the quantity of waste water generation and treatment by the unit and to quantify the reused of treated water. No bypass (Pipe / Drain) shall be provided. The treated effluent shall be used/ recycled by the unit. Records /Logbook shall be maintained for the operation of the STP, waste water generated, treated and used/recycled and shall be produced during the inspection of DPCC official(s).

17. The Consentee having installed Emission Control System (ECS) shall properly operate and maintain the ECS to meet the prescribed standards as given in the Consent Order. No bypass stack/ arrangement shall be provided. Records /Logbook shall be maintained for the operation of the ECS and shall be produced during the inspection of DPCC official(s). The Consentee shall provide and maintain ports in the Stack(s) /

Chimney(s) and facilities such as ladder, platform etc. in good condition for monitoring of the emissions. 18. Capacity of the Diesel Generator Set (s) installed in the unit 1X1010 KVA 2X750 KVA. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets.

19. Project proponent will ensure use of ozone depletion substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created.

20. Zero garbage concept shall be implemented with appropriate technology of composting.

21. The Consentee shall not extract the ground water without obtaining prior permission in this regard from DJB/CGWA.

22. Unit shall implement the environmental safeguards as per stipulations in Environmental Clearance issued by MoEF/SEIAA and shall submit half yearly compliance report in respect of the terms and conditions of Environmental Clearance to Regional Office of MoEF and simultaneously to DPCC on the prescribed date.

23. The Consentee shall comply with the applicable provisions / Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23-10-2012 including the directions that No person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of Poly Propylene, Non woven fabric type carry bags) in the whole of National Capital Territory of Delhi. 24. The Consentee shall submit application for renewal of the Consent, one month in advance of the expiry date of this Consent Order.

25. In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.

26. Notwithstanding anything contained in this consent order. Delhi Pollution Control Committee , reserves

its right to review any / or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution)Act, 1981, as amended to date and the Water(Prevention and Control of Pollution)Act, 1974, as amended to date.

27. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi.

28. The consentee shall submit the stack monitoring report of DG set (1010KVA) within 30 days of issuance of this consent order.

28. This issues in view of the Office Order No. F.No. DPCC/Consent/2017/569-580 dated 31.05.2017 and Office Order No. F.No.DPCC/Consent/2017/1185-1198 dated 08.09.2017 as per decision taken by Consent Management Committee for II(a) category in its meeting held on 07.08.2019.

## HYACINTH HOTELS PRIVATE LIMITED

Regd. Office: B 6/17 Safdarjung Enclave, New Delhi -- 110 029 T +91-11-46050101. F +91-11-46050110 (CIN U55204DL2007PTC166050)

Lemon Tree Hotels CSR Initiatives:

#### Giving back to society:

Lemon Tree focuses on delivering a healthy 'triple bottom linc' i.e. Planet, People and Profit through its sustainability initiatives.

1. **Planet:** Our current efforts include energy efficiency and conservation; water efficiency and conservation; use of CNG instead of LPG; use of green building material; planting of trees and shrubs on hotel premises; building hotels in accordance with Universal Design concepts for greater access for differently abled people and building our hotels to Leadership in Energy and Environment Design (LEED) Gold Standards. In the medium term to long term, we will focus on wind power; agro power i.e. burn agricultural waste; recycled water for AC cooling tower (target replacement of fresh water by 15-20%); heat pump for energy conservation; solar photo voltaic (PV) system for lighting; extensive use of LED light fittings (post cost reduction).

2. **People:** We are very focused on building a culture of inclusion and on keeping our integrated team (Persons With Disability and persons without disability) engaged. Lemon Tree Hotels was ranked # 30 in the Best Work Places in India in the year 2015 by the Great Places to Work Institute and Economic Times. We have set a target of 250% of our expected employee strength of 8000 being either ladies, EWD's or from economically underprivileged sections of society by 2016-2017.

3. **Profit:** Our main focus is on being best in class in our cost structure, both in building and operating hotels. This will enable us to offer the best Return on Capital Employed to our investors, over the long term.

4. Recruitment of people with disabilities: As part of our Corporate Social Responsibility endeavor, LTH has recruited ~400 Employees With Disability (EWD). This includes Speech & Hearing Impaired, Orthopedically Challenged, Visually Impaired and Down Syndrome. We impart relevant employability skills to these EWD in job roles where their disability is not a disadvantage. They can then be employed routinely and on an equal footing with normal people, which is the only long lasting way to sustain the practice. The 31 March 2016 vision is to employ (and retain through sensitivity training/counseling) 460 EWD i.e. ~15% of the employee base. A video clipping on "Inclusive Employability" is attached.

5. "Hunar Se Rozgar Tak": A Government of India Skill Development Program. Under this initiative, we have worked extensively to hire and impart basic skill training for people who hail from economically weaker sections and have very limited academic scope (Minimum qualification being 8th std.). The objective of this on the job skill training is to provide these marginalized people job opportunities in the hospitality sector. Each of our hotels is partnering with the Local Government run Hotel Management Colleges for this purpose and is extending skill training in operational verticals such as Food & Beverage Service, Food Production, & Housekeeping. The tenure of training is between 6 weeks to 8 weeks.

6. **Promoting tribal art:** LTH is the largest buyer nationally of tribal art from Bastar, Madhya Pradesh. We buy artifacts from the tribals in this region and use this art extensively in the hotel interiors.

FOT HYACIN IN HO ed Signatory (Authorized Signatory) Author Name: Perkin Rocha

Designation: Area General Manager







Dated: 01.01.2021

To. The Member Secretary **Delhi Pollution Control Committee** 4th Floor, ISBT Building, Kashmere Gate, Delhi-110006

Sub: Submission of Six monthly December 2020 compliance report of Environmental Clearance letter and also Six monthly CTO compliance for "lemon Tree & Red Fox Hotel" located at Asset no. 06, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

#### Ref. No.: File No. DPCC/SEIAA-SEAC/153/12/227 EC letter No, DPCC/SEAC/153/SEIAA/20/2013 dated 30th July, 2013 CTO Letter no- DPCC/CMC/2018/38381

Dear Sir,


With reference to the above mentioned subject, we are herewith submitting the six monthly compliance report of EC & CTO for the month of DEC 2020 along with related Annexures for your kind perusal, soft copy is also attached.

We fully assure you that, we will comply with all conditions as specified Environmental Clearance and Consent to Operate.

Thanking you, Yours sincerely, For M/s Hyacinth Hotels Pvt. Ltd.

Name (Designation)

Copy To:-



1) Secretary (Environment), cum chairman (DPCC), Department of Environment, Government

- of NCT Delhi, Secretariat Building, 6th level, C-wing, 1.P Estate, New Delhi-2. 2) Director, Impact Assessment III-Division, Ministry of Environment, Forest & climate change
- Paryavaran Bhawan, CGO Complex, Jor Bagh Road, Aliganj, New Delhi-110092 3) The Chief Conservator, Regional Officer, Ministry of Environment Forest & climate change
- (central region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow-226024

# Lemon Tree Premier, Delhi Airport

Asset No. 6, Aerocity Hospitality District, IGI Airport, New Delhi 110037 T +91 11 44232323 | E hi.dl@lemontreehotels.com (A unit of Hyacinth Hotels Private Limited | CIN: U55204DL2007PTC166050) Regd. Office: Asset No. 6, Aerocity Hospitality District, New Delhi 110037 | T +91 11 4605 0101 | Fax 011 4605 0110

Central Reservations: +91 9911 701 701 | lemontreehotels.com

Scanned with Comeconner

Scanned with CamScanner

Dated: 01.01.2021



To, The Member Secretary Delhi Pollution Control Committee 4<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi-110006

Sub: Submission of Six monthly December 2020 compliance report of Environmental Clearance letter and also Six monthly CTO compliance for "lemon Tree & Red Fox Hotel" located at Asset no. 06, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

Ref. No.: File No. DPCC/SEIAA-SEAC/153/12/227 EC letter No, DPCC/SEAC/153/SEIAA/20/2013 dated 30<sup>th</sup> July, 2013 CTO Letter no- DPCC/CMC/2018/38381

Dear Sir,

With reference to the above mentioned subject, we are herewith submitting the six monthly compliance report of EC & CTO for the month of DEC 2020 along with related Annexures for your kind perusal, soft copy is also attached.

We fully assure you that, we will comply with all conditions as specified Environmental Clearance and Consent to Operate.

Thanking you, Yours sincerely, For M/s Hyacinth Hotels Pvt. Ltd.

Name (Designation)

Copy To:-

- 1) Secretary (Environment), cum chairman (DPCC), Department of Environment Government of NCT Delhi, Secretariat Building, 6<sup>th</sup> level, C-wing, 1.P Estate, New Della-2.
- 2) Director, Impact Assessment III-Division, Ministry of Environment, Frest & climate change Paryavaran Bhawan, CGO Complex, Jor Bagh Road, Aliganj, New Delh, 10092
- Paryavaran Dinawan, Oby
   The Chief Conservator, Regional Officer, Ministry of Environment Forest exclimate change (central region), Kendriya Bhawan, 5<sup>th</sup> Floor, Sector-H, Aliganj,Lucknow-226024

Lemon Tree Premier, Deihi Airport Asset No. 6, Aerocity Hospitality District, IGI Airport, New Deihi 110037 T +91 11 44232323 | E hi.dl@lemontreehotels.com (A unit of Hyacinth Hotels Private Limited | CIN: U55204DL2007PTC166050) (A unit of Hyacinth Hotels Private Limited | CIN: U55204DL2007PTC166050) (A unit of Hyacinth Hotels Private Limited | CIN: U55204DL2007PTC166050) Regd. Office: Asset No. 6, Aerocity Hospitality District, New Deihi 110037 | T +91 11 4605 0101 | Fax 011 4605 0110 Central Reservations: +91 9911 701 701 | lemontreehotels.com

.

Premier

Scanned with CamScanner

Scanned with CamScanner

on Shawon

13/121

Ro3d.



June Report-2021

# **TERMS & CONDITIONS AS PER THE CONSENT TO**

# OPERATE NO:DPCC/CMC/2018/38381;dated 26/08/2019

1.	The Consentee shall meet the effluent standards i.e.	Noted lab report is
	pH= 5.5-9, Total Suspended Solids ( TSS)	attached as Annexure-1
	<=50,Biochemical Oxygen Demand (3days at	where inlet and outlet
	27degree Cent.)<= 30, Oil and Grease<=10,	reports has shown
	Phosphate(as P)<=5#All effluent parameters are in	Teports has shown
	mg/I expect pH value	Neted surply the
2.	The Consent is activity specific and based on the	Noted surely the
	information provided in the consent application	consentee shall apply for
	along with the documents/ subsequent	fresh consent in case of
	documents/information submitted to Delhi Pollution control Committee (DPCC). The consentee shall	any change in the activity
	apply for fresh consent in case of any change in the	/manufacturing process.
	activity /manufacturing process.	
3.	The consentee shall display the Name of the unit	Noted and will do
5.	along with its Address, name of the	accordingly
	proprietor/Directors/partners etc, Contact Phone	accordingly
	No(s) and its Activities Processes/ Product etc, on a	
	Display Board to be placed/fixed at the main gate of	
	the unit	
4.	The consentee/unit shall have/take separate	Noted for reference
	Electricity/Power connection in its name and shall	attached electricity bill
	have/ install separate meter in this regard	Annexure-2
5.	The consentee shall provide and maintain separate	Noted STP properly
	drainage system for collection of trade and sewage	maintain by Lemon Tree
	effluents. Terminal manholes shall be provided at	officials, photographs
	the end of collection system and shall be connected	attached as Annexure-3
	to the conveyance system/ sewerage system of the	attached as Annexure-S
	area leading to common Effluent Treatment Plant of	
	the Industrial Area/sewage Treatment Plant of the catchment area	
	The Consentee shall obtain permission from Delhi Jal	Noted no ground water
6.	Board for ground water extraction, if any, as per the	extraction is done
	and and are (Notification of Govt of NCT of Delhi	
	Valious crucity recurrent and	yet, supply of water
	Premier	done by GMR group bill
	atter Ogy	is attached as
	S. XE	Annexure-4
	Various orders/Notification of Covie or Net of Delinit	1
	12 ichightree	• • • • • • • • • • • • • • • • • • •

PREPARE & SUBMISSION BY ASMUENNIR OSOLUTIONS, NOIDA, UTTAR PRADESH 201301

6

12



Т

Г

June Report-2021

٦

7.	In case the unit is located in the industrial area where Common Effluent Treatment Plant (CETP) has been provided ,the Consentee shall make regular payment of its share for the operation and maintenance of CETP to the concerned CETP Society as per the Delhi Common Effluent Treatment Plants Act,2000, as amended to date.	Noted and no Common Effluent Treatment Plant (CETP) is operational in this area.
8.	The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good house keeping practices so as to maintain clean & safe environment in and around the premises of the unit	Noted Consentee alwyas willing to maintain good house keeping practices so as to maintain clean & safe environment in and around the premises of the unit, Attached as Annexure-5
9.	The Consentee shall comply with the noise standards laid down vide Gazette notification of Ministry of Environment and Forest(MOEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date. Stack Height tor sets(Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following (i)Minimum 6 meter above the building where generator set is installed (ii) 30 meter (iii)14Q°'3(QTotal so2 emission from the plant in kglhr) and for otter DG Set(s) ( upto 0.8 MW) stack height shall be as per the following formula, H = h + 0.2?KVA(H-Total Height of stack in meter , h = Height of the building in meters where the Generator Set is installed, KVA -Total Generator capacity of the set in KVA)	Noted all noise standards is done by notification provided by Ministry of Environment and Forest(MOEF&CC), Government of India Dated 17.05.2002 & 12.07.2004 but in current Situation, no D.G set is operational in Delhi/NCR region as per government officials guidelines.
10.	The Consentee shall comply with the provisions of the Hazadousand Other Wastes (Management and	Noted consentee strictly follow the Hazardous and

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS NOIDA LITTAD DDADESU 200200



June Report-2021

Transboundary Movement) Rules, 2016, as amended to date, the Batteries (Management and Handling )Rules, 2001 as amended to date, Solid Waste Management Rules,2016 and E-Waste (Management) Rules,2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date,wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler/Reprocessor /Authorized Agencies for such wastes,authorized by MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites.	Other Wastes (Management and Transboundary Movement) Rules, 2016 Solid Waste Management Rules,2016 and E- Waste (Management) Rules,2016. Waste Generated from the unit is strictly operate by Authorized vendor from MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites, managed by Authorize vendor attached as Annexure-6
The Consentee shall comply with the provisions of the Plastic Waste Management Rules,2016, as amended to date, if applicable.	Noted,maintain by collecting wet and dry garbage in the plastic,and handover to the authorized vendor- Annexure-7
The Consentee shall comply the other prescribed standards of Effluent/Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000as amended to date	Noted
The Consentee shall promote the use of CFL and recovery of mercury from CFL Lamps and should create a system of replacing of old bulbs for new to enable recovery of mercury after the bulbs are fused.	Noted, This is a green building, which follows all requirement under IGBC rule , attached certificate Annexure-8
The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi	Noted Noted Premier De Premier De
	to date, the Batteries (Management and Handling )Rules, 2001 as amended to date, Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed only through the Recycler/Reprocessor /Authorized Agencies for such wastes, authorized by MOEF/Central Pollution Control Board/State Pollution Control Board/Committee/DPCC as per details available on their websites. The Consentee shall comply with the provisions of the Plastic Waste Management Rules, 2016, as amended to date, if applicable. The Consentee shall comply the other prescribed standards of Effluent/Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000as amended to date The Consentee shall promote the use of CFL and recovery of mercury from CFL Lamps and should create a system of replacing of old bulbs for new to enable recovery of mercury after the bulbs are fused. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delbi as ner Matter

PREPARE & SUBMISSION BY ASMI ENVIRO SOLUTIONS, NOIDA, UTTAR PRADESH 201301

June Report-2021

5.	chall rouse/recycle treated water up	Noted,treated water is used in the work of
		maintaining the greenery
	l'ashargo	around, Rain water
		harvesting system is also
		harvesting system is the
		followed by Lemon tree
		officials
	the tradellad Sourage Treatment	Noted, properly
6.	The Consentee having installed Sewage Treatment	operational and maintain
	Plant (STP) of 235 KLD shall properly operate and maintain the STP to meet the prescribed standards	STP 24/7 by Engineering
	as given in the Consent Order. Flow Meters/ suitable	team, lab report is also
ŝ	flow measuring devices shall be provided and	attached and photographs
	maintained to measure the quantity of waste water	
	generation and treatment by the unit and to quantify	Annexure-9
	the roughd of treated water. No bypass (Pipe / Diam)	
	chall be provided. The treated effluent shall be used	
	recycled by the unit. Records /Logbook shall be	
	maintained for the operation of the STP, waste	
	water generated, treated and used/recycled and	
	shall be produced during the inspection of DPCC	
	official(s)	Noted, Emission Control
17.	The Consentee having installed Emission Control	System (ECS) shall
	System (ECS) shall properly operate and maintain the	
	ECS to meet the prescribed standards as given in the Consent Order. No bypass stack/ arrangement shall	properly operate and
	be provided. Records /Logbook shall be maintained	maintain the ECS to meet
	for the operation of the ECS and shall be produced	the prescribed standards
	during the inspection of DPCC official(s).The	as given in the Consent
	Consentee shall provide and maintain ports in the	Order. Annexure-10
	Stack(s) /Chimney(s) and facilities such as ladder,	
	platform etc. in good condition for monitoring of the	
	emissions.	
18.	Capacity of the Diesel Generator Set (s) installed in	Noted Noted all noise
	the unit 1X1010 KVA 2X750 KVA. The Consentee shall	standards is done by
1040	properly maintain the Acoustic Enclosure/ Acoustic	notification provided by
	Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to	Ministry of Environment
al as a	meet the prescribed standards/ norms as mentioned	and Forest(MOEF&CC),
	above. The Consentee shall not operate the DG Set(s	Government of India
	till compliance of the prescribed norms/standards	Dated 17.05.2002 &
	for DG Sets	12.07.2004 but in current
10		Situation, no D.G set is
	Tee Premiery Do	operational in Delhi/NCR
	12 20 12	
	PREPARE & SUBMISSION BY ASMPENVIRO SOLUTIONS, NO	IDA,UTTAR PRADESH 201301
Buelow	B. F. Aerocity, New Dentit	



# **NOIDA TESTING LABORATORIES**

(A Government Approved Testing Laboratory

(An ISO :9001 : 2015 & ISO 45001 : 2018 Certified Laboratory) MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB & HSPCB Recognized Laboratory +91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

# **TEST CERTIFICATE**

Report Code: W20201214-02

Report Issue Date Sample Received Analysis Duration : 06.03.2021 :02.03.2021 :02.03.2021 to 06.03.2021

Issued To : LEMON TREE HOTEL Aerocity New Delhi

#### Sample

Description :STP INLET

#### Waste water Quality Analysis SAMPLING DETAILS:

Sampling Location Weather Condition Sample Packing & Marking Sampling Protocol Sample Quantity : STP INTLET : Normal : Plastic/Glass Bottle : IS-3025(P-1)-1987,Reaff:2003 : 1Liter+500 ml

S. No.	Parameters	Unit	Results	Test method
1.	рН	-	7.66	IS: 3025(Pt-11)1983, Reaff. 2002
2.	Total Suspended Solids	mg/l	146	IS: 3025(Pt-17)1984, Reaff. 2006
3.	Oil & Grease	mg/l	16.6	IS: 3025(Pt-39)1991, Reaff. 2003
4.	Bio Chemical Oxygen Demand(at 27 <sup>o</sup> C for 3 days)	mg/l	88	IS: 3025(Pt-44)1993, Reaff. 2003
5.	Chemical Oxygen Demand	mg/l	456	IS: 3025(Pt-58)-2006

\*\* End of Report \*\*

CHECKED BY

AUTHORIZED SIGNATORY



# **NOIDA TESTING LABORATORIES**

(A Government Approved Testing Laboratory

(An ISO :9001 : 2015 & ISO 45001 : 2018 Certified Laboratory) MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB & HSPCB Recognized Laboratory \*91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

## **TEST CERTIFICATE**

Report Code: W2021030603

Report Issue Date SampleReceived Analysis Duration :06.03.2021 :02.03.2021 :02.03.2021 to 06.03.2021

Issued To : LEMON TREE HOTEL Aerocity New Delhi

Sample Description

STP OUTLET

Waste Water Quality Analysis

#### SAMPLING DETAILS

Sampling Location Weather Condition Sample Packing & Marking Sampling Protocol Sample Quantity : STPOUTLET : Normal : Plastic/Glass Bottle : IS-3025(P-1)-1987,Reaff:2003 : 1Liter+500 ml

TDS - 2550

S. No.	Parameters	Unit	Limits	Results	Test method
1.	рН	-	5.5-9.0	<u>6.8</u> 2	IS: 3025(Pt-11)1983, Reaff. 2002
2.	Total Suspended Solids	mg/l	<50	16.6	IS: 3025(Pt-17)1984, Reaff. 2006
3.	Oil & Grease	mg/l	10	4.1	IS: 3025(Pt-39)1991, Reaff. 2003
4.	Bio Chemical Oxygen Demand(at 27 <sup>0</sup> C for 3 days)	mg/l	30	14.0	IS: 3025(Pt-44)1993, Reaff. 2003
5.	Chemical Oxygen Demand	mg/l	250	56.7	IS: 3025(Pt-58)-2006

\*\* End of Report \*\*

CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, Noida Gautam Budh Nagar - 201301 Branch Office : IP-2, Haridwar, Uttrakhand Branch Office : Gayatri Nagar. Katgodam, Haldwani, Uttrakhand E. : noida.laboratory@gmail.com, info@noidalabs.com W.: www. noidalabs.com



Bill Date

:18-05-2021

#### Date of Print Out: 19.05.2021 Bill of Supply for Electricity

GSTIN: 07AAGCS3187H2Z3

BSES Rajdhani Power Ltd.

Customer Care Centre No. 19123 (24x7 Toll Free)

Due Date: 02-06-2021

Name : M/s. HYA	CINTH HOTELS PVT LTD				
Billing Address : A	Asset 6 Old Airport Road Dial Project NA	Sanctioned Load	:1200.00 (kW)	CA No.	:150568805
NEW DELHI 1100	)30	Contract Demand	:1050.00 (kVA)	Energisation Date Meter Type	:03.04.2013 :3PSK
		M D I	:570.00 (kVA)	Supply Type	:HT(11KV)
		Power Factor	:1.000	Bill No.	:10004636607
Supply Address : A	Asset 6 Old Airport Road Dial Project	Pole No.	:VKJNHT00S1	Bill Basis	: Actual
Mahipalpur Road I	NEW DELHI 110030	Meter Reading Status	:MR	O.D. No. CCTV Tagged	:R/21/10242839460 :No
Mobile / Tel. No.	:9560958428	Cycle No.	:KC	Street Light Tagged	
Email ID	:naveen.kumar@lemontreehotels.com			WI-FI Tagged	:No
District / Division	: Vasant Kunj	Tariff Category :C	A Retail Non-Dom	estic [ HT ]	
Walking Sequence	:VK2KC				
Bill Month	:MAY-21				

#### Meter Details in Annexure

<b>Billing Detai</b>	ils	Curi	ent P	eriod Charges	( 01-0	4-2021 to 3	0-04-2	021 )			
Fixed Charges	S	lab-wise Energ	y Charg	ges	Slab-w	vise FPA/PPA	,	ГОД	Srch@8% on Elec.tricity		Total Amount
(A)	Cons. Measrd During	Billed Units	Unit Rate		PPAC% on B	Amount(C)	TOD% on B	Surg/Rebt . Amount (D)	(E= A+B+D+R)	Tax @ 5% (H)	(A+B+C+D+E+ F+G+H+I)
187500.00	NORMAL(S)	11047	8.50	93899.50	16.69	15671.83			201268.68	37574.38	1308453.30
1.00 Mth(s)	OFFPEAK(S)	1891	8.50	16073.50	16.69	2682.67					
	PEAK(S)	6555	8.50	55717.50	16.69	9299.25			Pension Sur		
PPAC on Fix	NORMAL(S)	30375	8.50	258187.50	16.69	43091.49			()	")	
Chg(G)	OFFPEAK(S)	5202	8.50	44217.00	16.69	7379.82			1257	92.93	
31293.75	PEAK(S)	18027	8.50	153229.50	16.69	25574.00			TCS An	nount (I)	
									Base Amt.	Surcharge	
<b>CCTV Units</b>									0.00	0.00	
0.00									CCTV Bi	ll Amount	
Street Light Units	5								0.	00	
	TOTAL ->	73097		621324.50		103699.06			Street Light	t Points (W)	
WI-FI Units									10W 20	W 40W	

#### Past Dues / Refunds / Subsidy

Arrears / Refunds		Late Payment Surcharge (LPSC)	Other Charges, if any *	Total Charges Pavable	Rebate(R) / Subsidy*	Net Amount Payable
Amount	Period to which it relates	Sureninge (Erbe)	ii uny	i ujuote		Tujubie
(67387.65)		0.00	0.00	1241065.65	(21750.71)/0.00	1219314.94
Amount n	not immediately paya	ble, if any.	BG Security Deposit	Rs. 0.00	Bill Amoun	t Pavable
Rs. 0.00			BG Expiry Date	00-00-0000	<b>Rs. 12193</b>	
Service line cum deve	elopment charges paid	Rs. 0.00	Cash Security Deposit	Rs. 1800000.00		
Interest accrued for F ( generated for the pe	Y 2020-21 already ad eriod 31-03-2021 to31	justed in bill No.10039: 03-2021).	5918688	Rs. (139500.00	Due Date of H	Payment
Interest for FY 2021-22 will be adjusted in your first bill to be			e generated in FY 2022	-23	02-06-2021	
					If payment is made a LPSC for the delay,	fter the due date, shall be charged in

Last payment Rs. 112930.00 received on 30-04-2021 Payment Accounted Upto. 15-05-2021 the next bill. The connection shall be liable for disconnection on non payment of all dues(including arrears of previous bill(s)) by due date, after notice as per Section 56(1) of the Electricity Act, 2003.

#Power Purchase Adjustment Charge (PPAC) @ 16.69% has been levied on energy & fixed charge w.e.f. 15.02.2021. CCTV Bill amount include Energy,RA,PPAC,PTC and Electricity Tax on CCTV consumption.##In case any variation in SLD charges noted, consumer may visit divisional office for requisite correction. Pension Surcharge @ 5.00% has been levied on energy & fixed charge w.e.f. 01.09.2020. ##The amount of Security Deposit against your connection is mentioned herewith under the heading "Security Deposit with DISCOM". Please check this amount and report any discrepancy by furnishing documentary proof in that regard available with you, at the customer care centre of respective division office. ##Anyone treating Electricity Bill as conclusive proof of Residence is advised to verify the particulars.# Switch off lights and appliances from mains when not in use. This will conserve energy and reduce your electricity bill.

(This bill is computer generated, hence does not require signature.)

KC00R1505688050001219310002021060200000000



\* Cheque should be account payee and payable at Delhi \* Do not Staple.Only clip the cheque to payment slip..

Bill amount payable: Rs.1219310.00 Cheque/DD No. Bill month:MAY-21 Date:

PAYNOW

Regd.Office: BSES Rajdhani Power Limited (A joint venture of Reliance Infrastructure Ltd & Govt.of NCT of Delhi) BSES Bhawan, Nehru Place, NEW DELHI-110019 CIN NO.:U40109DL2001PLC111527, Telephone No: 011-3999 9707, Fax No: 011-3999 9890, Email: brpl.customercare@relianceada.com, Website: www.bsesdelhi.com



#### Date of Print Out: 19.05.2021 **Meter Details Annexure**

**CA No.** :**150568805** Bill No. :10004636607

Bill Date :18-05-2021

Name :M/s. HYACINTH HOTELS PVT LTD

Billing Address :Asset 6 Old Airport Road Dial Project NA NEW DELHI 110030

	Net Meter Consumption Details ( Date of Reading : 30-04-2021)												
Total Solar Generation Units		For The B	illing Period	l Cumula	Cumulative Generation in FY		Solar Installation Details		ails D	Date of Installation		Capacity kWp	
e mus			0		0							0.	00
B/F Units (If any)	E	xport Readi	ng	Im	port Readi	ing	Net Difference		Mo	derated U	nits	C/F Units (If any)	
(11 411)	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	Normal	Peak	Offpeak	(11 411))
0	0	0	0	0	0	0	0	0	0	0	0	0	0

( Consumption in the above table are in kWh/kVAh, as applicable )

Meter No	Units	Billed Consumption (	(Current)	Billed Consumption (	Billed Consumption (Previous)		Current Co	onsumption
		Date of Meter Reading(24:00Hrs)	Reading	Date of Meter Reading	Reading	Factor	Days	Units
Y0354608	kWh	30-04-2021	5,095.16	31-03-2021	5,004.06	3,000.00	30	273,300.00
Y0354608	kW	30-04-2021	0.19			3,000.00		570.00
Y0354608	kVAh	30-04-2021	5,111.11	31-03-2021	5,020.01	3,000.00	30	273,300.00
Y0354608	kVA	30-04-2021	0.19			3,000.00		570.00
Y0354608	kVAhP	30-04-2021	1,429.67	31-03-2021	1,404.65	3,000.00	30	75,060.00
Y0354608	kVAhO	30-04-2021	1,161.19	31-03-2021	1,142.46	3,000.00	30	56,190.00

Regd.Office: BSES Rajdhani Power Limited (A joint venture of Reliance Infrastructure Ltd & Govt.of NCT of Delhi) BSES Bhawan, Nehru Place, NEW DELHI-110019 CIN NO.:U40109DL2001PLC111527, Telephone No: 011-3999 9707, Fax No: 011-3999 9890, Email: brpl.customercare@relianceada.com, Website: www.bsesdelhi.com

M/s Hyacinth Hotels Pvt. Ltd. Lemon Tree Premier & Red Fox Hotel" Asset no- 6, Hospitality District, DIAL, IGI Airport, New Delhi



#### FORM-4 RETURN FOR THE FINANCIAL YEAR 2020-2021

DATE- 29.06.2021

#### Date:24 June 2021

To,

The Environment Engineer Delhi Pollution Control Committee 4<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi-110006

#### Subject- Submission of FORM-4 for the period of 01.04.2020 to 31.03.21 Annual return.

Respected Sir,

We are enclosing herewith FORM-4 for the period from **01.04.2020 to 31.03.21 i.e. Annual return** for the Hazardous waste for the financial Year 2020 to 2021 for our site located at Asset no- 6, Hospitality District, DIAL, IGI Airport, New Delhi

Thanking You,

M/s Hyacinth Hotels Pvt. Ltd. Lemon Tree Premier & Red Fox Hotel" Asset no- 6, Hospitality District, DIAL, IGI Airport, New Delhi

#### **Authorized Signatory**

Encl. As above

CC: The Chairman Delhi Pollution Control Committee

#### **FORM – 4** [See rules 5(6) and 22(2)]

### FORM FOR FILING ANNUAL RETURNS BY THE OCCUPIER OR OPERATOR OF A FACILITY For the period from 1<sup>st</sup> April 2020 to 31<sup>st</sup> March 2021

[To be submitted by occupier/operator of disposal facility to State Pollution Control Board/ Pollution Control Committee by 30<sup>th</sup> June of every year for the preceding period April to March]

1.	Name and address of thegenerator/operator of facility	:	M/s Hyacinth Hotels Pvt. Ltd. Lemon Tree Premier & Red Fox H Hospitality District, DIAL, IGI Airport, New Delhi	otel "Asset no- 6,
2.	Name of the authorized person and full address with telephone and fax number	:	Mr. Naveen Sharma M/s Hyacinth Hotels Pvt. Ltd. Lemon Tree Premier & Red Fox H Hospitality District, DIAL, IGI Airport, New Delhi Mobile no- 9560958428 Email Id amengg1.pdl1@lemontreehotels.com	
3.	Description of hazardouswaste	:	Physical form with description Used Lube oil generated from Ge	Chemical form
4.	Quantity of hazardous wastes (in MTA)	:	Type of hazardous waste Used Oil( Hz. Waste Category 5.1)	Quantity One Thousand one hundred forty ltr.( 1140 ltr.)
5.	Description of Storage	:	Stored in closed labeled PVC drums in designed area with concrete flooring. Attached as Annexure 1	
6.	Description of Treatment	:	none	

7.	Details of transportation		Name & address of consignee <b>M/s Mahavir Udyog</b>	Mode of packing	Mode of transpo -rtation	Date of transportati -on		
			M/s Manavir Odyog 5/11 ,Mile Stone,Vill. &P.O Baniyani Bhawan Road,Distt. Rohtak,Haryana,M ob. 9811182507, Email- ksrawat1965@gmai l.com	Closed PVC Drum	DL1LAC 8713	05.01.2021		
8.	Details of disposal of hazardous waste	:	Name & address of consignee		transpo rtation	Date of transportati -on		
			Given to Approved vendor/recycler-( M/s Mahavir Udyog)					
9.	Quantity of useful materialssent back to the manufacturers* and others#	:	Name and Type of n back to Manufacture Others# <b>Used Lube oil</b>	Quantity 1140 ltr.				

\* delete whichever is not applicable# enclose list of other agencies

Date : 25 June 2021

Signature :....

Place : Delhi,India

Designation:.....

Date:24 June 2021

To,

The Environment Engineer Delhi Pollution Control Committee 4<sup>th</sup> Floor, ISBT Building, Kashmere Gate, Delhi-110006

Subject- Disposal of Hazardous Waste M/s Mahavir Udyog 5/11,Mile stone,Vill. & P.O Baniyani Bhawan Road,Distt Rohtak,Haryana.

Respected Sir,

We have sold 1140 liters of used lube oil( Hazardous Waste) to M/S Mahavir Udyog 5/11,Mile stone,Vill. & P.O Baniyani Bhawan Road,Distt Rohtak,Haryana and eclosing relevant documents for your record.

Thanking You,

**M/s Hyacinth Hotels Pvt. Ltd.** Lemon Tree Premier & Red Fox Hotel " *Asset no- 6, Hospitality District,* 

DIAL, IGI Airport, New Delhi

**Authorized Signatory** 

		FORM 10
1		See Rule 19 (1)] ZARDOUS AND OTHER WASTE 482
1.	Sender's Name and Mailing Address	Lemon Tree Premier (Delhi Airport)
1.	(Including Phone No. and Email)	
2.	Sender's Authorisation No.	482
3.	Manifest Documents.	
4.	Transporter's Name and Address : (Including Phone No. & Email)	MAHAVIRA UDYOG 5/11, Mile Stone, Vill. & P.O. Baniyani, Bhiwani Road, Distt. Rohtak, Haryana   Mob. : 9811182507, 8076564627 Email : ksrawat1965@gmail.com
5.	Type of Vehicle	Truck DLILAC8713
6.	Transporter's registration No.	115/2015-16/RCRR/Waste Oil / HSPCB Orange
7.	Vehicle Registration No.	
<b>8.</b>	Receiver's Name and Mailing Address (Including Phone No. & Email)	MAHAVIRA UDYOG 5/11, Mile Stone, Vill. & P.O. Baniyani, Bhiwani Road, Distt. Rohtak, Haryana   Mob. : 9811182507, 8076564627 Email : ksrawat1965@gmail.com
9.	Receiver's Authorisation No.	115/2015-16/RCRR/Waste Oil / HSPCB Orange
10.	Waste Description	Used worke luberals (DGSets)
11.	Total Quantity No. of Containers	Used Waste lube ols (Dasets) 11409tr. ( one thousand are hadned fogets
12.	Physical Form	liquel
13.	Special handling instructions and additional information	fithe consistence full
14.	Sender's Certificate oremier - Dom	I hereby declare that the contents of the consignment are full and accurately described above by proper shipping name an are categorised, packed, marked, and labeled, and are in a respects in proper conditions for transport by road accordin to applicable national government regulations.
D	Name & Stame: Signature	Month Day Year
	6. Aerocity, New	0105-1202
15.	Transport acknowledgment of receipt of Waste	es used waste luse als (Dusch)
		Month         Day         Year           © 1 0 5 2 0 2 1
16.	Receiver's Certification for foceipt of Hazardous	is and other waste used waste hube only ( Dusch)
		Month Day Year
	Name & Stamp - Contract	01052021
	I White Form forwarded by the sender to SPCB. Yellow Form retained by sender after taking sign from transpo	<ol> <li>Orange Form handed over to transporter after accepting waste.</li> <li>Green Form sent by receiver to SPCB.</li> </ol>

Tenow Form retained by sende
 Blue Form retained by receiver

6. Pink Form sent by the receiver to the sender.

LEMON TREE PREMIER, DELIII AIRPORT (A UNIT OF HYACINTH HOTELS PVT. LTD.) Asset No. 6, Aerocity Hospitality District New Delhi 110037 GSTIN: 07AABCH8933M1Z5 Buyer				Invoice	Invoice No. 300829000015			2∮	
					Accounting Document No:		Mode/Te	erms of Payment: Pa	
								tely w/o deduction	
							Other Reference(s)		
							Dated		
					s Order No.				
	AVIRA UDYOG	VANI ROAD		Dispat	Dispatch Document No.		Delivery Note Date		
VPO BANIYANI, BHIWANI ROAD, ROHTAK, HARYANA 124001 GSTIN: 06AAYFM4494Q1Z1				Dispat	Dispatched Through			Destination	
				Due D	Due Date:				
	•				Quantity	GST I	Base	Amount (INR)	
SL No.	Description of	Services/Goods	HSN/SAC	GST Rate	Quantity	0011			
1	Used Lube Oil Blac Output-IGST@18.0		- 2710	18.00%	1140 Ltr	15,67	7.97	15,677.97 2,822.03	
			al		£				
			••••					18,500.00	
		Tota	al .					18,500.00	
		HSN/SAC			Taxable		Tax		
					Value		Rate	Amount 2,822.03	
		2710		otal	15,677.9		18.00 %	2,822.03	
Bank	Account details: -								
Acco	ount Name	:							
Acco	ount No	:							
Bank	Name & Address	:							
RTG	S/IFSC	:			and the second				
		1						•	
		ak 1140 L tr @ Rs 1	6.23						
Text :	: Used Lube Off Bla	ck 1140 Ltr @ Rs. 1			Engl DM	יים מיז׳ ואו		ען ניזע ס	
								R, DELHI TELS PVT, LTD	
Company's PAN: AABCH8933M					10				
Cin No U55204D1.2007PTC166050				•			1		
<u>Decla</u> We d	aration leclare that this invo	ice shows the actual ticulars are true and 6 , Aerocity Hospita	correct.	oods			Daws	Authorised Signa	
Regd New	Delhi 110037	0,					1.100	runninger ordin	

4

SUBJECT TO DELHI JURISDICTION This is a Computer Generated Invoice

# **PVC DRUM WITH CONCRETE FLOORING**





## PROPOER MANAGMENT DONE BY LEMON TREE STAFF

# SOUTH DELHI MUNICIPAL COOPERATION, OFFICE OF THE DEPUTY SANITATION SUPERINTENDENT DEMS, SOUTH ZONE, GREEN PARK NEW DELHI

#### No.1949/SS/DEMS/SZ/2017

To

Dated: 19-01-2018

Mr. Chaudhary, Contractor K-2, 705 Near Mata Chowk, Mahipalpur, New Delhi-110037

# (An Initiative towards gear-up the City Ranking)

#### Subject: - PERMISSION FOR COLLECTION OF GARBAGE AFTER SEAGRAETED AT SOURCE TO NOMINATE/IDENTIFY THE RAGPICKERS/GARBAGE COLLECTOR IN VARIOUS WARDS OF SDMC/SZ.

Dear Sir,

As per directions of the Hon'ble Court, it has been noticed that *clause 4.8 :- All major bulk* sources of Municipal solid Waste Generators i.e. Hotels, Restaurants, Malls, Banque/Marriage Halls, institutions, Hospitals, Group Housing Societies, etc are not doing the disposal of solid waste generated by them in accordance with the MSW rule 2016. The garbage being generated from the above institutions/ organizations is being disposed/ collected by the unauthorized garbage pickers, which is being throw/dump it into the forest area/green belt or at the road & drain side, wherever they found feasible, which become the cause of nuisance i.e. hazardous to public as well as spoiling the environment thus going the violation of Hon'ble National Green Tribunal.

In this regard, the Hon'ble National Green Tribunal, Principal Bench, New Delhi vide order dated 02.12.2016 passed I OA No. 281/2016 and OA No. 22/2013 in the matter of Kudrat Sandhu V/s GNCT, State NCT of Delhi & Ors and Sukhdev Vihar RWA & V/s State of NCT of Delhi & ors respectively that the garbage generator will be segregated at source. The residual waste i.e. STP, Grease, Waste Garbage shall be given to the waste collector or agency, as directed by the local body or shall be disposed through compositing or bio – methanation under the direction of local body.

As per your request, considered & found eligible to remove/cleaning of Municipal Solid Waste and other work pertain to sanitizing in SDMC/SZ w.e.f 1<sup>st</sup> October,2017 to 30<sup>st</sup> September,2018.

#### Term & condition for termination of the permission are as under:

- 1. This is non-transferrable job.
- 2. This permission can be terminated under the direction of the Hon'ble court.
- 3. During surprise inspection of the authority, if found any laxity or any violation of the MSW Rule 2016.
- If any complaint received from public or during investigation found defaulter the action will be automatically initiated fro cancellation.
- 5. If found spilt garbage on the public places or at road side/drains except SDMC dhalao.
- The waste collector will pay the user-charge to SDMC as per term & Condition levied on him as per rule.
- The waste collector will dump the residual waste free of cost at the designated site by the local body only. Thus, No claim will be consider in any Court of Law

Note: The aforementioned T & C are extendable time to time under the direction of the authorities.

received

Superintendent Sanitation EMS Department South Zone,SDMC

> Sanitation Supdt. DEMS, South Zone Green Park SDMC, New Dellet

CC:

Endorsement by the Generator/Auctioncer/Seller/Sender of recyclable Hazardous Waste (Except Column No. 6 & 7)

Authorisation No. : HWR/ROH. 2020 8058745 Date: 5/0/2020 Type of Hazardous Waste: Used Waste oil Permitted Quantity: 5000T

(MT/Annum)

		Date of dispatch		Type &	Signature	Date of	Balance
	<b>NO.</b>	dispatch	Generator/Auctioneer/ Seller/Sender	Quantity of	& Scal of	receipt in	quantity
			Scher/Sender	the Hazardous	the	the	(Authorised
				Waster	Generator/ Auctioneer/	recycle's premises &	Procured till date) (MT)
1				procured by	Seller/	Challan No.	uac) (m1)
			And the second sec	recycler	Sender with		
9	(1)	(2)	(0)	Salt - Participant and Street	date	· Par	
	1-1	(2)	(3) ह	रयाण(4) सरकार	(5)	(6)*	(7)*
			Indie, Japan Wilhip Mirals Ud, Bawal	used hote	te score of	0.00	
	1.		HAF	YANA STAT	111	9-10-20	
			male va, Brucel	luve oils	in the second second		
				5×220 PA' 1100/4	1		
t							
		ŀ	American Express Andy Bird, Sector 42 Gapan	Uneal Westerne	<u> </u>	1	
	0		Bra.	16×220lh1/	With a star	11-11-20	
ŀ	2.		Sector 42 40 Pan		and the second se		
L	1	2	. (44	=154020			
			Cenon Tree Brening	Used orl			
		-	Delhi Airport				
13	3.	:	Acrocity Della	1140 ltm.		05-01-21	
ŀ		•		Useal Work	1		
ŀ			India Japan Lighting	01.00		10 0.	
,		170				12-01-21	
L	t j	8	(P) by . 1sawat	(4×220/1)	** <sub>2</sub>		
			(P) Vol. Bausel HellDe Growth Certin Baune	-880 km	. Sec. 1		
	1						
C		16	P.NO.34 Sector'S			13-01-21	
5			37 (Ad 1	(4x220 lh) = 880 lh		1.2.7	•
	1	***	Noi34 sectors	= 880lh			
	1		Bawel				
		1		The second s			

\* To be filled by the authorised Recycler

5

# **IGBC CERTIFICATE**

