

HYACINTH HOTELS PRIVATE LIMITED

Regd. Office: B 6/17 Safdarjung Enclave, New Delhi - 110 029
T +91-11-46050101. F +91-11-46050110
(CIN U55204DL2007PTC166050)

Date:- 26th June 20

17

To,

Member Secretary,

Delhi Pollution Control Committee,

4th Floor, ISBT Building,

Kashmere Gate, Delhi-110006

~~July-16~~

Dec-16

Subject: Submission of Half yearly compliance of the stipulated Environmental Condition/safeguards in the Environmental Clearance Letter for "Lemon tree & Red Fox Hotel" located at Asset no-6, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

Ref: File No. DPCC/SEIAA-SEAC/153/12/227.

EC Letter No. DPCC/SEAC/153/SEIAA/20/2013; Dated: 30th July, 2013

Dear Sir,

This has reference **EC Letter No.** DPCC/SEAC/153/SEIAA/20/2013; Dated: 30th July, 2013 vide which we have been asked to submit the compliance with the specific and General Conditions.

In view of above, we are approaching you by submitting the half yearly compliance report of **June, 2017** along with the following information/ documents for your kind perusal:

1. Point -wise compliance of the stipulated environmental condition / safeguards.
2. Environmental Monitoring Report.

We fully assure you that we will comply with all condition as specific in the Environment Clearance granted us.

Thanking you,

Yours Sincerely,

For M/s Hyacinth Hotels Pvt. Ltd.

HYACINTH HOTELS PVT. LTD.

Stamp & Sign.

Name **SUKHBEEN SINGH TARA**

(Designation) **General Manager**

Authorised Signatory

Copy to:

1. Secretary (Environment), cum Chairman (DPCC), Department of Environment, Government of NCT Delhi, Secretariat Building, 6th Level, C-wing, I.P Estate, New Delhi-2
2. Director, Impact Assessment -III- Division, ministry of Environment, Forest & Climate Change Paryavaran Bhawan, CGO Complex, Jor Bagh Road, Aliganj, New Delhi-110092.3.
3. The Chief Conservator, Regional Officer, Ministry of Environment, Forest & Climate Change (Central region), Kendriya Bhawan, 5th Floor, Sector-H, Aliganj, Lucknow-226024.

"Lemon Tree Premier & Red Fox Hotel"

**Asset no- 6, Hospitality District,
DIAL, IGI Airport, New Delhi**



Compliance Report

**Environmental Clearance Compliance of Stipulated Environmental
Conditions/Safeguards of "Lemon Tree & Red Fox Hotel" at Asset no-6,
Hospitality District, DIAL, IGI Airport, New Delhi**

PART A - SPECIFIC CONDITIONS

I. Construction Phase

I.	Construction should be started after obtaining prior Consent to Establish from Delhi Pollution Control Committee (DPCC) under Air and Water Acts and a copy shall be submitted to the SEAC-Delhi, failing which project shall be discontinued.	All rules and regulations were followed and after obtaining Consent to Establish, construction was started. Consent to Establish letter is enclosed as Annexure- I.
II.	Provision shall be made for the housing of labours within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care along with first aid room, crèche etc. The housing may be in the form of temporary structures to be removed after completion of the project.	The construction of the project has been completed and it is in operational phase. The stipulated infrastructure and facilities were provide during construction phase.
III.	Health and safety norms of CPWD should be followed during construction	It was followed at the time of construction
IV.	Top soil excavated during construction activities should be stored within the site for use in horticulture/landscape development.	At the time of construction it was done and top soil used in horticulture and scaping.
V.	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed of taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority	Project is in operational phase. The stipulated condition was same followed during construction phase.

"Lemon Tree Premier & Red Fox Hotel"
Asset no- 6, Hospitality District,
DIAL, IGI Airport, New Delhi



Compliance Report

VI.	Proper measures should be adopted to control dust emissions during construction phase by providing adequate numbers of water sprinklers.	For controlling dust emissions during construction phase all necessary precautions were taken. Including water sprinkler.
VII.	Soil and water samples of the site should be tested by the project proponent through any laboratory recognized by DPCC to ascertain that there is no threat to ground water quality by leaching of contaminants, on quarterly basis for inclusion in the six monthly reports.	It was done at the time of construction.
VIII.	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into groundwater. Bulk of the demolition waste should be recycled and minimum possible demolition waste should be dumped at designated dumping site.	The construction of the project has been completed as project is in operational phase, hence this condition is not applicable. The condition was complied during construction phase.
IX.	Bio-medical waste, if any, shall be disposed of as per the Bio-medical waste (Management & Handling) Rules, 1998 and authorization shall be obtained from DPCC as per applicability.	This condition is not applicable.
X.	Any hazardous waste generated during construction and operation phase should be disposed off as per applicable rules and norms with necessary authorization from Delhi Pollution Control Committee.	Hazardous waste generated during construction phase was handled as per Hazardous during operational phase spent oil from DG set is the only hazardous excess & is being disposed off as per prevailing norms.

"Lemon Tree Premier & Red Fox Hotel"
Asset no- 6, Hospitality District,
DLAL, IGI Airport, New Delhi



Compliance Report

XI.	The diesel generator sets to be used during construction phase should be operated on low sulphur diesel and should conform to the Environment Protection Rules prescribed for air and noise emission standards.	The DG sets were run using low sulphur diesel during construction phase.
XII.	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.	Diesel for DG sets was stored in daily storage drums in minimum quantity as per threshold limit applicable for temporarily storage of diesel for which no clearance from Chief Controller of Explosives is required.
XIII.	Vehicles hired for bringing construction material to the site should be in good condition, have pollution check certificate, conform to applicable air and noise emission standards. These vehicles should be operated only during non-peak hours. The material loaded or unloaded should be covered (Especially excavated soil) before transportation to avoid fugitive emissions etc.	The condition was complied during construction phase.
XIV.	Ambient noise levels should conform to prescribed residential standards both during day and night hours. Adequate measures should be made to reduce ambient air and noise level during construction and operation phase, so as to conform to the norms stipulated by CPCB/DPCC. Ambient air and noise monitoring should be done by an accredited lab and data should be submitted along with compliance report in every six month.	Noise monitoring report is enclosed as Annexure-II. The noise level is within stipulated levels.
XV.	Thick green belt of the adequate width and density, along with adequate tree plantation to create a buffer zone as per plan submitted, shall be raised along the periphery of the plot so as to provide protection against particulates and noise.	Thick Green belt has been developed in the project. Indigenous species of plant species have been planted around the project periphery to absorb maximum dust and to reduce noise level. Site plan is enclosed as Annexure- III & photos showing plantation and landscape of the project

"Lemon Tree Premier & Red Fox Hotel"
Asset no- 6, Hospitality District,
DIAL, IGI Airport, New Delhi



Compliance Report

		is enclosed as Annexure- IV.
XVI.	Natural drainage should be preserved as far as possible.	Within 7 KM of the project site, there is no Natural drainage
XVII.	Rain water harvesting, as per plan submitted, for roof top run-off and surface run-off should be implemented. Before recharging the surface run-off, pre-treatment must be done to remove suspended matter, oil and grease. The depth of the bore for rainwater recharging should be kept in consultation with DJB. No wastewater (such as sewage, trade effluent, backwash of treatment unit, floor washing wastewater etc) should be discharged into the rainwater harvesting structure in order to avoid groundwater contamination. The collected rainwater, if any should be properly treated before use.	The implementation of rain water harvesting for roof run-off and surface run-off is done as per submitted plan. The depth of the Bore for rainwater recharge has been done in consultation with DJB. No wastewater is discharged into the rainwater harvesting structure in order to avoid groundwater contamination. Photo of rainwater harvesting pits at site is enclosed as Annexure- IV.
XVIII.	The ground water drawl during construction and operation phases should be done only with the prior permission of DJB. Until then, no ground water shall be used in construction activities. The ground water level and its quality should also be monitored regularly in consultation with DJB.	No permission was required because there was no ground water extraction done at time of construction. In its operational phase also the source of water supply is Delhi International Airport Private Limited. Recent water bills of water is enclosed as Annexure- V.
XIX.	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification dated September 14 th , 1999 and amended as on August 27 th ,	Fly ash used as per notification during construction of building.
XX	Ready Mix Concrete must be used in building construction to minimize the use of water.	During building construction it was complied.
XXI	Water demand during construction should be reduced by use of pre-mixed	It was complied at the time of construction.

"Lemon Tree Premier & Red Fox Hotel"
Asset no- 6, Hospitality District,
DIAL, IGI Airport, New Delhi



Compliance Report

	concrete, curing agents and other best practices preferred.	
XXII	Fixtures for toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Required fixtures have been installed for toilet flushing and drinking
XXIII	Energy Conservation Building Code to be strictly adopted in all aspects of building design and construction. Requirements of GRIHA rating, if proposed, should be followed.	Energy Conservation Building Code has been adapted to maximum possible extent in all aspects of building design and construction.
XXIV	Approval of Chief Fire Officer and Delhi Urban Arts Commission for Building Plans, approval of Airport Authority of India for Building Height and approval of other authorities viz Land owing Agency, DJB, MCD, NDMC, DISCOM, etc should be obtained.	All necessary approvals have been already obtained.
XXV	NOC for cutting of trees, if any, should be obtained from Department of forest & Wildlife.	Felling of tree at the project site was not required because project site was vacant land. Therefore permission from forest department was not required.
XXVI	Approval of competent authority shall be obtained for structural safety of the building due to earthquake. Adequacy be ensured for firefighting equipments etc as per National Building Code including protection measures from lightening etc.	All safety measures were taken as per National Building Code. Approval of competent authority was obtained for structural safety of the building due to earthquake. Fire safety certificate is enclosed as Annexure- VI.
XXVII	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to neighbors.	It was complied at the time of construction.

II. Operation Phase

"Lemon Tree Premier & Red Fox Hotel"
Asset no- 6, Hospitality District,
DIAL, IGI Airport, New Delhi



Compliance Report

I	Consent to operate under Air and Water Acts shall be obtained from DPCC before operation, failing which the Environmental Clearance herein shall be deemed to be withdrawn.	Consent to operate under Air and Water Acts have been granted by DPCC. CTO letter is enclosed as Annexure- VII.
II.	The zero wastewater discharge condition shall be achieved with installation of a well designed on-site Sewage Treatment Plant (STP) for the generation of sewage and Effluent Treatment Plant (ETP) for any type of effluent and the treated wastewater shall be reused in HVAC cooling, flushing through dual plumbing and in Horticulture. The STP/ETP should be certified by an independent expert and adequacy report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. Water meters at all appropriate places shall be installed to know the quantum of water used, wastewater, treated water recycled/reused in HVAC, flushing and horticulture/ gardening, necessary measures should be made to mitigate the odor problem from STP/ETP.	Total wastewater generation in the project is 181 KLD. 169 KLD water is recoverable after treatment by STP which is used through dual plumbing in Flushing (54 KLD), Horticulture (13 KLD), Cooling Towers (90 KLD), Boiler (2 KLD) and back wash. STP was certified and report was submitted, water meters are installed at appropriate places. STP of 220 KLD based on FAB technology is installed for the treatment of wastewater generated within project. STP is installed in the basement to avoid area odor problem in the residential.
III.	The Solid waste (dry as well as wet garbage) generated should be properly collected and segregated. Biodegradable (wet) garbage generated should be converted to compost or biogas by suitable technology. Non- Biodegradable waste should be outsourced properly after recovery of recyclable material. Paper recycling unit should be installed for recycle and reuse of waste paper. Adequate measures should be taken to prevent odor problem.	The total municipal solid waste generation is 629 kg/day. Solid Waste is disposed off through government approved vendors after recovery of recyclable material. Necessary precaution is taken to minimize nuisance of odor, flies, and rodent. During breakdown or maintenance of processing facility intake of waste is stopped and arrangement is done for diversion of waste to the landfill site. Preprocess and post process rejects are removed from processing facility on regular basis.
IV.	Bio- medical waste, if generated any, shall be disposed of as per the Bio-	Lemon Tree & Red Fox is hotel, hence there is no Bio- medical waste

"Lemon Tree Premier & Red Fox Hotel"

**Asset no- 6, Hospitality District,
DIAL, IGI Airport, New Delhi**



Compliance Report

	medical Waste (Management & Handling) Rules, 1998 and authorization shall be obtained from DPCC as per applicability.	generation in the project site. Therefore no permission from DPCC is required.
V.	Utilization of Diesel power generating sets is subject to power failure condition only, The DG sets proposed as a source of power back up during operation phase should be of enclosed type. The DG sets of capacity more than 1000 KVA should be provided the stipulated stack height of 30 meter from the ground. If not possible due to any reason, permission from MoEF must be obtained specifically for stack height of such DG sets. All the DG sets should be subjected to periodic noise and stack monitoring in consultation with DPCC. Waste/used diesel should be stored and managed as per Hazardous Waste (Management and Handling) Rules, 2000 as amended to date and be sold to CPCB approved recyclers, Clearance from AAI should be obtained for stack height of D.G set.	Three NOS. Of (1x 1010 kVA and 2 x 750 kVA) of D.G sets have been installed as power backup during power failure condition. These DG are enclosed type to reduce noise level. The ambient noise monitoring result is enclosed as Annexure II. Stack height of D.G Set is 6 m above the height of building as per norms. NOC from AAI is enclosed as Annexure -VIII. Used diesel is stored and managed as per Hazardous And Other Wastes (Management and Tran boundary Movement) Rules 2016 and used diesel is sold to CPCB approved recyclers.
VI	Traffic congestion near the entry and exit points from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized. Separate parking provision should be provided for handicapped persons.	Parking facility of 324 ECS is provided in hotel. Hence adequate parking facility has been given which is shown in traffic circulation plan. The traffic circulation plan is enclosed as Annexure-IX. Parking is fully internalized and no public space is utilized. Separate parking is provided for handicapped persons.
VII	Energy Conservation measures such as solar lighting for common areas, solar water heating system, LED lights, solar inverters etc should be adopted.	Energy Conservation measures such as solar lighting for project boundary areas, LED lights in common areas, have been adopted. Photos showing use of solar lighting in project is enclosed as Annexure- IV

"Lemon Tree Premier & Red Fox Hotel"
Asset no- 6, Hospitality District,
DIAL, IGI Airport, New Delhi



Compliance Report

VIII	A report on energy conservation measures conforming to energy conservation norms finalized by Bureau of energy Efficiency should be prepared incorporating details about building materials and technology, R&U factors etc and submit a copy to ministry of Environment & Forests, Regional Offices, Chandigarh and DPCC in three months time with Intimation to SEIAA	The guidelines of BEE have been incorporated in the design and building construction for conservation of energy.
------	---	--

PART B - GENERAL CONDITIONS

I	The environmental safeguards and monitoring schedule as contained in the EMP should be implemented in letter and spirit & there will be no departure from the final project proposal.	The environmental safeguards and monitoring schedule as contained in the EMP are being implemented.
II	The project proponent shall follow the revised Guidelines/criteria for Evaluation of proposals/Request for Ground water abstraction issued by Central Ground Water Authority (CGWA) vide letter no.21-4/Guidelines/CGWA/2012-4793 dated: 30.10.2012 which are in effect from 15.11.2012.	During construction phase water requirement was met by CSTP treated water and in operational phase demand of water is being met by Delhi International Airport Private Limited, hence there is no extraction of ground water . Water bill is enclosed as Annexure-V.
III	Corporate Social Responsibility should be carried out as per action plan and budgetary provisions submitted to SEAC subject to a minimum of 0.4% of total project cost as one time expenditure and 0.08% of the project cost as recurring expenditure.	CSR plan is enclosed as Annexure- X.
IV	Officials from Ministry of environment & Forests, Regional Office, Chandigarh and Delhi Pollution Control Committee, who would be monitoring the	We are abiding with rules and regulations. Six monthly Compliance report is also submitted to regional office of MoEF & CC and DPCC

"Lemon Tree Premier & Red Fox Hotel"

Asset no- 6, Hospitality District,

DIAL, IGI Airport, New Delhi



Compliance Report

	implementation of environmental safeguards, should be given full co-operation to inspect the facilities and documents/data on site by the project proponents during their site inspection. A complete set of all the documents submitted to SEAC should be forwarded to Ministry of Environment & Forests, Regional Office, Chandigarh & DPCC. Six monthly monitoring reports should also be submitted to Ministry of Environment & Forests, Regional Office Chandigarh & to DPCC.	Receiving of submitted compliance in December 2016 is enclosed as Annexure-XI.
V	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEAC and the Consent to Establish/Operation from DPCC as well.	There is no change in the scope of the project.
VI	In Compliance to Hon'ble High Court's order dated 7 th August, 2008, use sale and storage of all kinds of plastic bags shall be forbidden.	In hotel use of all kinds of plastic bags are forbidden.
VII	E-waste generated in the complex should be managed as per E-waste (Management and Handling) Rules, 2011 and disposed through approved e-waste recyclers.	E- Waste generated in the complex is managed as per E-waste (Management and Handling) Rules, 2016 and disposed through approved e- waste recyclers.
VIII	State Environmental Impact Assessment Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including the revoking of the Environmental Clearance under the provisions of the Environmental (Protection) Act, 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	We are abiding with rules and regulations of State Environmental Impact Assessment Authority.

"Lemon Tree Premier & Red Fox Hotel"
Asset no- 6, Hospitality District,
DIAL, IGI Airport, New Delhi



Compliance Report

IX	All other statutory clearances such as approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department etc shall be obtained, as applicable by project proponents from the respective competent authorities	All required approvals such as fire safety certificate, NOC from AAI regarding height clearance have already been obtained.
X	These stipulations would be enforced among others under the provisions of Water (Prevention and Control) Pollution Act, 1974, the Air (Prevention and Control) Act 1981, The Environment (Protection) Act, 1986, The Public Liability (Insurance) Act, 1991 and EIA Notification, 2006, as amended to date.	All the stipulations are being complied.
XI	The Project Proponent should prominently advertise in at least two local Newspapers widely circulated in the region indicating that the project has been accorded Environmental Clearance and copy of clearance is available with the DPCC and may also be seen on the site of DPCC at http://www.dpcc.delhigovt.nic.in . The advertisement should be made within 10 days from the date of receipt of the Clearance letter.	It has been done as per directions.
XII	The Project Proponent should submit copy of environmental Clearance to the Heads of local bodies, Panchayats and municipal bodies in addition to relevant offices of government who in turn has to display the same for 30 days from the date of receipt	It has been done as per the direction
XIII	The project proponent shall apply for amendment in EC, if there is change in building plan(s) & layout plan(s) by DUAC or any other authority after the grant of EC.	If there will be any change in the building plan/layout necessary application will be submitted.

"Lemon Tree Premier & Red Fox Hotel"
Asset no- 6, Hospitality District,
DIAL, IGI Airport, New Delhi



Compliance Report

XIV	Status of compliance to the various stipulated environmental conditions and environmental safeguards will be uploaded by the Project Proponent on its website.	It is uploaded on website.
-----	--	----------------------------

[Handwritten signature]

Annexure-I

Handwritten signature

Delhi Pollution Control Committee

4th & 5th Floor, ISBT Building, Kashmere Gate, Delhi-110006

Website: <http://dpcc.delhigovt.nic.in>



CONSENT ORDER

Despatch No. **613**
Date **22/01/2013**

Certificate No. **OC019611**

Name of the Unit: **HYACINTH HOTELS PVT. LTD.**

Address: **ASSET NO-6, HOSPITALITY DISTRICT, DIAL IGI AIRPORT, DELHI-110029**

Consent Order No.: **DPCC/CMC/2013/31417**

Date of Issue: **22-01-2013**

Product/Activity: **LEMON TREE AND RED FOX HOTEL.**

This Consent to Establish is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under Orange Category. This consent is subject to terms and conditions specified overleaf.

N/A has done the analysis wide report dated N/A as follows:

Parameter	Value
PH	5.5-9
Total Suspended Solids (TSS)	<= 50
Bio-chemical oxygen demand (3 days at 20°C)	<= 1
Oil and Grease	<= 10
Phosphates (as P)	<= 1

Prescribed standards
PH = 5.5-9, Total Suspended Solids (TSS) <= 50, Bio-chemical oxygen demand (3 days at 20°C) <= 1, Oil and Grease <= 10, Phosphates (as P) <= 1
All effluent parameters are in mg/l except pH values



Verified by: **ENVIRONMENTAL ENGINEER**
N.K. KOSHI
Env. Engineer (CDO)
Delhi Pollution Control Committee

Issued by: **SENIOR ENVIRONMENTAL ENGINEER**
N.K. KOSHI
Senior Engineer (CDO)
Delhi Pollution Control Committee

Issuing Authority: **SENIOR ENVIRONMENTAL ENGINEER**
N.K. KOSHI
Senior Engineer (CDO)
Delhi Pollution Control Committee
4th & 5th Floor, ISBT Building
Kashmere Gate, New Delhi-110006

Delhi Pollution Control Committee

14th Floor, 1st Building, Kashmere Gate, Delhi-110006



CONSENT ORDER

Name of the Unit: BRYAN'S INDUSTRIES

Address: B-672, SAHIBARUNG ENCLAVE, NEW DELHI

Consent Order No: DPCC/CMC/2010/23579

Date of Issue: 15-05-2010

Product/Activity: HOPE COMPLEX, LITHIUM OXIDE, BENTONITE & RED OXIDE HOPE COMPLEX

This consent is granted under section 2 of the Air (Prevention & Control of Pollution) Act, 1974 and under section 26 of the Water (Prevention & Control of Pollution) Act, 1974 under the following conditions:

Verified by: _____

Signature: _____

Stamp: _____

Plascribed Stipulates: _____

Signature: _____


Stamp: _____

Issuing Authority

(Stamp)

Annexure-II

Annexure-II



ENVIRO-TECH SERVICES

An Environmental Analytical Laboratory

Environmental Monitoring, Testing and Services

(An ISO 9001:2008, 14001:2004 and OHSAS 18001:2007 Certified Company)

Recognised by MoEF (Govt. of India), Accredited by IS/ISO/IEC-17025:2005 (NABL)

G-232, M.G. Road Industrial Area, Hapur-Ghaziabad. (U.P.)-201015

email : etslab2012@gmail.com | Website : www.etslab.asia | Ph.: 9811736063, 9911516076



TEST CERTIFICATE

TEST REPORT NO : ETS/8983M/05/05/2017

DATE OF REPORT : 25-05-2017

WATER SAMPLE ANALYSIS REPORT


Name And Address of Customer : LEMON TREE & RED FOX BY M/S, HYACINTH HOTEL PVT. LTD.
ASEST NO. 6, HOSPITALITY DISTRICT DIAL, IGI AIRPORT,
NEW DELHI

Date of Sampling : 21-05-2017
Analysis Start Date : 24-05-2017
Analysis End Date : 25-05-2017
Sample ID No. : 8983M/05
Sampling Done By : ETS STAFF
Sample Description : GROUND WATER
Sample Location : PROJECT SITE
Sampling Protocol : IS:3025 (PART-1)
Sampling Quantity : 2.0 + 0.5 Ltr.
Packing Condition : SEALED
Packed In : PLASTIC AND GLASS

S. No.	Parameter	Unit	Result	Drinking Water Standards / Limit (IS:10500 2012)		Protocol
				Desirable	Permissible	
1.	Colour	Hazen	<5.0	5	15	IS-3025 (Pt-4)
2.	Odour	-	Agreeable	Agreeable	Agreeable	IS-3025 (Pt-5)
3.	pH	-	7.48	6.5 - 8.5	No Relaxation	IS-3025 (Pt-11)
4.	Taste	-	Agreeable	Agreeable	Agreeable	IS-3025 (Pt- 8)
5.	Turbidity	NTU	<1.0	1	5	IS-3025 (Pt-10)
6.	Total Dissolve Solid (TDS)	mg/l	359.0	500	2000	IS-3025 (Pt-16)
7.	Calcium (Ca)	mg/l	46.4	75	200	IS-3025 Pt-40)
8.	Chloride (Cl)	mg/l	35.9	250	1000	IS-3025 (Pt-32)
9.	Free Residual Chlorine	mg/l	<0.2	0.2	1	IS-3025 (Pt-26)
10.	Iron (Fe)	mg/l	<0.05	0.3	No Relaxation	IS: 3025(Pt-53)
11.	Sulphate (SO ₄)	mg/l	14.2	200	400	IS: 3025 (Pt-24)
12.	Total Hardness (CaCO ₃)	mg/l	172.0	200	600	IS: 3025 (Pt-21)

Page 1 of 1

****End of Test Report****



Format no ETS /LAB/TR-09 Issue No.:04 dt: 01/06/2016 Issue No.:03 Rev No 03 dt 01/06/2016

[Handwritten signature]

9

Note:-

1. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.
2. The samples received shall be destroyed after one month from the date of test report issued.
3. The results indicated only refer to the tested samples and listed applicable parameters.
4. Our liability is limited to invoice value only.



ENVIRO-TECH SERVICES

An Environmental Analytical Laboratory

Environmental Monitoring, Testing and Services

(An ISO 9001:2008, 14001:2004 and OHSAS 18001:2007 Certified Company)

Recognised by MoEF (Govt. of India), Accredited by IS/ISO/IEC-17025:2005 (NABL)

G-232, M.G. Road Industrial Area, Hapur-Ghaziabad. (U.P.)-201015

email : etslab2012@gmail.com | Website : www.etslab.asia | Ph.: 9811736063, 9911516076



TEST CERTIFICATE

TEST REPORT NO : ETS/8983L/05/2017

DATE OF REPORT :25-05-2017

SOIL SAMPLE ANALYSIS REPORT

Name And Address of Customer : LEMON TREE & RED FOX BY M/S, HYACINTH HOTEL PVT. LTD.
ASEST NO. 6, HOSPITALITY DISTRICT DIAL, IGI AIRPORT,
NEW DELHI

Date of Sampling : 21-05-2017
Analysis Start Date : 24-05-2017
Analysis End Date : 25-05-2017
Sample ID No. : 8983L/05
Sampling Done By : ETS STAFF
Sampling & Testing Protocol : APHA TEST METHODS
Sampling Description : SOIL
Sample Location : PROJECT SITE
Sample Quantity : 2.0 Kg.
Packing Condition : SEALED
Packed In : ZIP POLLY BAG

S. No.	Test Parameters	Unit	Result	Protocol
1.	Texture	---	Sandy Clay Loam	IS:2720 (part-4)
2.	Sand	%	61.5	IS:2720 (part-4)
3.	Silt	%	15.7	IS:2720 (part-4)
4.	Clay	%	22.8	IS:2720 (part-4)
5.	pH (1:2 Suspension)		7.38	IS:2720 (part-26)
6.	Electrical Conductivity (1:2)	µmhos/cm	356.7	IS: 14767
7.	Cation Exchange Capacity(CEC)	meq/100	11.9	IS:2720(part-24)
8.	Water Holding Capacity(WHC)	%	27.7	ETS/STP/SOIL-12
9.	Sodium (Na)	mg/kg	190.7	ETS/STP/SOIL-06
10.	Potassium (K)	mg/kg	80.0	ETS/STP/SOIL-07
11.	Calcium (Ca)	mg/kg	1199.3	ETS/STP/SOIL-08
12.	Magnesium (Mg)	mg/kg	584.3	ETS/STP/SOIL-08

****End of Test Report****

FOR ENVIRO-TECH SERVICES

Page 1 of 1



Format no. ETS /LAB/TR-12 Issue No.:04 dt. 01/06/2016 Issue No.:03 Rev No 03 dt 01/06/2016

10

Note:-

1. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.
2. The samples received shall be destroyed after one month from the date of test report issued.
3. The results indicated only refer to the tested samples and listed applicable parameters.
4. Our liability is limited to invoice value only.



ENVIRO-TECH SERVICES

An Environmental Analytical Laboratory

Environmental Monitoring, Testing and Services

(An ISO 9001:2008, 14001:2004 and OHSAS 18001:2007 Certified Company)

Recognised by MoEF (Govt. of India), Accredited by IS/ISO/IEC-17025:2005 (NABL)

G-232, M.G. Road Industrial Area, Hapur-Ghaziabad. (U.P.)-201015

email : etslab2012@gmail.com | Website : www.etslab.asia | Ph.: 9811736063, 9911516076



ISO 9001/14001/OHSAS 18001
Acc. No.- M31112041N

TEST CERTIFICATE

TEST REPORT NO : ETS/8983J/05/2017

DATE OF REPORT : 25-05-2017

AMBIENT AIR QUALITY MONITORING AND ANALYSIS REPORT

Name And Address of Customer : LEMON TREE & RED FOX BY M/S, HYACINTH HOTEL PVT. LTD.
ASEST NO. 6, HOSPITALITY DISTRICT DIAL, IGI AIRPORT,
NEW DELHI

Date of Sampling : 21-05-2017
Analysis Start Date : 24-05-2017
Analysis End Date : 25-05-2017
Duration of Sampling : 21-05-2017 TO 22-05-2017 24.0 HOURS
Sample ID No. : 8983J/05
Sampling Done By : ETS STAFF
Sampling Location : PROJECT SITE
Sampling Protocol : IS:5182 (PART-5) AS PER CPCB GUIDELINES
Sampling Machine Placed At Height : 3.5 MTR. (FROM GROUND)
Weather Condition : CLEAR


S. No.	Test Parameters	Unit	Result	Specification/Limit (as Per CPCB)	Protocol
1.	Particulate Matter (PM10)	$\mu\text{g}/\text{m}^3$	135.6	For 24 Hrs.=100	IS: 5182 (Part-23)
2.	Particulate Matter (PM2.5)	$\mu\text{g}/\text{m}^3$	69.2	For 24 Hrs.=60	Gravimetric Method
3.	Sulphur Dioxide (SO ₂)	$\mu\text{g}/\text{m}^3$	38.0	For 24 Hrs.=80	IS: 5182 (Part-2)
4.	Carbon Monoxide (CO)	mg/m^3	1.63	For 8 Hrs.=02 / For 1 Hrs.=04	IS: 5182 (Part-10)
5.	Nitrogen Dioxide (NO ₂)	$\mu\text{g}/\text{m}^3$	57.0	For 24 Hrs.=80	IS: 5182 (Part-6)

****End of Test Report****

Page 1 of 1



Format no ETS /LAB/TR-01 Issue No. 04 dt 01/06/2016 Issue No.:03 Rev No 03 dt 01/06/2016



Note:-

1. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.
2. The samples received shall be destroyed after one month from the date of test report issued.
3. The results indicated only refer to the tested samples and listed applicable parameters.
4. Our liability is limited to invoice value only.



ENVIRO-TECH SERVICES

An Environmental Analytical Laboratory


Environmental Monitoring, Testing and Services

(An ISO 9001:2008, 14001:2004 and OHSAS 18001:2007 Certified Company)

Recognised by MoEF (Govt. of India), Accredited by IS/ISO/IEC-17025:2005 (NABL)

G-232, M.G. Road Industrial Area, Hapur-Ghaziabad. (U.P.)-201015

email : etslab2012@gmail.com | Website : www.etslab.asia | Ph.: 9811736063, 9911516076



ISO 9001/14001/OHSAS 18001
Acc. No.- M31112041N

TEST CERTIFICATE

TEST REPORT NO : ETS/8983K/05/2017

DATE OF REPORT :25-05-2017

NOISE MONITORING REPORT

Name And Address of Customer : LEMON TREE & RED FOX BY M/S, HYACINTH HOTEL PVT. LTD.
ASEST NO. 6, HOSPITALITY DISTRICT DIAL, IGI AIRPORT,
NEW DELHI


Date of Monitoring : 21-05-2017
Analysis Start Date : 24-05-2017
Analysis End Date : 24-05-2017
Monitoring Done By : ETS STAFF
Monitoring Duration : 24.0 HOURS
Place of Monitoring : PROJECT SITE
Category of Area : COMMERCIAL AREA
Sampling Protocol : CPCB METHOD - PCLS/06/2000-01

S. No.	Description of Noise Level	Unit	Result	Ambient Noise Standards/Specification (CPCB/Factories Act)
1.	Noise Level Day Time	Leq :dB (A)	61.0	65
2.	Noise Level Night Time	Leq :dB (A)	49.8	55

Remark: Day time is reckoned in between 06.00 A.M. and 10.00 P.M.
Night time is reckoned in between 10.00 P.M. and 06.00 A.M.

Page 1 of 1

****End of Test Report****



Format no ETS /LAB/TR-02 Issue No.:04 dt. 01/06/2016 Issue No.:03 Rev No 03 dt. 06/06/2016




[Handwritten signature]

Note:-

1. This test report shall not be used in any advertising media or as evidence in the court of Law without prior written permission of the laboratory.
2. The samples received shall be destroyed after one month from the date of test report issued.
3. The results indicated only refer to the tested samples and listed applicable parameters.
4. Our liability is limited to invoice value only.

Annexure-III

Annexure-III




Annexure- IV

Annexure- IV

SITE PHOTOGRAPHS



Solar Lighting System



Solar Panel



Green Area



Green Area



Waste Collection System




Waste Collection System


Chunwan
11



Sewage Treatment Plant



Rain Water Harvesting



Fire Extinguishers

Handwritten signature or mark.

Annexure-V

Annexure-V

Customer No. : 1000000760

Invoice No. : 6000004126

M/s HYACINTH HOTELS PRIVATE LIMITED
LEMON TREE HOTEL,
DELHI INTERNATIONAL AIRPORT, ASSET NO.6,
HOSPITALITY DISTRICT, DIAL, IGI AIRPORT,
NEW DELHI 110037

Service Tax Reg No. : AACCD3570FST001

Service Tax Category : Airport Services

PAN : AACCD3570 F

CIN : U63033DL2006PLC14693

Bill Date : 05.06.2017

Due Date : 26.06.2017

Bill Period : May / 2017

Description		In Kilo Litres			In Rupees	
Meter No.	Rental Unit/ Asset Area	Prev. Date/ Reading	Curr. Date/ Reading	Units Consumed	Rate Per Kilo Litre	Amount (Rs)
LM06/08-IW-1820	Lemon Tree Hotel	01.05.2017 2,04,794.00	31.05.2017 213489.00	8,695.00	146.41	12,73,035.00
Total						12,73,035.00
Service Tax - 14.00%						1,78,224.9
Swachh Bharat Cess - 0.50%						6,365.18
Krishi Kalyan Cess - 0.50%						6,365.18
Grand Total						14,63,990.26

Amount in words: Rupees Fourteen lakh sixty three thousand nine hundred ninety and twenty six paise only

This is a digitally signed invoice and hence no physical signature is required:

Validity unknown

Digitally Signed By MADHUSUDHAN RAO NASAPU
(Personal)

Authorized Signatory
for & on behalf of

DELHI INTERNATIONAL AIRPORT LIMITED

Contd..


Annexure-VI

Handwritten signature

FORM 'J': APPLICATION FOR RENEWAL OF FIRE SAFETY

CERTIFICATE

To
The Director
Delhi Fire Service
Delhi Fire Service Headquarters
Connaught Place
New Delhi-110 001.



Sub: Application for renewal of fire safety certificate in respect of M/s Hyacinth Hotels Pvt. Ltd.
at Asset No-6, Hospitality District, IGI Airport, New Delhi (address of building/premises).

Ref: Computer ID No.....

Sir

This is to inform you that a fire safety certificate was issued vide your letter No F6/DFS/MS/2012/Hotel/4226 dated 12-11-2012 in respect of M/s Hyacinth Hotels Pvt. Ltd. (name of the building) located at Asset No-6, Hospitality District, IGI Airport, New Delhi (address of the building) is valid until 11-11-2015 and is due for renewal for a period of another Three (3) years wef 12-11-2015

In this connection it is submitted that there is no material change in the building affecting the means of access, means of escape and that all fire prevention and fire safety measures have been tested and are in good working condition. A declaration as required under rule 38 is enclosed.

You are requested to kindly take action as necessary for renewal of fire safety certificate for continued occupancy of the building/premises.

Dated: 2nd NOV 2015

Contact details:

Name in full GOPAL PANDEY
Tel. No +91 11-44232398
Mobile No +91 9560444658

(Signature of the applicant)

Encls: (1) Declaration Form, (2) Current Fire Safety Certificate dated 12-11-2012


FORM 'K': DECLARATION BY OWNER/OCCUPIER

[See sub-rule (2) of rule 38]

DECLARATION

It is hereby declared that the M/s Hyacinth Hotels Pvt. Ltd. (name of the building or premises) located Asset No-6, Hospitality District, IGI Airport, New Delhi (address) comprised of three (3) basement (s) and Ground + 07 (upper floors) have complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and issued Fire Safety Certificate vide Computer ID NO.for a period of three (3) years in accordance with rule 36 valid from 12-11-2015 to 11-11-2015 and the fire prevention and fire safety measures provided in the building/premises have been checked by me / in my presence by Fire Safety officer on 31-10-2015 and found them in place and in good repairs.


It is further declared that no additions or alterations have been made in the building/premises affecting the fire prevention and fire safety measures including the means of escape and that all exits and passages are free from any obstruction.


(Signature of owner /occupier)

Name in Block Capitals GOPAL PANDEY

Address Asset No-6, Hospitality District, IGI Airport, New Delhi

Counter signed



(Fire Safety Officer*)

Name SHIVAM SINGH

* Strike out whichever is not applicable.

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS: DELHI FIRE SERVICE: NEW DELHI - 110001

(159)


No F 6 / DFS / MS / 2012 / Hotel / 4226

Dated 12 / 11 / 12

FIRE SAFETY CERTIFICATE

Certified that the hotel Building Hyacinth Hotel, Located at Asset no. 06, Hospitality District I.G.I Airport, New Delhi, comprised of three basements, Ground + 07 upper floors owned occupied by M/s Hyacinth Hotels Pvt. Ltd. have complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010, and verified by the officers concerned of Delhi Fire Service on 22.10.2012 in the presence of Mr. N.C. Malhotra/Joginder Singh and found that the Hotel Building have complied with fire prevention and fire safety requirements in accordance with Rule 33 of the Delhi Fire Service Rules, 2010 and that the premises is fit for occupancy class A-5 "Hotel Building" with effect from 12/11/12 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010.

Issued ... 12/11/12 ... at New Delhi by.



Chief Fire Officer
Delhi Fire Service

To

The Authorized Signatory,
Property Division, DIAL, New Udan Bhawan, T-3, Opp. ATS Complex,
International Terminal, IGI Airport, New Delhi-37

Conditions for the validity of fire safety certificate

1. All the means of escape/entry/exit shall be kept free from any obstruction.
2. All the fire protection measures shall be maintained in perfect working conditions all the times as seen during inspection.
3. All the staff members must know the correct method operation of fire fighting system.
4. Any lapse rendering fire fighting system/equipment non-functional shall be risk and responsibility of the management.
5. This inspection report may not in any way be treated as regularization of unauthorized construction, if any.
6. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in
7. NOC for running hotel shall be considered on receipt of reference letter from Addl. Commissioner of Police (Lic).



GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI

HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110 001

NO. F6/DFS/MS/2015/32/2148

Dated: 10/12/15

FIRE SAFETY CERTIFICATE

Certified that M/S Hyacinth Hotels Pvt. Ltd. (Hotel Lemon Tree & Red Fox) Located at Asset No. 06, Hospitality District I.G.I Airport, Aero City, New Delhi-110037, comprised of three basements, ground plus six upper floors was granted Fire Safety Certificate by this department vide letter No.F6/DFS/MS/2012/Hotel/4226, Dated 12.11.2012. The premises was re-inspected by the officers concerned of this department on 02.12.2015 in the presence of Sh. N.C.Malhotra Assistant Vice President, of the hotel and found that the said hotel building have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the premises is fit for occupancy Class A "Hotel Building" with effect from 10/12/2015 for period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010. Issued on 10/12/2015 at New Delhi by

(Dr.G.C.Misra)

Chief Fire Officer

T.No.011-23414333

To:-

1. Sh. Rahul Pandit, Hyacinth Hotels Pvt. Ltd. (Hotel Lemon Tree & Red Fox) Located at Asset No. 06, Hospitality District I.G.I Airport, Aero City, New Delhi-110037.
2. The Joint. Commissioner of Police, Police Station, First Floor, Defence Colony New Delhi with respect to letter No.2539/Joint C.P./Lic(H), dated 24.11.15.

Conditions for the validity of fire safety certificate are as under:-

1. All the means of escape shall be kept free of all type of obstruction all the time.
2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
4. Any deviation, with regards to construction, ventilation, occupancy, electric installation etc. may be got verified from the concerned authorities.
5. This Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
6. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in.
7. The owner/occupier shall apply for renewal of this Fire Safety Certificate in form J, six month prior to its expiry.

Annexure-VII

Handwritten signature

Annexure-VIII

[Handwritten signature]



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

AAI/NOC/2010/127/755-757 BY REGD. POST

Dated:- 21-04-2010

✓ M/s Hyacinth Hotels Pvt. Ltd.,
201, Okhla Industrial Estate, Phase-III,
New Delhi-110020.

SUBJECT:- NO OBJECTION CERTIFICATE - (FOR HEIGHT CLEARANCE ONLY)

Sir,

Please refer to your letter no NIL dated NIL on the subject mentioned above.

This office has no objection to the construction of the proposed Hotel building by M/s Hyacinth Hotels Pvt. Ltd. herein after referred to as the applicant(s) at location Asset no.6 Hospitality District, IGI Airport, New Delhi. (Co-ordinates: 28 33 08.883 N 77 07 14.344 E) for a height of 28.48 Mts. (In figure) Twenty eight decimal four eight Meters (In words) above ground level so that the top of the proposed structure when erected shall not exceed 235.50 Mts. (site elevation) plus (+) 28.48 Mts. (height of structure) = 263.98 Mts. above mean sea level.

This no objection certificate is being issued on the express understanding that the site elevation (height above mean sea level) viz 235.50 Mts. relative location of the proposed building/structure & its distances and bearings from ARP/ Runway ends, as tendered by the applicant(s) are correct. If, however, at any stage it is established that the said data as tendered & which could adversely effect aircraft operations, the structure or part(s) thereof in respect of which this 'No Objection Certificate' is being issued will have to be demolished at his own cost as may be directed by the Airports Authority of India. The Applicant(s) are therefore advised in his/their own interest to verify the elevation and other data furnished for the site, before embarking on the proposed construction.

The issue of this 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time and under which also the applicant may be called upon by the Airports Authority of India (National Airports Division) to demolish in whole or in part the structure now being authorized vide this 'No Objection Certificate'.

The use of electric fire or oil fired furnace is obligatory.

This certificate is valid for a period of five years from the date of issue. If the building /structure /chimney is not constructed & completed within the above mentioned period of five years, you will be required to obtain a fresh 'No Objection Certificate' from the Airports Authority of India (National Airports Division) and/or the General Manager, Aerodromes, Northern Region. The date of completion of the building/ structure/chimney should be intimated to the Airports Authority of India and/or the General Manager, Aerodromes, Northern Region.

No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time during or after the construction of the building.

Day & Night markings with secondary power supply may be provided as per ICAO Standard.

"The permissible top elevation/height includes height for superstructures (eg. Wireless, TV antennas, munties, lift machine room, overhead water tank cooling towers etc.)"

NOTE:- THE SITE IS EXAMINED W.R.T IGI AIRPORT AND SAFDARJUNG AIRPORT ONLY.



(A.K. DHUPAR)
JT. GENERAL MANAGER (Ops)
NORTHERN REGION

Copy to:- 1. The Chairman, Airports Authority of India, Rajiv Gandhi Bhawan, Safdarjung Airport, N.D.
3. The Chief Operating Officer, DIAL, T-3, Project Office, Opp. New Air Traffic Services, IGI Airport, New Delhi.

FOR GENERAL MANAGER (AERO)
NORTHERN REGION

Annexure-IX

Summery



Annexure-X

Annexure-X

HYACINTH HOTELS PRIVATE LIMITED

Regd. Office: B 6/17 Safdarjung Enclave, New Delhi - 110 029

T +91-11-46050101. F +91-11-46050110

(CIN U55204DL2007PTC166050)

Lemon Tree Hotels CSR Initiatives:

Giving back to society:

Lemon Tree focuses on delivering a healthy 'triple bottom line' i.e. Planet, People and Profit through its sustainability initiatives.

- 1. Planet:** Our current efforts include energy efficiency and conservation; water efficiency and conservation; use of CNG instead of LPG; use of green building material; planting of trees and shrubs on hotel premises; building hotels in accordance with Universal Design concepts for greater access for differently abled people and building our hotels to Leadership in Energy and Environment Design (LEED) Gold Standards. In the medium term to long term, we will focus on wind power; agro power i.e. burn agricultural waste; recycled water for AC cooling tower (target replacement of fresh water by 15-20%); heat pump for energy conservation; solar photo voltaic (PV) system for lighting; extensive use of LED light fittings (post cost reduction).
- 2. People:** We are very focused on building a culture of inclusion and on keeping our integrated team (Persons With Disability and persons without disability) engaged. Lemon Tree Hotels was ranked # 30 in the Best Work Places in India in the year 2015 by the Great Places to Work Institute and Economic Times. We have set a target of 250% of our expected employee strength of 8000 being either ladies, EWD's or from economically underprivileged sections of society by 2016-2017.
- 3. Profit:** Our main focus is on being best in class in our cost structure, both in building and operating hotels. This will enable us to offer the best Return on Capital Employed to our investors, over the long term.
- 4. Recruitment of people with disabilities:** As part of our Corporate Social Responsibility endeavor, LTH has recruited ~400 Employees With Disability (EWD). This includes Speech & Hearing Impaired, Orthopedically Challenged, Visually Impaired and Down Syndrome. We impart relevant employability skills to these EWD in job roles where their disability is not a disadvantage. They can then be employed routinely and on an equal footing with normal people, which is the only long lasting way to sustain the practice. The 31 March 2016 vision is to employ (and retain through sensitivity training/counseling) 460 EWD i.e. ~15% of the employee base. A video clipping on "Inclusive Employability" is attached.
- 5. "Hunar Se Rozgar Tak":** A Government of India Skill Development Program. Under this initiative, we have worked extensively to hire and impart basic skill training for people who hail from economically weaker sections and have very limited academic scope (Minimum qualification being 8th std.). The objective of this on the job skill training is to provide these marginalized people job opportunities in the hospitality sector. Each of our hotels is partnering with the Local Government run Hotel Management Colleges for this purpose and is extending skill training in operational verticals such as Food & Beverage Service, Food Production, & Housekeeping. The tenure of training is between 6 weeks to 8 weeks.
- 6. Promoting tribal art:** LTH is the largest buyer nationally of tribal art from Bastar, Madhya Pradesh. We buy artifacts from the tribals in this region and use this art extensively in the hotel interiors.

For HYACINTH HOTELS PVT. LTD.

(Authorized Signatory)

Name: Perkin Rocha

Designation: Area General Manager

Annexure-XI

Amur

HYACINTH HOTELS PRIVATE LIMITED

Regd. Office: B 6/17 Safdarjung Enclave, New Delhi - 110 029

T +91-11-46050101. F +91-11-46050110

(CIN U55204DL2007PTC166050)

Date: 5th December 2016

To,
Member Secretary,
Delhi Pollution Control Committee,
4th Floor, ISBT Building,
Kashmere Gate, Delhi-110006.

Subject: Submission of Half Yearly Compliance for the stipulated Environmental Condition/safeguards as mentioned in the Environmental Clearance Letter for "Lemon tree & Red Fox Hotel" located at Asset no-6, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

Ref: File No. DPCC/SEIAA-SEAC/153/12/227.

EC Letter No. DPCC/SEAC/153/SEIAA/20/2013; Dated 30 July 2013

Dear Sir,

This has reference to EC Letter No. DPCC/SEAC/153/SEIAA/20/2013 dated 30 July 2013 vide which we have been asked to submit the compliance with the specific and General Conditions.

In view of above, we are approaching you by submitting the half yearly compliance report of December, 2016 along with the following information/ documents for your kind perusal:

1. Point-wise compliance of the stipulated environmental condition / safeguards.
2. Environmental Monitoring Report.

We fully assure you that we will comply with all condition as specific in the Environment Clearance granted us.

Thanking you,

Yours Sincerely,

HYACINTH HOTELS PVT. LTD.
For M/s Hyacinth Hotels Pvt. Ltd.

Authorised Signatory

Stamp & Sign.

Name : Perkin Rocha

Designation: Area General Manager

Copy to:

1. Secretary (Environment) cum Chairman (DPCC), Department of Environment, Government of NCT Delhi, Secretariat Building, 6th Level, C-wing, I.P. Estate, New Delhi.2
- Director, Impact Assessment III- Division, Ministry of Environment, Forest & Climate Change Paryavaran Bhawan, CGO Complex, Jor Bagh Road, Aliganj, New Delhi-110092.3.
- The Chief Conservator, Regional Officer, Ministry of Environment, Forest & Climate Change (Central region), Kendriya Bhawan, 5th floor, sector-H, Aliganj, Lucknow-226024

सी. आर. भुषा, मान्यता प्राप्त किया
Recd
पर्यावरण, वन, और जल विभाग
Ministry of Environment, Forest & Climate Change
भारतीय संघ, भारत
इन्दिरा भवन, CGO कॉम्प्लेक्स, जोर बाग रोड, अलिगंज
जोराबाग रोड, अलिगंज, नई दिल्ली/New Delhi-110092

megha
9/10/16

Date: 5th December 2016

To,
Member Secretary,
Delhi Pollution Control Committee,
4th Floor, ISBT Building,
Kashmere Gate, Delhi-110006.

Subject: Submission of Half Yearly Compliance for the stipulated Environmental Condition/safeguards as mentioned in the Environmental Clearance Letter for "Lemon tree & Red Fox Hotel" located at Asset no-6, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

Ref: File No. DPCC/SEIAA-SEAC/153/12/227.

EC Letter No. DPCC/SEAC/153/SEIAA/20/2013; Dated 30 July 2013

Dear Sir,

This has reference to EC Letter No. DPCC/SEAC/153/SEIAA/20/2013 dated 30 July 2013 vide which we have been asked to submit the compliance with the specific and General Conditions.

In view of above, we are approaching you by submitting the half yearly compliance report of December, 2016 along with the following information/ documents for your kind perusal:

1. Point -wise compliance of the stipulated environmental condition / safeguards.
2. Environmental Monitoring Report.

We fully assure you that we will comply with all condition as specific in the Environment Clearance granted us.

Thanking you,

Yours Sincerely,

HYACINTH HOTELS PVT. LTD.
For M/s Hyacinth Hotels Pvt. Ltd.

Authorised Signatory

Stamp & Sign.

Name : Perkin Rocha

Designation: Area General Manager

Copy to:

1. Secretary (Environment) cum Chairman (DPCC), Department of Environment, Government of NCT Delhi, Secretariat Building, 6th Level, C-wing, I.P. Estate, New Delhi.
2. Director, Impact Assessment III- Division, Ministry of Environment, Forest & Climate Change Paryavaran Bhawan, CGO Complex, Jor Bagh Road, Aliganj, New Delhi-110092.
3. The Chief Conservator, Regional Officer, Ministry of Environment, Forest & Climate Change (Central region), Kendriya Bhawan, 5th floor, sector-H, Aliganj, Lucknow-226024

megha
9/10/1

HYACINTH HOTELS PRIVATE LIMITED

Regd. Office: B 5/17 Safdarjung Enclave, New Delhi - 110 029
T +91-11-46050101, F +91-11-46050110
(CIN U55204DL2007PTC166050)

Date: 5th December 2016

To,
Member Secretary,
Delhi Pollution Control Committee,
4th Floor, ISBT Building,
Kashmere Gate, Delhi-110006.

Subject: Submission of Half Yearly Compliance for the stipulated Environmental Condition/safeguards as mentioned in the Environmental Clearance Letter for "Lemon tree & Red Fox Hotel" located at Asset-no-6, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

Ref: File No. DPCC/SEAC/153/12/227.

EC Letter No. DPCC/SEAC/153/SEIAA/20/2013; Dated 30 July 2013

Dear Sir,

This has reference to EC Letter No. DPCC/SEAC/153/SEIAA/20/2013 dated 30 July 2013 vide which we have been asked to submit the compliance with the specific and General Conditions. In view of above, we are approaching you by submitting the half yearly compliance report of December, 2016 along with the following information/ documents for your kind perusal:

1. Point-wise compliance of the stipulated environmental condition / safeguards.
2. Environmental Monitoring Report.

We fully assure you that we will comply with all condition as specific in the Environment Clearance granted us.

Thanking you,

Yours Sincerely,


HYACINTH HOTELS PVT. LTD.
For M/s Hyacinth Hotels Pvt. Ltd.

Authorised Signatory

Stamp & Sign.

Name : Perkin Rocha

Designation: Area General Manager



Copy to:

1. Secretary (Environment) cum Chairman (DPCC), Department of Environment, Government of NCT Delhi, Secretariat Building, 6th Level, C-wing, I.P. Estate, New Delhi.2
2. Director, Impact Assessment III- Division, Ministry of Environment, Forest & Climate Change Paryavaran Bhawan, GGO Complex, Jor Bagh Road, Aliganj, New Delhi-110092.3.
3. The Chief Conservator, Regional Officer, Ministry of Environment, Forest & Climate Change (Central region), Kendriya Bhawan, 5th floor, sector-H, Aliganj, Lucknow-226024

Meegha
9/10/16

HYACINTH HOTELS PRIVATE LIMITED
Regd. Office: B 6/17 Safdarjung Enclave, New Delhi - 110 029

T +91-11-46050101. F +91-11-46050110

(CIN U55204DL2007PTC166050)

To,
Member Secretary,
Delhi Pollution Control Committee,
4th Floor, ISBT Building,
Kashmere Gate, Delhi-110006.

Date: 5th December 2016
Delhi Pollution Control Committee
DEPARTMENT OF ENVIRONMENT
GOVT. OF NCT OF DELHI
4TH FLOOR, ISBT BUILDING,
KASHMERE GATE, DELHI-110006

Subject: Submission of Half Yearly Compliance for the stipulated Environmental Condition/safeguards as mentioned in the Environmental Clearance Letter for "Lemon tree & Red Fox Hotel" located at Asset no-6, Hospitality District, DIAL, IGI Airport, New Delhi By M/s Hyacinth Hotels Pvt. Ltd.

Ref: File No. DPCC/SEAC/153/12/227.

EC Letter No. DPCC/SEAC/153/SEIAA/20/2013; Dated 30 July 2013

Dear Sir,

This has reference to EC Letter No. DPCC/SEAC/153/SEIAA/20/2013 dated 30 July 2013 vide which we have been asked to submit the compliance with the specific and General Conditions.

In view of above, we are approaching you by submitting the half yearly compliance report of December, 2016 along with the following information/ documents for your kind perusal:

1. Point-wise compliances of the stipulated environmental condition / safeguards.
2. Environmental Monitoring Report.

We fully assure you that we will comply with all condition as specific in the Environment Clearance granted us.

Thanking you,

Yours Sincerely,

HYACINTH HOTELS PVT. LTD.
For M/s Hyacinth Hotels Pvt. Ltd.

Authorised Signatory

Stamp & Sign.

Name : Perkin Rocha

Designation: Area General Manager

Copy to:

1. Secretary (Environment) cum Chairman (DPCC), Department of Environment, Government of NCT Delhi, Secretariat Building, 6th Level, C-wing, I.P. Estate, New Delhi.2
2. Director, Impact Assessment III- Division, Ministry of Environment, Forest & Climate Change Paryavaran Bhawan, CGO Complex, Jor Bagh Road, Aliganj, New Delhi-110092.3.
3. The Chief Conservator, Regional Officer, Ministry of Environment, Forest & Climate Change (Central region), Kendriya Bhawan, 5th floor, sector-H, Aliganj, Lucknow-226024

megha
9/10/16